(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.	
O79319	
Lease No.	13

IOTICE OF INTENTION TO D	PRILL	SUBSEQUEN	T REPORT OF WATER SHUT	-OFF	
	HANGE PLANS		REPORT OF SHOOTING OF		
OTICE OF INTENTION TO T	EST WATER SHUT-OFF	SUBSEQUENT	REPORT OF ALTERING CA	SING	
OTICE OF INTENTION TO R	RE-DRILL OR REPAIR WELL	SUBSEQUENT	REPORT OF RE-DRILLING	OR REPAIR	
OTICE OF INTENTION TO S	SHOOT OR ACIDIZE	SUBSEQUENT	REPORT OF ABANDONME	۱T	
NOTICE OF INTENTION TO P	PULL OR ALTER CASING	SUPPLEMENT	TARY WELL HISTORY		
IOTICE OF INTENTION TO A	ABANDON WELL				
	(INDICATE ABOVE BY CHECK M	IARK NATURE OF REPOR	T, NOTICE, OR OTHER DATA	.)	
		*******************	July 5,		, 19. 5 €
ell No. 7- 4	is located 680 ft. fr	$\operatorname{com}_{-} \left\{ \begin{array}{c} N \\ S \end{array} \right\}$ line and	d 852 ft. from	Eline of sec	31
SE/A Section 31	281	Ĉ u	DOM	•	
(½ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	•	
So. Blanco F.C.		SEE JUNE nty or Subdivision)		ew Mexico e or Territory)	
it is intended t	depths to objective sands; showing points, and	an other important pr	ngths of proposed casings; oposed work)	tion using	rotary
It is intended tools and to per Total Depth 2970	depths to objective sands; showing points, and to drill a well the recrete and water	w sizes, weights, and le all other important pr	ngths of proposed casings; oposed work)	tion using	rotary
It is intended tools and to per Total Depth 2970 Casing Program: 9 5/8	depths to objective sands; showing points, and to drill a well the recrete and water	w sizes, weights, and le all other important pr tru the Picture pose	ngths of proposed casings; oposed work) red Cliff forms with producing	tion using gones. Es	rotary stimutes
It is intended tools and to per Total Depth 2970 Casing Progress: 9 5/8 5 1/2	depths to objective sands; showing points, and to drill a well the recrete and water o'. at 120' with 12' at 2970' with 75 tion 31 is dedicat	w sizes, weights, and lead other important principal time. Picture fracture poses	ngths of proposed casings; oposed work) red Cliff forms wible producing for cement circular coment, 75 s	tion using gones. Es	rotary rtimate
It is intended tools and to per Total Depth 2970 Casing Progress: 9 5/8 5 1/2 The SE/4 of Sec. 31/4 Section 31	depths to objective sands; showing points, and to drill a well the recrete and water o'. at 120' with 12' at 2970' with 75 tion 31 is dedicat	waizes, weights, and leall other important price all other important price fracture possible sacks regulated to this waizes, we sacks regulated to this waizes.	ngths of proposed casings; oposed work) red Cliff forms with producing are consent, 75 and cli.	tion using sones. En	rotary stimutes
It is intended tools and to per Total Depth 2976 Casing Progress: 9 5/8 5 1/2 The SE/4 of Sec. 2/4 Section 31	depths to objective sands; showing points, and to drill a well the riorate and water o'. ** at 120' with 12' at 2970' with 75 tion 31 is dedicated and 57 079319.	w sizes, weights, and lead other important price all other important price in the Picture fracture poses. Sacks regulated to this wealing writing by the General control of the price in t	ngths of proposed casings; oposed work) red Cliff forms with producing are consent, 75 and cli.	tion using sones. En	rotary stimutes
It is intended tools and to per Total Depth 2570 Casing Progress: 9 5/8 5 1/2 The SE/4 of Sec. E/4 Section 31 I understand that this platform in Page 11 Page 12 Page 12 Page 13 Page 13 Page 13 Page 13 Page 14 Page 14 Page 14 Page 15 Page	depths to objective sands; showing points, and to drill a well the ricrate and water o'. ** at 120° with 125° at 2970° with 75° tion 31 is dedicated by 079319.	w sizes, weights, and lead other important price all other important price in the Picture fracture poses. Sacks regulated to this wealing writing by the General control of the price in t	ngths of proposed casings; oposed work) red Cliff forms with producing are consent, 75 and cli.	tion using sones. En	rotary stimutes
It is intended tools and to per Total Depth 2976 Casing Progress: 9 5/8 5 1/2 The SE/A of Sec. 2/A Section 31 I understand that this plate to the section 31 Ompany El Paraddress Box 9	depths to objective sands; showing points, and to drill a well the ricrate and water o'. ** at 120° with 125° at 2970° with 75° tion 31 is dedicated by 079319.	waizes, weights, and leall other important price all other important price in the Picture fracture positions are regularized to this wall in writing by the Georgeany	ngths of proposed casings; oposed work) red Cliff forces albe producing ar cement circular coment, 75 sell.	tion using sones. En	rotary stimutes
It is intended tools and to per rotal Depth 2976 Casing Progres: 9 5/8 5 1/2 The E/A of Sec. E/A Section 31 I understand that this play ompany El Paddress Box 9	depths to objective sands; showing points, and to drill a well the right and water or at 120° with 12° at 120° with 12° at 2970° with 75 cion 31 is dedicated SF 079319.	w sizes, weights, and lead other important price all other important price and the Picture poses. Sacks regulated to this weather to this weather to this weather the sacks regulated to the sacks regulated	ngths of proposed casings; oposed work) red Cliff fores wible producing ar cement circular community, 75 and cological Survey before open open of the cological Survey before open open open open open open open ope	tion using gones. Es	rotary stimute arface.

NEW MEXICO .

OIL CONSERVATION COMMISSION

WELL LOCATION AND/OR GAS PROPATION PLAT

943.5 × R i	L PASO N	ATURA!	LGAS C	OMPANY	: SCI	MERDTFEGER	<u> </u>	JULY 2, 195 SF 0	6 79319_
	7		. `	31		28=N		8-W	NOT M
	680	_ :::	· · · · <u>· · · · · · · · · · · · · · · </u>	SOUTH		852	<u></u> : ;:::1 ¹	res M RAST	1.0M.
	SAN	JUAN	•	ji li wa Malefi	·(:	SO. BLANC		671	2
eg	1000	2010	PICT	URED CLIF	T _ () < .	EXTENSION		i elie tie <u>l</u> l	
		Note:	All listo	meer mud b	o from oa	iter boundarie	cof -ection	. (191	6 PIAT)
					,	1			
	-				 	<u> </u>			
				1		1			
							-		
		1				!			
		- +-			<u> </u>				
				SECTI	ON 32	umm	uuuxu	>	
						SF	779319		
				/	111116 1116	The state of the s	Bench -		NOTE
					18 mg 19 mg		8e"	thi.	s section of
	<u> </u>		:			Meso		/	ris to be used
		!	:	1		High !	852	lor	ens wells only
		- i	i			108			
		!				······································	······································	<u> </u>	
				scale in	ches equ	al 1 mile		·	· · •
				s prepared fi				well a Dual - on	Pro .
				or under mander mand correct t				nswer to Question	· · · · · · · · · · · · · · · ·
or of my kn							La Nus.	are there any other	r lually
	TIME	0 m 1 A	056				•	ied wells within the ed acreage.	1++
ate Surveye	I JUNE	2	/ /		-			No	
egistered P	rofessions	LEngine	er and o	Record Land Surve	evor		Name _	ORIGINAL SIGN	NED F. W. B
	*						_	Petroloum B	agineer
							Pri-1110	.,	