

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 07896
Unit 110011

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 12, 1951

Well No. 1 is located 990 ft. from N line and 1650 ft. from W line of sec. 34

34 Section 34
(1/4 Sec. and Sec. No.) 28N
(Twp.) 3E
(Range) T. 1 N. R. 1 E.
(Meridian)

1650
(Field) San Juan
(County or Subdivision) New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5923 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On April 10, 1951:

Run 20 joints of 2 1/2", 15-30 (900.10') on bottom & 77 joints of J-55 (3151.64') of 7" new, ss, Spring casing set at 3710' & cemented with two stages.

First stage used 150 sacks Ideal Regular cement & 2 sacks of Pilocel. Held 500' for 3 hours OK. Top of cement by Temperature Survey was 2690'.

Second stage (tool at 2273') used 200 sacks Ideal Regular cement, 6 sacks Cel. & 2 sacks Pilocel. Held 2000' for 15 minutes. Top of cement by Temp. Survey 2160'.

Company SAN JUAN PRODUCTION COMPANY

Address 102 1/2 North Court Avenue

Parrrington, New Mexico

By E. J. Coal
E. J. Coal
Title Petroleum Engineer

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 10772
Unit 10001

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 12, 1951

Well No. 3 is located 400 ft. from N line and 160 ft. from E line of sec. 34

Section 34 (14 Sec. and Sec. No.) 25N (Twp.) 11E (Range) T. 11 N. R. 11 E. (Meridian)
100-10 (Field) Santa Fe (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 5123 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

On April 10, 1951:

Run 20 joints of 2 3/8", 16.0 (90.10') on bottom & 77 joints of 3-58 (3191.0') of 1" bore, 20, open casing set at 3730' & cemented with two stages.

First stage used 170 sacks Ideal Regular cement & 2 sacks of Floccul. Held 300' for 8 hours OK. Top of cement by Temperature Survey was 2890'.

Second stage (total at 2870') used 130 sacks Ideal Regular cement, 6 sacks of Floccul. Held 300' for 16 hours OK. Top of cement by Temp. Survey 2640'.
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE SOUTHERN OIL COMPANY

Address 1024 Santa Fe Court, Santa Fe, New Mexico

By E. J. Coal
E. J. Coal
Title Petroleum Engineer