Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

•	-	,		
	- 1	$\neg$	T	_
1	- [	i	į	- 1
1		- [	į	Į
I.	i	į	-	ı
1			!	
1	į	1		- 1
		j- <b>-</b> -		]
J	- 1	- 1	i	- 1

(SUBMIT IN TRIPLICATE)

## UNITED STATES

Land Office	New	Mexico
Lease No.	01.3	<b>263</b>
Unit	Hail	lips

SUNDRY NOTICES AND REPORTS ON WELLS OGICAL SURVEY  SUNDRY NOTICES AND REPORTS ON WELLS OGICAL SURVEY  NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO LIST WATER SHUL-OFF. NOTICE OF INTENTION TO SHOULD OR REPORT. NOTICE OF INTENTION TO ABANDON WELL  NOTICE OF INTENTION TO ABANDON WELL  NOTICE OF INTENTION TO SHOULD OR ALFRE RESING. NOTICE OF INTENTION TO SHOULD OR ALFRE RESING. NOTICE OF INTENTION TO SHOULD SHOU		DEPARTMEN	T OF THE INTERIOR	Unit Philli	္န	
NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHANGE PLANS  NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  SUBSCOURT REPORT OF SHOOTING OR ACIDIZE.  NOTICE OF INTENTION TO BELL OR REPAIR WELL  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO ABANDON WELL  SUBSCOURT REPORT OF REDRILLING OR REPAIR.  SUBSCOURT REPORT OF SHOOTING CASING.  SUBSCOURT REPORT			<del>_</del>	RECEIVED		
NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHARGE PLANS  NOTICE OF INTENTION TO REPORT SHATER SHUT-OFF.  NOTICE OF INTENTION TO SHOULD OR REPAIR WELL  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO PULL OR ALTER CASING.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  WELL NO. 2.  IN SEC. 32	SUNDRY	NOTICES A	ND REPORTS ON	WELLES		
Well No. 2 is located 17th ft. from Superior Tresont of Shooting of Redailung of Repair Willing of Repair Report of Redailung of Repair Notice of Intention to Reambon Well.  Well No. 2 is located 17th ft. from Willing and Proposed Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. ft. from Willing of Sec. 32 (Trep) Iline and 340 ft. ft. from Willing Iline and 340 ft. ft. fr	NOTICE OF INTENTION TO DRILL.				MEKICO	
NOTICE OF INTENTION TO RE-DRILL OR RE-PRIA WELL.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.  NOTICE OF INTENTION TO ABANDON WELL.  SUBSCUENT REPORT OF ADENDRITHMENT.  SUBSCUENT REPORT OF ADENDRY.						
Well No. 2 is located 1/40 ft. from Superior Report of Report of Abundonment Suppression to Pull or Alter Casing Notice of Intention to Pull or Alter Casing Notice of Intention to Pull or Alter Casing Notice of Intention to Abundon Well Suppression to Pull or Alter Casing Notice of Intention to Abandon Well Suppression to Abundon Well Intention to Abandon Well Suppression to Abundon Well Intention (Ramps) (Ra			SUBSEQUENT REPORT OF ALTERING CASING.			
Well No. 2 is located 1740 ft. from White and 340 ft. from White of sec. 32 (Kasee and Sec. No.)  Well No. 2 is located 1740 ft. from White and 340 ft. from White of sec. 32 (Kasee and Sec. No.)  (County or Eubhirston)  The elevation of the derrick floor above sea level is 6749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, cement ing points, and all other important proposed work)  3905. Blanco P. C. Stt.  San Juan  The elevation of the derrick floor above sea level is 6749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, cement ing points, and all other important proposed work)  3905. Water front of the derrick floor above sea level is 6749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, cement ing points, and all other important proposed work)  3905. Water front of the derrick floor above sea level is 6749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, cement ing points, and all other important proposed work)  3905. Water front of the Mexico  No. 749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, cement ing points, and all other important proposed work)  3905. Water front William  No. 749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, cement ing points, and all lengths of proposed easings; indicate mudding jobs, cement ing points, and all lengths of proposed easings; indicate mudding jobs, cement ing points, and all lengths of proposed easings; indicate mudding jobs, cement ing poin			SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.			
Well No. 2 is located 1740 ft. from Notice of Report, Notice of Other Data)  Well No. 2 is located 1740 ft. from Notice of Report, Notice of Other Data)  Well No. 2 is located 1740 ft. from Notice of Report, Notice of Other Data)  Well No. 2 is located 1740 ft. from Notice of Report, Notice of Sec. 32  Other Sec. 32  Other Sec. 32  Other Sec. 32  Other Sec. 33  Other Sec. 33  Other Data  Other Sec. 33  Other Sec. 34  Other Sec. 35  Other Sec. 35  Other Sec. 36  Other			SUBSEQUENT REPORT OF ABANDONMENT			
Well No. 2 is located 1740 ft. from Nine and 240 ft. from Willing of sec. 32 (K Sec. and Sec. No.) (Twp.) (Range) (Mendian) Her Mexico (State or Territory)  The elevation of the derrick floor above sea level is 6749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  3-5-5! Total Depth 3122'. C.O.T.D. 3088'. Water freetured Pictured Cliffs the perforated intervals 300-305; 3046-3062 w/31,700 gallons water and 35 sand. B.D.F. 2029; Max. pr. 2100; avg. tr. pr. 1400-1650-1900-2100; I.R. 37 Bim. Flush 3000 gallons.  1 understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded.  Company 21 Puso Natural Gas Company  Address Box 27/	NOTICE OF INTENTION TO ABANDO	N WELL	SUPPLEMENTARY WELL HISTORY			
Well No. 2 is located 1740 ft. from Niline and 240 ft. from Willine of sec. 32 Nie Sec. 32 (K Sec. and Sec. No.)  30. Blanco P. C. Ext. San Juan Hew Mexico  (Field) (County of Subdivision) (State or Territory)  The elevation of the derrick floor above sea level is 6749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement important proposed work)  30-5-5! Total Depth 3122'. C.O.T.D. 3088'. Water frectured Pictured Cliffs the perforated intervals 3010-3036; 3046-3052 w/31,700 gallons water and 35 sand. B.D.F. 2020s, max. pr. 2100s, avg. tr. pr. 1400-1650-1900-2100s.  I.R. 77 BPM. Flush 3000 gallons.			MATER Frec.		2	
Well No. 2 is located 1740 ft. from No. 2 in ine and 240 ft. from Willing of sec. 32 No. 2	(INDIC	ATE ABOVE BY CHECK MARK	NATURE OF REPORT			
Well No. 2 is located 1740 ft. from No. 1 line and 940 ft. from Wiline of sec. 32.  No. 8 Sec. 32 (Ranke) (Ranke) (Meridian) (State or Territory)  So. Blanco P. C. 8xt. San Juan (State or Territory)  The elevation of the derrick floor above sea level is 6749 ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  9-5-5! Total Depth 3122'. C.O.T.D. 3088'. Water frectured Pictured Cliffs the perforated intervals 3010-3036; 3046-3062 w/31,700 gallons water and 35 sand. B.D.F. 2020 ft, max. pr. 2100 ft, avg. tr. pr. 1400-1650-1900-2100 ft. I.R. 37 BiM. Flush 3000 gallons.			TOTAL OF REPORT, NOTICE, OR OTHER	DATA)		
Well No. 2 is located 1750 ft. from No. 250 line and 240 ft. from Wiline of sec. 32.  No. 250 line and 340 ft. from Wiline of sec. 32.  No. 250 line and 340 ft. from Wiline of sec. 32.  No. 250 line and sec. No.)  So. Blanco P. C. 2xt. San Juan New Mexico  (Field)  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  3-5-5% Total Depth 3122'. C.0.T.D. 3008'. Water frectured Pictured Cliffs the performated intervals 3010-3036; 3046-3062 w/31,700 gallons water and 35 sand. B.D.F. 2020f, max. pr. 21.00f, avg. tr. pr. 1400-1650-1900-2100f.  I.R. 37 BiM. Flush 3000 gallons.			Microsophia a 17		10 -0	
No. Sec. 32  (K Sec. and Sec. No.)  So. Blanco P. C. Ext.  Sen Juan  (County or Subdivision)  (County or Subdivision)  (County or Subdivision)  (State or Territory)  The elevation of the derrick floor above sea level is G749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cament ing points, and all other important proposed work)  7-5-5! Total Dayth 3122'. C.O.T.D. 3068'. Water fractured Pictured Cliffs the perforated intervals 3010-3036; 3046-3062 w/31,700 gallons water and 35 sand. B.D.P. 2020*, max. pr. 2100*, avg. tr. pr. 1400-1650-1900-2100*.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company El Piso Natural Gas Company  Address Box 397.  Purmington, here Nextico  By Original Signed R. G. MILLER			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		<u>تار ۱</u> ۹	
No. Sec. 32  (4 Sec. and Sec. No.)  50. Blanco P. C. Ext.  San Juan  (County or Subdivision)  (County or Subdivision)  (County or Subdivision)  (State or Territory)  The elevation of the derrick floor above sea level is G749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and langths of proposed casings; indicate mudding jobs, cament ing points, and all other important proposed work)  7-5-5% Total Dayth 3122'. C.O.T.D. 3008'. Water fractured Pictured Cliffs the perforated intervals 3010-3036; 3046-3062 w/31,700 gallons water and 35 sand. B.D.P. 2020*, max. pr. 2100*, avg. tr. pr. 1400-1650-1900-2100*.  I.R. 57 BPM. Flush 3000 gallons.	Well No. 2 is loca	ted 1740 ft from	N in and object to the	AFECT.		
G. Blanco P. C. Sxt.  Sen Juan  (County or Subdivision)  The elevation of the derrick floor above sea level is		oodt. Itom.	ine andit. from	$\mathbf{m} \begin{bmatrix} \overline{\mathbf{W}} \end{bmatrix}$ line of sec	32	
So. Blanco F. C. Ext.  Sen Juan  (County or Subdivision)  (County or Subdivision)  (State or Territory)  The elevation of the derrick floor above sea level is 6749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  3-5-5"  Total Depth 3122'. C.O.T.D. 3088'. Water frectured Pictured Cliffs the perforated intervals 3010-3036; 3046-3052 w/31,700 gallons water and 35 sand. B.D.P. 2020, Max. pr. 2100s, avg. tr. pr. 1400-1650-1900-2100s.  I.R. 57 BPM. Flush 3000 gallons.	Na Sec. 32	281	Cal N.M. D.M.	( )		
(State or Territory)  The elevation of the derrick floor above sea level isG749ft.  DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  3-5-5% Total Depth 3122'. C.O.T.D. 3008'. Water frectured Pictured Cliffs the perforated intervals 3010-3036; 3046-3052 w/31,700 gallons water and 35 sand. B.D.P. 2020's, max. pr. 2100's, avg. tr. pr. 1400-1650-1900-2100's.  I.R. 37 BPM. Flush 3000 gallons.  I understand that this plan of work must receive approval in writing by the Geological Survey before operation may be commenced.  Company El Puso Natural Gus Company  ddressBox 297/	(½ Sec. and Sec. No.)		Range) (Meridian)			
The elevation of the derrick floor above sea level is			<del></del> /	New Mexico		
DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  9-5-5! Total Depth 3122'. C.O.T.D. 3068'. Water fractured Pictured Cliffs the perforated intervals 3010-3036; 3046-3062 v/31,700 gallons water and 35 sand. B.D.P. 2020, max. pr. 21006, avg. tr. pr. 1400-1650-1900-21007.  I.R. 57 BPM. Flush 3000 gallons.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company 31 Puso Natural Gas Company  Address Box 377  Purmington, New Nexico  By Original Signed R. G. Miller	(Field)	(County or 8	Subdivision) (	State or Territory)		
DETAILS OF WORK  (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  3-5-5! Total Depth 3122'. C.O.T.D. 3088'. Water fractured Pictured Cliffs the perforated intervals 3010-3036; 3046-3062 v/31,700 gallons water and 35 sand. B.D.P. 2020, max. pr. 21006, avg. tr. pr. 1400-1650-1900-21007.  I.R. 37 BPM. Flush 3000 gallons.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company El Puso Natural Gris Company  Address Box 377  Permington, New Nexico  By  Original Signed R. G. MILLER	The elevation of the derrich	· floor above and leave	I Conne			
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  7-5-5! Total Depth 3122'. C.O.T.D. 3088'. Water fractured Pictured Cliffs the perforated intervals 3010-3036; 3046-3062 v/31,700 gallons water and 35 sand. B.D.F. 2020#, max. pr. 2100#, avg. tr. pr. 1400-1650-1900-2100#.  I.R. 57 BPM. Flush 3000 gallons.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company El Paso Natural Gas Company  Address Box 297  Paraington, here Nexico  By Original Signed R. G. Miller	the devaction of the defile	. Hoor above sea leve	1 is6(49ft.			
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  9-5-5? Total Depth 3122'. C.O.T.D. 3088'. Water fractured Pictured Cliffs the perforated intervals 3010-3036; 3046-3062 v/31,700 gallons water and 35 sand. B.D.S. 2020*, max. pr. 2100*, avg. tr. pr. 1400-1650-1900-2100*.  I.R. 57 BPM. Flush 3000 gallons.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company El Paso Natural Gas Company  Address Box 297  Paraington, New Mexico  By Original Signed R. G. Miller		DETAIL	S OF WORK			
Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company El Paso Natural Gas Company  ddress Box 277  Furmington, New Nexico  By Original Signed R. G. Miller	State names of and expected depths t	objective sands: show sizes	weighte and the state of			
Sand. B.D.P. 2020, Max. pr. 2100, avg. tr. pr. 1400-1650-1900-2100.  I.R. 57 BPM. Flush 3000 gallons.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Company El Puso Natural Gas Company  Address Box 977  Furnington, New Mexico  By Original Signed R. G. MILLER		ing points, and all other	er important proposed work)	gs; indicate mudding jobs, c	ement-	
Address Box 377  Parmington, New Mexico By Original Signed R. G. MILLER	sand. B.D.P.	2020#, max. pr.	); 3046-3062 v/31,700 g 2100€. ave. tr. pr. 1k	mallema emekan	ar anni	
Address Box 997  Parmington, New Nextco  By Original Signed R. G. MILLER				NOV - JSB		
Address Box 377  Parmington, New Mexico By Original Signed R. G. MILLER	I understand that this plan of work	must receive approval in wri	ting by the Geological Survey before on	peration may be		
By Original Signed R. G. MILLER				nay be commenc	1.	
	dress Box 997		·			
Title Petroleum Engineer	Formington, Me	/ Mexico	By Original Signed	R. G. MILLER		
A TOTAL		••••••	Title Petroleu	a Shyincer		