


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office New Mexico
Lease No. 013810 - A
Unit Russell



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<u>Water Frac.</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 15, 1960

Well No. 2 is located 990 ft. from S line and 990 ft. from W line of sec. 25
SW/ 4 Sec. 25 25 N 6 W T.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco M.V. & Wildcat Dakota San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5025 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

8-5-60 Total Depth 6887. C.O.T.D. 6530. Water fractured
 Point Lookout and Menefee perforated intervals 4453-70; 4520-4600; 4618-23;
 4635-44; 4676-80; 4686-94; with 55,900 gallons water and 60,000 # sand.
 Breakdown gr. 3300 #, max. gr. 4200 #, avg. tr. gr. 2700-3000-3200 #.
 Injection rate 29.3 D.P.M. Flush 4200 gallons. Dropped one set of 10 balls
 and 2 of 15.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company
Box 970
 Address Farmington, New Mexico

Original Signed D. W. Meehan
 By _____
 Title Petroleum Engineer