

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 076499
Unit Tapp

SUNDRY NOTICES AND REPORTS ON WELLS

APR 9 1958

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 7, 1958

Well No. 6 (FM) is located 300 ft. from S line and 240 ft. from W line of sec. 16

SW Sec. 16
(1/4 Sec. and Sec. No.)

SW SW
(Twp.) (Range)

H.M.P.M.
(Meridian)

Blanco M.V.-Antes P.C.
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5778 ft.


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

4-5-58. Total Depth 4616'.
Run 55 joints 5 1/2", 15.5#, J-55 Casing (2248') set from 2357 to 4613' with 100 sacks regular cement, 100 sacks Pozzolan, 6# Gel, 1/8# Floccs/sk, followed by 50 sacks Neat cement.

Held 1000# for 30 minutes.

Top of cement by temperature survey at 4100'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Company

Address Box 997

Farmington, New Mexico

By Original Signed D. C. Johnston
Title Petroleum Engineer