For	m 9- 'eb. 19	331 a (51)		
			-	
e e er t of the control				

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office
Lease No 078390
Unit Janes

		11		. 1
OTICE OF INTENTION TO DRILL		SUBSEQUENT I	REPORT OF WATER SHUT-OFF	INC
TICE OF INTENTION TO CHANG	E PLANS	SUBSEQUENT F	REPORT OF SHOOTING OR ACIDIZ	ING
ICE OF INTENTION TO TEST V	WATER SHUT-OFF		REPORT OF ALTERING CASING REPORT OF RE-DRILLING OR REP	AIR
TICE OF INTENTION TO RE-DR	ILL OR REPAIR WELL	SUBSEQUENT	REPORT OF RE-DRILLING ON REP	AII.
TICE OF INTENTION TO SHOOT	OR ACIDIZE	SUBSEQUENT	RY WELL HISTORY	
TICE OF INTENTION TO PULL	OR ALTER CASING	SUPPLEMENTA	THE CANE	X.
TICE OF INTENTION TO ABANE	OON WELL		127.4414	
	DICATE ABOVE BY CHECK MAR	K NATURE OF REPORT	, NOTICE, OR OTHER DATA)	
(iNI	DICATE ABOVE BY CHECK MAKE			
			April	4.
			(TT)	
	and seen ft from	$ \mathbf{n} = \{ \mathbf{N} \} $ line and	ft. from $\left\{egin{array}{c} E \\ W \end{array}\right\}$ li	ne of sec.
1 No 1S 10	ocated 15555it. ito	***	XXXX	
Section 14	203	<u> </u>	(Meridian)	
(½ Sec. and Sec. No.)	(Twp.)	(Range)		***** * * * *
anco		v or Subdivision)	(State or Ter	ritory)
		1 ፡ ፈክውል	Cr.	
		AILS OF WOR	K	te mudding jobs, ceme
ate names of and expected dep -29-56 Total Dep ater fractured Po 152 with 59,000 6	DETA this to objective sands; show ing points, and a oth C.O. to 5250* oint Lookout perf allons water and	AILS OF WOR	K	22-5130, 5142 sure 1550#,
3-29-56 Total Departer fractured Positive pressure 1 bols./min. Flush 3-29-56 Total Leg Sater fractured Classics water and severage treating pallons.	oth C.O. to 5258° wint Lookout perfections water and 1700%, average tr 5200 gallons. oth, Bridge Plug liff House perfect 55,000% sand. I pressure 1800%.	AILS OF WOR sizes, weights, and let let other important processing pressured interesting	wals 5106-5116, 513 d. Breekdown pressure 16007. Inject 1602-4612, 4660 assure 2300%, maximum 50.5 bbls./min.	22-5130, 5142 sure 1550%, ion rate 54.2
te names of and expected dep 29-56 Total Dep ater fractured Pol 152 with 59,000 & axisam pressure I bls./min. Flush 29-56 Total Leg ater fractured Cl allons water and versue treating p allons.	of work must receive approve	AILS OF WOR sizes, weights, and let ill other important pro- crated inter- 55,000 san esting press at 4720 san esting pre	wals 5106-5116, 5116. Breekdown presure 16007. Inject	22-5130, 5142 sure 1550%, ion rate 54.2
29-56 Total Departer fractured Policy With 59,000 garisses pressure I bls./min. Flush 29-56 Total Legator fractured Clailons water and werage treating pallons. I understand that this plan.	oth C.O. to 5258° wint Lookout perfections water and 1700%, average tr 5200 gallons. oth, Bridge Plug liff House perfect 55,000% sand. I pressure 1800%.	AILS OF WOR sizes, weights, and let ill other important pro- crated inter- 55,000 san esting press at 4720 san esting pre	wals 5106-5116, 513 d. Breekdown pressure 16007. Inject 1602-4612, 4660 assure 2300%, maximum 50.5 bbls./min.	22-5130, 5142 sure 1550%, ion rate 54.2
ate names of and expected dep 29-56 Total Dep ater fractured Po 152 with 59,000 6 axisam pressure I bis./min. Final 29-56 Total Lep ater fractured Ci plions water and average treating is allons.	of work must receive approve	AILS OF WOR sizes, weights, and let ill other important pro- crated inter- 55,000 san esting press at 4720 san esting pre	wals 5106-5116, 513 d. Breekdown pressure 16007. Inject 1602-4612, 4660 assure 2300%, maximum 50.5 bbls./min.	22-5130, 5142 sure 1550%, ion rate 54.2
ate names of and expected dep -29-56 Total Dep- ater fractured Po- 152 with 59,000 6 exists pressure I bls./min. Flush -29-56 Total Lep- ater fractured Cl- plions water and everage treating pallons.	of work must receive approve	AILS OF WOR sizes, weights, and let ill other important pro- crated inter- 55,000 san esting press at 4720 san esting pre	wals 5106-5116, 513 d. Breekdown pressure 16007. Inject 1602-4612, 4660 assure 2300%, maximum 50.5 bbls./min.	22-5130, 5142 sure 1550%, ion rate 54.2 A671 with 56 REFEVE REFEVE AFR 2 7 1956 OIL CON. 106
29-56 Total Departer fractured Policy with 59,000 garines pressure I bis./min. Flush 29-56 Total Legater fractured Clallons water and werage treating pallons. I understand that this plan ompany hi i was decreased by the second company water and company hi i was decreased by the second company hi i was decreased by the second company his is was decreased by the second company his was decreased by the second compan	of work must receive approve	AILS OF WOR sizes, weights, and let ill other important pro- crated inter- 55,000 san esting press at 4720 san esting pre	wals 5106-5116, 513 d. Breekdown pressure 16007. Inject 1602-4612, 4660 assure 2300%, maximum 50.5 bbls./min.	22-5130, 5142 sure 1550%, ion rate 54.2 A671 with 56 REFEVE REFEVE AFR 2 7 1956 OIL CON. 106