Budget B	ureau 4	2-R358.3.
Approval	expires	12-31-55.

FOI (I	leb. 1	351)	
	1		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	æ	
080112		
Lease No		
Ricale Unit		

18

		SUBSPOUENT REP	ORT OF WATER SHUT-OFF	
OTICE OF INTENTION TO DRILL			ORT OF SHOOTING OR ACIDIZING	
OTICE OF INTENTION TO CHAN			ORT OF ALTERING CASING.	
OTICE OF INTENTION TO TEST OTICE OF INTENTION TO RE-D		: 1	ORT OF RE-DRILLING OR REPAIR	
OTICE OF INTENTION TO RE-D OTICE OF INTENTION TO SHOO			ORT OF ABANDONMENT	
OTICE OF INTENTION TO PULL		SUPPLEMENTARY	WELL HISTORY	X
OTICE OF INTENTION TO ABAN		Water Fre	cuire	
(11)	NDICATE ABOVE BY CHECK MA	ARK NATURE OF REPORT, NO	DTICE, OR OTHER DATA)	
			February 17	, 19 ^t
48	1 990 (c.c.	IN line and 1	o70 ft. from W line of	sec.
	located 990 ft. fr	om. S Interaction	DEN (M)	
Section 6	(Twp.)	(Range)	(Meridian)	
(1/2 Sec. and Sec. No.)	(1 wp.)	Sen Juan	New Mexic	10
(Field)	(Cour	nty or Subdivision)	(State or Territory)	
ate names of and expected de	pths to objective sands; showing points, and	TAILS OF WORK w sizes, weights, and length all other important propos		
ate names of and expected de alla56. CO. to ater fractured P 690-4700, with 6	pths to objective sands; shorting points, and 4708'. oint Lookout per 0,700 gallons wa	FAILS OF WORK w sizes, weights, and length all other important propos forated interval ter and 50,000	ls 4566-4578, 4634-46 sand. Breakdown pro	650.
ate names of and expected de -11-56. CO. to ater fractured P 690-4700, with 6	pths to objective sands; shorting points, and 4708'. oint Lookout per 0,700 gallons wa	FAILS OF WORK w sizes, weights, and length all other important propos forated interval ter and 50,000	ls 4566-4578, 4634-46	550,
ate names of and expected de alla56. CO. to ater fractured P 690-4700, with 6	pths to objective sands; shorting points, and 4708'. oint Lookout per 0,700 gallons wa	FAILS OF WORK w sizes, weights, and length all other important propos forated interval ter and 50,000	ls 4566-4578, 4634-46 sand. Breakdown pro	550,
ate names of and expected de alla56. CO. to ater fractured P 690-4700, with 6	pths to objective sands; shorting points, and 4708'. oint Lookout per 0,700 gallons wa	FAILS OF WORK w sizes, weights, and length all other important propos forated interval ter and 50,000	ls 4566-4578, 4634-46 sand. Breakdown pro	550,
ate names of and expected de all-56. CO. to ater fractured P 690-4700, with 6	pths to objective sands; shorting points, and 4708'. oint Lookout per 0,700 gallons wa	FAILS OF WORK w sizes, weights, and length all other important propos forated interval ter and 50,000	ls 4566-4578, 4634-46 sand. Breakdown pro	550,
ate names of and expected de all-56. CO. to ater fractured P 690-4700, with 6	pths to objective sands; shorting points, and 4708'. oint Lookout per 0,700 gallons wa	FAILS OF WORK w sizes, weights, and length all other important propos forated interval ter and 50,000	ls 4566-4578, 4634-46 sand. Breakdown pro	550,
ate names of and expected de alla56. CO. to ater fractured P 690-4700, with 6	pths to objective sands; shorting points, and 4708'. oint Lookout per 0,700 gallons wa	FAILS OF WORK w sizes, weights, and length all other important propos forated interval ter and 50,000	ls 4566-4578, 4634-46 sand. Breakdown pro	550,
ate names of and expected de all-56. CO. to ater fractured P 690-4700, with 6	pths to objective sands; shorting points, and 4708'. oint Lookout per 0,700 gallons wa	FAILS OF WORK w sizes, weights, and length all other important propos forated interval ter and 50,000	ls 4566-4578, 4634-46 sand. Breakdown pro	550,
ate names of and expected de -11-56. C O. to ater fractured Pa 690-4700, with 69 800-4, maximum pro ate 46 bbls./min	pths to objective sands; showing points, and 4708'. oint Lookout per 0,700 gallons wassure 2900g, av. . Flush 4700 ga	TAILS OF WORK w sizes, weights, and length all other important propose forated interval ter and 50,000 crass treating llons. Entural	1s 4566-4578, 4634-46 sand. Breakdown pro pressure 20007. Inju- gage not available.	550, essure ection
ate names of and expected de -11-56. C O. to ater fractured Pa 690-4700, with 6 800-4, maximum pro ate 46 bbls./min	pths to objective sands; showing points, and 4708'. oint Lookout per 0,700 gallons wassure 2900g, av. . Flush 4700 ga	TAILS OF WORK w sizes, weights, and length all other important propose forated interval ter and 50,000 crass treating llons. Entural	ls 4566-4578, 4634-46 sand. Breakdown pro	550, essure ection
ate names of and expected de -11-56. C O. to ater fractured Pi 690-4700, with 69 800-4, maximum pro ate 46 bbls./min	pths to objective sands; showing points, and 4708'. oint Lookout per 0,700 gallons wassure 2900g, av. . Flush 4700 ga.	TAILS OF WORK w sizes, weights, and length all other important propose forated interva- ter and 50,000 crace treating llone. Enterval	1s 4566-4578, 4634-46 sand. Breakdown propressure 20007. Injugaço nut available.	550, essure ection
ate names of and expected de collection of the c	pths to objective sands; shorting points, and 4708. oint Lookout per 0,700 gallens wassure 29007, av. Flush 4700 ga. of work must receive approximations.	TAILS OF WORK w sizes, weights, and length all other important propos forated interva- ter and 50,000 crass treating llons. Satural	1s 4566-4578, 4634-46 sand. Breakdown propressure 2000. Injugaço not available. gaço not available.	550, essure ection
ate names of and expected decell-56. CO. to ster fractured Fig. 690-4700, with 69	pths to objective sands; shorting points, and 4708. oint Lookout per 0,700 gallens wassure 29007, av. Flush 4700 ga. of work must receive approximations.	TAILS OF WORK w sizes, weights, and length all other important propos forated interva- ter and 50,000 crass treating llons. Satural	1s 4566-4578, 4634-46 sand. Breakdown propressure 2000. Injugaço not available. gaço not available.	550, essure ection

OIL CONSERVATION COMMISSION FOR BOX 871

SANTA FE, NEW MERICO

\$ 1507 RZ 15 \$ \$ 6 Dep * 17 Att 2 R 10 10 10 1 205 2 6 . 4 1 2 1

医乳蛋白 医克雷斯氏 医自己性 医二氏性神经炎

். நு.வுள் எற்

ရေး ကြောင့်သည်။ မြောကျွေးကြောင်းရေး ကြောင်းမည်း ကြို့သော မြောက်သည်း မေးခြောင်းသည့် ကျောက်လည်းသည်။ မြေသင့် ကြို့သည် ကြို့သောတွင် ကြို့သည်။ ကြို့သည် သို့သည် ကြို့သည် သို့သည် သို့သည် မေးသည် မေးသည် မေးချာကြားသည် နေးသည့် မေးကြောင့် ကြို့သည် ကြို့သည် သို့သည် သောကျော်သည် မေးချာကို ကြို့သည် သို့သည် သောကျော်သည် မေးချာကို မြေသ

100 A - Commercial And Andrews

ి. ఇదు కుండు తాండి అందిన కేంద్రంలో గా కింక్ కాయి. అందుకుండి కింకా కుండు కింక్ కింక్ కింకా కిందుకుండి. ఈ కింగ్ క ఇంట్లో ముందుకుండి గా కింగ్ కింగ్ కింగ్ కింట్ తిల్లు కోట్లు తెల్లు కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కి విద్యాంత్రికి మందుకుండి కింగ్ కింగ్ కింగ్ కింగ్ అందుకుండి అందుకుండి కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ ఇంట్లో కింగ్ కెట్కి కేంద్ర కింగ్ కింగ్ కింగ్ కుండి కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్ కింగ్

្រុំ ប្រធានក្រុម នៅ ប្រធានក្រុម សម្រេច ស្រុកស្នាក់ក្រុម ការប្រធានការប៉ុន្តាក់ក្រុម ស្រុក ប្រធានក្រុម ប្រឹក្សាស ស្រុក ស្រុកសម្រេច ស្រុកសម្រេច ប្រធានក្រុម ស្រុកសម្រេច ស្រុកសម្រេច ស្រុកសម្រេច ស្រុកសម្រេច ស្រុកសម្រេច ស្រុកសម្រេច ស្រុកសម្រេច ស្រុកសម្រេច ស្រុម្មិត្ត សម្រេច ស្រុកសម្រេច សម្រេច ស្រុកសម្រេច សម្រេច សម្រេច សម្រេច ស្រុកសម្រេច ស្រុកសម្រេច ស្រុកសម្រេច សម្រេច ស្រេច សម្រេច សម្រេច សម្រេច សម្រេច ស្រេច ស្រាស ស្រេច ស្រាស ស្រេច ស្

or of it is a set of the set of it.

of the State of the Communication Association of the State of the Stat



W

OIL CONSERVATION COMMISSION P. O. BOX 871

SANTA FE. NEW MEXICO

March 22, 1956

El Paso Natural Gas Company P. O. Bez 1492 El Paso, Texas

Attention: Mr. R. L. Hamblin

Administrative Order NWU-164

Gentlemen:

Reference is made to your application for approval of a 302acre non-standard gas proration unit in the Blanco-Mesaverde Gas Pool, consisting of the following acreage:

Township 28 North, Range 8 West, NMPM All of Fractional Section 8

It is understood that this unit is to be aseribed to your Riddle Well No. 2-F, located 990 feet from the South line and 1070 feet from the West line and in the SW/4 SW/4 of fractional Section 8, Township 28 North, Range 8 West, NMPM, San Juan County, New Mexico.

By authority granted me under provisions of Rule 1, Section (b)-5 of the Special Rules and Regulations for the Blanco-Mesaverde Gas Pool, as set forth in Order R-128-D, you are hereby authorized to operate the above described acreage as a non-standard gas proration unit, with allowable to be assigned thereto in accordance with pool rules, based upon the unit size of 302 acres.

Very truly yours,

W. B. Macey Secretary-Dimector

WBM:jh
cc: Oil Conservation Commission, Astec
U. S. G. S., Farmington



OIL CUNSERVATION COMMISSION P O. BOX 871

SANTA FE. NEW MEXICO

The state of the s and the second of the second o THE WORLD WINE WINDOWS STREET

The first of the second second

ing the state of t

The company with a state of the control of the cont

and the second was to be a second to the second with the second was a second with the second with the second was a second with the second with the second was a second with the second with the second was a second with the second with the second was a second with the second was a second with the second with the second with the second was a second with the second with the second was a second with the second with the second was a second with the secon

មាធិបី ក្នុងមានស្គ្រាស់ ក្រុវិទ្ធិ nere sa in accompany to the same and the sam

oración de la companya de la compan

and the second of the second o at the second

