| Form | 9-881a |
|------|--------|
| (Teb | 10511 |

| , | | | _ |
|-----|--|------|---|
| 1 | | | • |
| | | | |
| 1 | | | |
| 1 | | | |
| - 1 | | • | |
| - 1 | | | |
| 1 | | | |
| 1 | | | |
| 1 | | | |
| | | | |

(34 Sec. and Sec. No.)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Land Office . | New Maxico |
|---------------|------------|
| Lease No | 01779-A |
| Unit | Reid |

SUNDRY NOTICES AND REPORTS ON WELLS 17 1966

| | | | | | | | 101 | 1 |
|-----------|--------------|----------------|------------------|-----------|----------------|--------------------|---------------|--------|
| NOTICE OF | INTENTION TO | DRILL | | | SUBSEQUENT REF | PORT OF WATER SHE | UT-OFF. | |
| NOTICE OF | INTENTION TO | CHANGE PLANS. | | <u>. </u> | SUBSEQUENT REP | PORT OF SHOOTING | OR ACIDIZING. | |
| NOTICE OF | INTENTION TO | TEST WATER SH | UT-OFF | <u> </u> | SUBSEQUENT REP | PORT OF ALTERING | CASING | |
| NOTICE OF | INTENTION TO | RE-DRILL OR R | EPAIR WELL | | SUBSEQUENT REP | PORT OF RE-DRILLIN | IG OR REPAIR | |
| NOTICE OF | INTENTION TO | SHOOT OR ACIE | IZE | . | SUBSEQUENT REP | PORT OF ABANDONM | ENT | |
| NOTICE OF | INTENTION TO | PULL OR ALTER | CASING | - | SUPPLEMENTARY | WELL HISTORY | | |
| NOTICE OF | INTENTION TO | ABANDON WELL | · | . | | Fac. | | |
| | | | | | HOUSE FI | FEC. | | X |
| | | (INDICATE AB | OVE BY CHECK MAR | | | OTICE, OR OTHER DA | | 10. |
| | | | | | | s 1 | ma w | , 19. |
| Well No. | 1 | _ is located . | 1030 ft. fro | m { | line and | ft. from | w line of | f sec. |
| | | | | [• | <i>-</i>) | | 44 | |

The elevation of the derrick floor above sea level is 6018... ft.

(Twp.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-8-58. Botal Depth 4760'. Flug back T.D. 4516'. Water fractured Manager perf. int. (2 herrot shote/ft) 418h-419h; 4206-4218; 4269-4276; 4269-430h; 4312-4322; 4369-4376; 4368-4403; 4410-4418; 4428-4439; 449h-4461; 4496-450h with 50,880 gallous water and 60,000f sand. B.D.P. 2500f, mm. pr. 2000f, avg. tr. pr. 1900f. I.R. 58 B.P.M. Flush 7476 gallous. Bropped 2 sets of 10 balls each, one set of 25 balls, one set of 50 balls, and one set of 55 balls for 7 stages.

/ KLLLIVED > JUL 1 8 1958 OIL CON. COM.

I understand that this plan of work must receive approval in writing by the Geological Survey hard or attorney has commenced.

| Company | Pago Materal Can | Carrena | | | | |
|---------|---------------------|----------------------------------|-------------------|----------|-------------|------------|
| Address | OK <i>99</i> 7 | | | | | |
| | raington, Her Hesti | co | Ву | Original | Signed D. O | . Johnston |
| | | | Title | Petrol | um Ingines | c |
| | | U. S. GOVERNMENT PRINTING OFFICE | 16—843 7-5 | ; | | |