Foi ()	Form 9-331 a (Fee. 1951)						

## (SUBMIT IN TRIPLICATE)

## UNITED STATES **DEPARTMENT OF THE INTERIOR** GEOLOGICAL SURVEY

Land Office	Her Mexico
Lease No	04202
Unit	Johnston

IOTICE OF INTENTION TO DRILL		X	SUBSEQUENT REPORT OF WATER SHUT-OFF		
NOTICE OF INTENTION TO CHANGE PLANS.			SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.		
IOTICE OF INTENTION TO TEST WATER		1	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR  SUBSEQUENT REPORT OF ABANDONMENT		
OTICE OF INTENTION TO RE-DRILL O					
OTICE OF INTENTION TO SHOOT OR					
IOTICE OF INTENTION TO PULL OR AL			SUPPLEMENTARY WELL HISTORY		
IOTICE OF INTENTION TO ABANDON W					
(INDICAT)	E ABOVE BY CHECK M	IARK NATU	JRE OF REPORT, NOTICE, OR OTHER DATA)		
			April 16 , 19 !		
ell No. 6-X is locate	ed <b>1166</b> ft. fr	rom {S	line and 1090 ft. from $W$ line of sec.		
SW Section 10	231	94	B.N.P.N.		
(1/4 Sec. and Sec. No.)	(Twp.)	(Rang			
Blanco (Field)	Sen J	nty or Sub-	division) (State or Territory)		
it is intended to dri bud circulation will .ng. Gas circulation	ing points, and ill a wall w be used the will be us	w sizes, we all other ith return the column the	OF WORK sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work)  ptary tools thru the Mass Verde format:  Pictured Cliffs and set intermediate of the Mass Verde and production casing arrais will be performed and freetyman.		
It is intended to dri Nud circulation will ing. Gas circulation will be set. Possible Casing Progrem: 10-3/4" at 7-5/8" at 5-1/2" at	ing points, and  Ill a wall w be used the will be us to productive 170' with 2600' with 5035' with	vaizes, we all other in the wathe ed the interior in the 125 es 250 es 150 es	pights, and lengths of proposed casings; indicate mudding jobs, come important proposed work)  ptary tools thru the Mesa Verde format:  Pictured Cliffs and set intermediate or the Mesa Verde and production casing servals will be perforated and fractured intimated Total Boyth 5035.  The commutation of the surface, acks commutations.		
It is intended to dri Nud circulation will ing. Gas circulation will be set. Possible Casing Program: 10-3/4" at 7-5/8" at	ing points, and  Ill a wall w be used the will be us to productive 170' with 2600' with 5035' with	vaizes, we all other in the wathe ed the interior in the 125 es 250 es 150 es	pights, and lengths of proposed casings; indicate mudding jobs, come important proposed work)  ptary tools thru the Mesa Verde format:  Pictured Cliffs and set intermediate or the Mesa Verde and production casing servals will be perforated and fractured intimated Total Boyth 5035.  The commutation of the surface, acks commutations.		
It is intended to dri Nud circulation will ing. Gas circulation will be set. Possible Casing Program: 10-3/4" at 7-5/8" at 5-1/2" at All of Section 10 is Sec. 10 NH 04202.	ing points, and ill a wall w be used that will be us to productive 170' with 2660' with 5035' with dedicated to	vizies, we all other in the winter that we interest a control of the control of t	pights, and lengths of proposed casings; indicate mudding jobs, come important proposed work)  ptary tools thru the Mesa Verde format:  Pictured Cliffs and set intermediate or the Mesa Verde and production casing servals will be perforated and fractured intimated Total Boyth 5035.  The commutation of the surface, acks commutations.		
It is intended to dri Mud circulation will ing. Gas circulation will be set. Possible Casing Program: 10-3/4" at 7-5/8" at 5-1/2" at All of Section 10 is Sec. 10 MM 04202.	ing points, and  ill a wall w be used the will be us to productive 170' with 260' with 5035' with dedicated to	v sizes, we all other in the wathe ed the enter in the 250 and the control of the	pights, and lengths of proposed casings; indicate mudding jobs, come important proposed work)  ptary tools thru the Massa Verde format: Pictured Cliffs and set intermediate of the Massa Verde and production casing arvals will be perforated and fractured lettimated Total Boyth 5035 make commut circulated to the surface, sake commut.  APR 26 [6]  OH. CON. C.		
It is intended to dri Nud circulation will ing. Gas circulation will be set. Possible Casing Progrem: 10-3/4" at 7-5/8" at 5-1/2" at All of Section 10 is Sec. 10 MM 04202. understand that this plan of work r	ing points, and  ill a wall w be used the will be us to productive 170' with 260' with 5035' with dedicated to	v sizes, we all other in the wathe ed the enter in the 250 and the control of the	pights, and lengths of proposed casings; indicate mudding jobs, come important proposed work)  ptary tools thru the Massa Verde format: Pictured Cliffs and set intermediate of the Massa Verde and production casing arvals will be perforated and fractured lettimated Total Boyth 5035 make commut circulated to the surface, sake commut.  APR 26 [6]  OH. CON. C.		
It is intended to dri Mad circulation will ing. Gas circulation will be set. Possible Casing Progress:  10-3/4" at 7-5/8" at 5-1/2" at All of Section 10 is Sec. 10 MM 04202.  I understand that this plan of work a	ing points, and ill a wall w be used that a will be us to productive 170' with 2600' with 5035' with dedicated to must receive approve	v sizes, we all other in the wathe ed the enter in the 250 and the control of the	pights, and lengths of proposed casings; indicate mudding jobs, come important proposed work)  ptary tools thru the Massa Verde format: Pictured Cliffs and set intermediate of the Massa Verde and production casing arvals will be perforated and fractured lettimated Total Boyth 5035 make commut circulated to the surface, sake commut.  APR 26 [6]  OH. CON. C.		
it is intended to dri ind circulation will ing. Gas circulation vill be set. Possible issing Program:  10-3/4" at 7-5/8" at 5-1/2" at 311 of Section 10 is sec. 10 BM 04202.  understand that this plan of work re- inpany El Paso Natural	ing points, and ill a wall w be used that a will be us to productive 170' with 2600' with 5035' with dedicated to must receive approve	v sizes, we all other in the wathe ed the enter in the 250 and the control of the	pights, and lengths of proposed casings; indicate mudding jobs, come important proposed work)  pictury tools thru the linea Verde format:  Pictured Cliffs and set intermediate or the linea Verde and production casing arvals will be perforated and fractured intimated Total Bayth 5035.  The commutational circulated to the surface.  The commutation commutation commutation commutation circulated to the surface.  The commutation circulated to the surface.		

## 

. JAWAIL ---

NEW MEXICO

OT CONSERVATE A COMMISSION

WELL LOCATION AND DRIVATE RUBATER, HEA

				APRIL 22, 1957
r 30	EL PASO NATURAL	GAS COMPANY	JOHNSTON	NM 04202
. : .	6-X	10 ·	2 <b>8-</b> N	9-W
	1168	SOUTH	1090	WEST
	SAN JUAN	in the second		623227
	e de la Maria de Carrella de la Carr	MESA VERDE	BLANCO	270 <sup>26</sup> ACRES (1919 PLAT)
	<b>V</b> ·	Add to be seen and the to	about the first and a called the following state.	(LyLy PLAI)

NM CL202

SECTION 10

NOTE

Decreasion of fore is to be use!

The state of the s

APR 26 1957
OIL CON. COM.
DIST. 3

in the towert fy that the above plot was creekers of feelinests, of actual surveys made by never under my substraint and that the same are true and correct to the feet of my knowledge and belief.

Date Surveyed FEBRUARY 25, 1957

Registered Professional Engineer and or Land Survey of

i. Is the v

2. If the an wer to Queen and I is yes one there are extremally completed will assume the following acrosses.

Namo Original Signed EWELL N. WALSH

Poster Potrolog Engineer

in a service El Page Habural Ges

Visco Box 997, Fernington, H.H.

Sentin

Farmington, New Mexico