



Southern

Rockies

Business

Unit

April 16, 1995

Mr. Ben Stone
New Mexico Oil Conservation Division
2040 S. Pacheco Street
P. O. Box 6429
Santa Fe, NM 87505

RECEIVED
APR 16 1995
OIL CONSERV. DIV.
BLM

Downhole Commingling Application - Change of Allocation Method
Florance #64/Florance D10A
Unit O Section 17-T27N-R8W
Basin Dakota and Blanco Mesaverde Pools
San Juan County, New Mexico

I am sending this letter per our telephone conversation of today on how to handle differing allocation methods approved by the NMOCD and the BLM. Amoco Production Company is in receipt of NMOCD Administrative Order DHC - 1211 wherein you approved our commingling of the subject wellbore and the allocation as recommended by Amoco. The United States Bureau of Land Management has also recently approved our application, however a condition of their approval is that we must allocate this production by the subtraction method. The BLM has stipulated that we must extrapolate the production for the current producing horizon (Dakota) through the life of the well and attribute that production to the Dakota. Any production in excess of that curve would be attributed to the Mesaverde formation. Attached you will find a tabulated gas production forecast by month for the remaining life of the Dakota. The allocation for the condensate would be the same ratio used for the gas once that was determined from the production each month.

We are simultaneously transmitting this future production schedule to Ray Hager at the BLM for their files. Should you have questions, please do not hesitate to call me at 303-830-5344.

Sincerely,

Pamela W. Staley
Attachment

cc: Mark Rothenberg - Denver
Mark Stelling - Farmington
Frank Chavez, Supervisor
NMOCD District III
1000 Rio Brazos Road
Aztec, NM 87410

Ray Hager
Bureau of Land Management
1235 La Plata Hwy.
Farmington, NM 87401

wellid	wellname	btu	Date	Monthly mcf	Daily MCF
300451187200DK	FLORANCE 64	1258	01-Jan-96	881.6	29
300451187200DK	FLORANCE 64	1258	01-Feb-96	881.6	29
300451187200DK	FLORANCE 64	1258	01-Mar-96	881.6	29
300451187200DK	FLORANCE 64	1258	01-Apr-96	881.6	29
300451187200DK	FLORANCE 64	1258	01-May-96	881.6	29
300451187200DK	FLORANCE 64	1258	01-Jun-96	881.6	29
300451187200DK	FLORANCE 64	1258	01-Jul-96	851.2	28
300451187200DK	FLORANCE 64	1258	01-Aug-96	851.2	28
300451187200DK	FLORANCE 64	1258	01-Sep-96	851.2	28
300451187200DK	FLORANCE 64	1258	01-Oct-96	851.2	28
300451187200DK	FLORANCE 64	1258	01-Nov-96	851.2	28
300451187200DK	FLORANCE 64	1258	01-Dec-96	851.2	28
300451187200DK	FLORANCE 64	1258	01-Jan-97	851.2	28
300451187200DK	FLORANCE 64	1258	01-Feb-97	820.8	27
300451187200DK	FLORANCE 64	1258	01-Mar-97	820.8	27
300451187200DK	FLORANCE 64	1258	01-Apr-97	820.8	27
300451187200DK	FLORANCE 64	1258	01-May-97	820.8	27
300451187200DK	FLORANCE 64	1258	01-Jun-97	820.8	27
300451187200DK	FLORANCE 64	1258	01-Jul-97	820.8	27
300451187200DK	FLORANCE 64	1258	01-Aug-97	820.8	27
300451187200DK	FLORANCE 64	1258	01-Sep-97	790.4	26
300451187200DK	FLORANCE 64	1258	01-Oct-97	790.4	26
300451187200DK	FLORANCE 64	1258	01-Nov-97	790.4	26
300451187200DK	FLORANCE 64	1258	01-Dec-97	790.4	26
300451187200DK	FLORANCE 64	1258	01-Jan-98	790.4	26
300451187200DK	FLORANCE 64	1258	01-Feb-98	790.4	26
300451187200DK	FLORANCE 64	1258	01-Mar-98	790.4	26
300451187200DK	FLORANCE 64	1258	01-Apr-98	760	25
300451187200DK	FLORANCE 64	1258	01-May-98	760	25
300451187200DK	FLORANCE 64	1258	01-Jun-98	760	25
300451187200DK	FLORANCE 64	1258	01-Jul-98	760	25
300451187200DK	FLORANCE 64	1258	01-Aug-98	760	25
300451187200DK	FLORANCE 64	1258	01-Sep-98	760	25
300451187200DK	FLORANCE 64	1258	01-Oct-98	760	25
300451187200DK	FLORANCE 64	1258	01-Nov-98	760	25
300451187200DK	FLORANCE 64	1258	01-Dec-98	729.6	24
300451187200DK	FLORANCE 64	1258	01-Jan-99	729.6	24
300451187200DK	FLORANCE 64	1258	01-Feb-99	729.6	24
300451187200DK	FLORANCE 64	1258	01-Mar-99	729.6	24
300451187200DK	FLORANCE 64	1258	01-Apr-99	729.6	24
300451187200DK	FLORANCE 64	1258	01-May-99	729.6	24
300451187200DK	FLORANCE 64	1258	01-Jun-99	729.6	24
300451187200DK	FLORANCE 64	1258	01-Jul-99	729.6	24
300451187200DK	FLORANCE 64	1258	01-Aug-99	699.2	23
300451187200DK	FLORANCE 64	1258	01-Sep-99	699.2	23
300451187200DK	FLORANCE 64	1258	01-Oct-99	699.2	23
300451187200DK	FLORANCE 64	1258	01-Nov-99	699.2	23
300451187200DK	FLORANCE 64	1258	01-Dec-99	699.2	23
300451187200DK	FLORANCE 64	1258	01-Jan-00	699.2	23
300451187200DK	FLORANCE 64	1258	01-Feb-00	699.2	23
300451187200DK	FLORANCE 64	1258	01-Mar-00	699.2	23
300451187200DK	FLORANCE 64	1258	01-Apr-00	668.8	22
300451187200DK	FLORANCE 64	1258	01-May-00	668.8	22
300451187200DK	FLORANCE 64	1258	01-Jun-00	668.8	22
300451187200DK	FLORANCE 64	1258	01-Jul-00	668.8	22
300451187200DK	FLORANCE 64	1258	01-Aug-00	668.8	22
300451187200DK	FLORANCE 64	1258	01-Sep-00	668.8	22
300451187200DK	FLORANCE 64	1258	01-Oct-00	668.8	22
300451187200DK	FLORANCE 64	1258	01-Nov-00	668.8	22
300451187200DK	FLORANCE 64	1258	01-Dec-00	638.4	21

wellid	wellname	btu	Date	Monthly mcf	Daily MCF
300451187200DK	FLORANCE 64	1258	01-Jan-01	638.4	21
300451187200DK	FLORANCE 64	1258	01-Feb-01	638.4	21
300451187200DK	FLORANCE 64	1258	01-Mar-01	638.4	21
300451187200DK	FLORANCE 64	1258	01-Apr-01	638.4	21
300451187200DK	FLORANCE 64	1258	01-May-01	638.4	21
300451187200DK	FLORANCE 64	1258	01-Jun-01	638.4	21
300451187200DK	FLORANCE 64	1258	01-Jul-01	638.4	21
300451187200DK	FLORANCE 64	1258	01-Aug-01	638.4	21
300451187200DK	FLORANCE 64	1258	01-Sep-01	608	20
300451187200DK	FLORANCE 64	1258	01-Oct-01	608	20
300451187200DK	FLORANCE 64	1258	01-Nov-01	608	20
300451187200DK	FLORANCE 64	1258	01-Dec-01	608	20
300451187200DK	FLORANCE 64	1258	01-Jan-02	608	20
300451187200DK	FLORANCE 64	1258	01-Feb-02	608	20
300451187200DK	FLORANCE 64	1258	01-Mar-02	608	20
300451187200DK	FLORANCE 64	1258	01-Apr-02	608	20
300451187200DK	FLORANCE 64	1258	01-May-02	608	20
300451187200DK	FLORANCE 64	1258	01-Jun-02	608	20
300451187200DK	FLORANCE 64	1258	01-Jul-02	577.6	19
300451187200DK	FLORANCE 64	1258	01-Aug-02	577.6	19
300451187200DK	FLORANCE 64	1258	01-Sep-02	577.6	19
300451187200DK	FLORANCE 64	1258	01-Oct-02	577.6	19
300451187200DK	FLORANCE 64	1258	01-Nov-02	577.6	19
300451187200DK	FLORANCE 64	1258	01-Dec-02	577.6	19
300451187200DK	FLORANCE 64	1258	01-Jan-03	577.6	19
300451187200DK	FLORANCE 64	1258	01-Feb-03	577.6	19
300451187200DK	FLORANCE 64	1258	01-Mar-03	577.6	19
300451187200DK	FLORANCE 64	1258	01-Apr-03	577.6	19
300451187200DK	FLORANCE 64	1258	01-May-03	547.2	18
300451187200DK	FLORANCE 64	1258	01-Jun-03	547.2	18
300451187200DK	FLORANCE 64	1258	01-Jul-03	547.2	18
300451187200DK	FLORANCE 64	1258	01-Aug-03	547.2	18
300451187200DK	FLORANCE 64	1258	01-Sep-03	547.2	18
300451187200DK	FLORANCE 64	1258	01-Oct-03	547.2	18
300451187200DK	FLORANCE 64	1258	01-Nov-03	547.2	18
300451187200DK	FLORANCE 64	1258	01-Dec-03	547.2	18
300451187200DK	FLORANCE 64	1258	01-Jan-04	547.2	18
300451187200DK	FLORANCE 64	1258	01-Feb-04	547.2	18
300451187200DK	FLORANCE 64	1258	01-Mar-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Apr-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-May-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Jun-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Jul-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Aug-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Sep-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Oct-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Nov-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Dec-04	516.8	17
300451187200DK	FLORANCE 64	1258	01-Jan-05	516.8	17
300451187200DK	FLORANCE 64	1258	01-Feb-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Mar-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Apr-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-May-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Jun-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Jul-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Aug-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Sep-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Oct-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Nov-05	486.4	16
300451187200DK	FLORANCE 64	1258	01-Dec-05	486.4	16

wellid	wellname	btu	Date	Monthly mcf	Daily MCF
300451187200DK	FLORANCE 64	1258	01-Jan-06	486.4	16
300451187200DK	FLORANCE 64	1258	01-Feb-06	456	15
300451187200DK	FLORANCE 64	1258	01-Mar-06	456	15
300451187200DK	FLORANCE 64	1258	01-Apr-06	456	15
300451187200DK	FLORANCE 64	1258	01-May-06	456	15
300451187200DK	FLORANCE 64	1258	01-Jun-06	456	15
300451187200DK	FLORANCE 64	1258	01-Jul-06	456	15
300451187200DK	FLORANCE 64	1258	01-Aug-06	456	15
300451187200DK	FLORANCE 64	1258	01-Sep-06	456	15
300451187200DK	FLORANCE 64	1258	01-Oct-06	456	15
300451187200DK	FLORANCE 64	1258	01-Nov-06	456	15
300451187200DK	FLORANCE 64	1258	01-Dec-06	456	15
300451187200DK	FLORANCE 64	1258	01-Jan-07	456	15
300451187200DK	FLORANCE 64	1258	01-Feb-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Mar-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Apr-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-May-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Jun-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Jul-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Aug-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Sep-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Oct-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Nov-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Dec-07	425.6	14
300451187200DK	FLORANCE 64	1258	01-Jan-08	425.6	14
300451187200DK	FLORANCE 64	1258	01-Feb-08	425.6	14
300451187200DK	FLORANCE 64	1258	01-Mar-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Apr-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-May-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Jun-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Jul-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Aug-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Sep-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Oct-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Nov-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Dec-08	395.2	13
300451187200DK	FLORANCE 64	1258	01-Jan-09	395.2	13
300451187200DK	FLORANCE 64	1258	01-Feb-09	395.2	13
300451187200DK	FLORANCE 64	1258	01-Mar-09	395.2	13
300451187200DK	FLORANCE 64	1258	01-Apr-09	395.2	13
300451187200DK	FLORANCE 64	1258	01-May-09	395.2	13
300451187200DK	FLORANCE 64	1258	01-Jun-09	364.8	12
300451187200DK	FLORANCE 64	1258	01-Jul-09	364.8	12
300451187200DK	FLORANCE 64	1258	01-Aug-09	364.8	12
300451187200DK	FLORANCE 64	1258	01-Sep-09	364.8	12
300451187200DK	FLORANCE 64	1258	01-Oct-09	364.8	12
300451187200DK	FLORANCE 64	1258	01-Nov-09	364.8	12
300451187200DK	FLORANCE 64	1258	01-Dec-09	364.8	12
300451187200DK	FLORANCE 64	1258	01-Jan-10	364.8	12
300451187200DK	FLORANCE 64	1258	01-Feb-10	364.8	12
300451187200DK	FLORANCE 64	1258	01-Mar-10	364.8	12
300451187200DK	FLORANCE 64	1258	01-Apr-10	364.8	12
300451187200DK	FLORANCE 64	1258	01-May-10	364.8	12
300451187200DK	FLORANCE 64	1258	01-Jun-10	364.8	12
300451187200DK	FLORANCE 64	1258	01-Jul-10	364.8	12
300451187200DK	FLORANCE 64	1258	01-Aug-10	364.8	12
300451187200DK	FLORANCE 64	1258	01-Sep-10	334.4	11
300451187200DK	FLORANCE 64	1258	01-Oct-10	334.4	11
300451187200DK	FLORANCE 64	1258	01-Nov-10	334.4	11
300451187200DK	FLORANCE 64	1258	01-Dec-10	334.4	11

wellid	wellname	btu	Date	Monthly mcf	Daily MCF
300451187200DK	FLORANCE 64	1258	01-Jan-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Feb-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Mar-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Apr-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-May-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Jun-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Jul-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Aug-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Sep-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Oct-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Nov-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Dec-11	334.4	11
300451187200DK	FLORANCE 64	1258	01-Jan-12	334.4	11
300451187200DK	FLORANCE 64	1258	01-Feb-12	304	10
300451187200DK	FLORANCE 64	1258	01-Mar-12	304	10
300451187200DK	FLORANCE 64	1258	01-Apr-12	304	10
300451187200DK	FLORANCE 64	1258	01-May-12	304	10
300451187200DK	FLORANCE 64	1258	01-Jun-12	304	10
300451187200DK	FLORANCE 64	1258	01-Jul-12	304	10
300451187200DK	FLORANCE 64	1258	01-Aug-12	304	10
300451187200DK	FLORANCE 64	1258	01-Sep-12	304	10
300451187200DK	FLORANCE 64	1258	01-Oct-12	304	10
300451187200DK	FLORANCE 64	1258	01-Nov-12	304	10
300451187200DK	FLORANCE 64	1258	01-Dec-12	304	10
300451187200DK	FLORANCE 64	1258	01-Jan-13	304	10
300451187200DK	FLORANCE 64	1258	01-Feb-13	304	10
300451187200DK	FLORANCE 64	1258	01-Mar-13	304	10
300451187200DK	FLORANCE 64	1258	01-Apr-13	304	10
300451187200DK	FLORANCE 64	1258	01-May-13	304	10
300451187200DK	FLORANCE 64	1258	01-Jun-13	304	10
300451187200DK	FLORANCE 64	1258	01-Jul-13	304	10
300451187200DK	FLORANCE 64	1258	01-Aug-13	273.6	9
300451187200DK	FLORANCE 64	1258	01-Sep-13	273.6	9
300451187200DK	FLORANCE 64	1258	01-Oct-13	273.6	9
300451187200DK	FLORANCE 64	1258	01-Nov-13	273.6	9
300451187200DK	FLORANCE 64	1258	01-Dec-13	273.6	9
300451187200DK	FLORANCE 64	1258	01-Jan-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Feb-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Mar-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Apr-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-May-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Jun-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Jul-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Aug-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Sep-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Oct-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Nov-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Dec-14	273.6	9
300451187200DK	FLORANCE 64	1258	01-Jan-15	273.6	9
300451187200DK	FLORANCE 64	1258	01-Feb-15	273.6	9
300451187200DK	FLORANCE 64	1258	01-Mar-15	273.6	9
300451187200DK	FLORANCE 64	1258	01-Apr-15	273.6	9
300451187200DK	FLORANCE 64	1258	01-May-15	243.2	8
300451187200DK	FLORANCE 64	1258	01-Jun-15	243.2	8
300451187200DK	FLORANCE 64	1258	01-Jul-15	243.2	8
300451187200DK	FLORANCE 64	1258	01-Aug-15	243.2	8
300451187200DK	FLORANCE 64	1258	01-Sep-15	243.2	8
300451187200DK	FLORANCE 64	1258	01-Oct-15	243.2	8
300451187200DK	FLORANCE 64	1258	01-Nov-15	243.2	8
300451187200DK	FLORANCE 64	1258	01-Dec-15	243.2	8

Well ID	Well Name	Depth (ft)	Date	Monthly mcf	Daily MCF
300451187200DK	FLORANCE 64	1258	01-Jan-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Feb-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Mar-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Apr-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-May-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Jun-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Jul-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Aug-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Sep-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Oct-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Nov-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Dec-16	243.2	8
300451187200DK	FLORANCE 64	1258	01-Jan-17	243.2	8
300451187200DK	FLORANCE 64	1258	01-Feb-17	243.2	8
300451187200DK	FLORANCE 64	1258	01-Mar-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Apr-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-May-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Jun-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Jul-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Aug-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Sep-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Oct-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Nov-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Dec-17	212.8	7
300451187200DK	FLORANCE 64	1258	01-Jan-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Feb-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Mar-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Apr-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-May-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Jun-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Jul-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Aug-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Sep-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Oct-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Nov-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Dec-18	212.8	7
300451187200DK	FLORANCE 64	1258	01-Jan-19	212.8	7
300451187200DK	FLORANCE 64	1258	01-Feb-19	212.8	7
300451187200DK	FLORANCE 64	1258	01-Mar-19	212.8	7
300451187200DK	FLORANCE 64	1258	01-Apr-19	212.8	7
END OF FORECAST (ECONOMIC LIMIT OF WELL REACHED)					