Denny & Fout L.

DEC 2 9 1997

Meter Number: 75610
ocation Name: SCHWERDTFEGER A 2X
Location: TN-28 RG-08
SC-31 UL-D

2 - Federal NMOCD Zone:OUTSIDE

Hazard Ranking Score:00

DEGETVED N APR 1 4 1997

OIL CON. DIV. Dist. 3

#### RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10<sup>-9</sup> to 10<sup>-13</sup> cm/sec Shale 10<sup>-12</sup> to 10<sup>-16</sup> cm/sec Clay 10<sup>-12</sup> to 10<sup>-15</sup> cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



## FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 75610 Location: Schwerlifteger A XX  Operator #: 0203 Operator Name: Amoco P/L District: Blanco  Coordinates: Letter: D Section 3 Township: 28 Range: 8  Or Latitude Longitude					
	Pit Type: Dehydrator Location Drip: Line Drip: Other: Site Assessment Date: <u>s/ル/۹</u> リ Area: <u>03</u> Run: <u>8</u> み					
SITE ASSESSMENT	NMOCD Zone:       Land Type:       BLM       ☒ (1)         (From NMOCD       State       ☐ (2)         Maps)       Inside       ☐ (1)       Fee       ☐ (3)         Outside       ☒ (2)       Indian         Depth to Groundwater         Less Than 50 Feet (20 points)       ☐ (1)         50 Ft to 99 Ft (10 points)       ☐ (2)					
	Greater Than 100 Ft (0 points) (3)  Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)					
	Horizontal Distance to Surface Water Body  Less Than 200 Ft (20 points) (1)  200 Ft to 1000 Ft (10 points) (2)  Greater Than 1000 Ft (0 points) (3)  Name of Surface Water Body					
	(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)  Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only)  (2) > 100'					
ζ	TOTAL HAZARD RANKING SCORE: POINTS					
REMARKS	Remarks: Redline-Incide, Voln - Dutside 30145. Close 1. Pit Dry					
RE	PUSH-IN					

## FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 7560 Location: SChwerd+Feger AZX  Coordinates: Letter: D Section 31 Township: 28 Range: 8  Or Latitude Longitude Date Started: 8-8-44 Run: 03 82							
FIELD OBSERVATIONS	Sample Number(s): 14/236  Sample Depth: Feet  Final PID Reading 1760							
CLOSURE	Remediation Method:  Excavation							
REMARKS	Remarks: FPNG lines Marked Soil Black Strong HADROCOGON  odor  Signature of Specialist: Morgan Killian  (SPNIN) ON/16/194							



# FIELD SERVICES LABORATORY ANALYTICAL REPORT

### PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

### SAMPLE IDENTIFICATION

		<del> </del>	·			
	Field ID			Lab ID		
SAMPLE NUMBER:	MK 236		945869			
MTR CODE   SITE NAME:	75610		N/A			
SAMPLE DATE   TIME (Hrs):	8-8-94		1320			
SAMPLED BY:		/A				
DATE OF TPH EXT.   ANAL.:	9-9-	74	8-9-94			
DATE OF BTEX EXT.   ANAL.:	NIM		NIA			
TYPE   DESCRIPTION:	νG		Frey aburse sand & Clay			
			٠ (		/	
REMARKS:						
		DECLU TO				
		RESULTS				
			<u> </u>	<del></del>	<u>-</u>	
PARAMETER	RESULT	UNITS		QUALIF	<del></del>	
		<del></del>	DF	Q	M(g)	V(ml)
TPH (418.1)	11,200	MG/KG			0.821	28
HEADSPACE PID	1760	РРМ				
PERCENT SOLIDS	89.8	%		_		
		TPH is by EPA Metho	od 418.1			
arrative:			•			
F = Dilution Factor Used						
D				/ /		
pproved By:			Date:	8/14/9	4	
pprovod by.				<del>- ( - / - / /</del>	<del></del>	

\* Test Method for Oil and Grease and Petroleum Hydrocarbons in Water and Soil Perkin-Elmer Model 1600 FT-IR Analysis Report 14/08/09 15:12 Gample identification 45869 Initial case of execus, q Exc Volume of sample order extraction, at Sepert of the 129