Meter Number: 75328
Location Name: HUERFANITO UNIT #96
Location: TN-27 RG-09
SC-22 UL-A

2 - Federal NMOCD Zone:OUTSIDE Hazard Ranking Score:00



RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10⁻⁹ to 10⁻¹³ cm/sec Shale 10⁻¹² to 10⁻¹⁶ cm/sec Clay 10⁻¹² to 10⁻¹⁵ cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

	/3								
	GENERAL	Meter: 75328 Location: Huerfanito unit #96 Operator #: 2999 Operator Name: Mechan P/L District: Ballard Coordinates: Letter: A Section 22 Township: 27 Range: 9W Or Latitude Longitude Pit Type: Dehydrator X Location Drip: Line Drip: Other: Site Assessment Date: 6-/5-94 Area: // Run: 7/							
SITE ASSESSMENT	1 1 2 0 1 0 T	NMOCD Zone: (From NMOCD (I) (I) (I) (I) (I) (I) (I) (I							
REMARKS		Remarks: Two pits. Dehy pit is Nry Outside V.Z. on Realing & Topo							


ORIGINAL PIT LOCATION

REMARKS

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 37 Footage from Wellhead 69

b) Length : 12 Width : _// ___ Depth : _____



Remarks	:	Pho	tos-	140	7		
						· · · · · · · · · · · · · · · · · · ·	
				····			
		·		····	-		

Completed By:

Signature

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 7532 Location: Hverfanito Vait #96 Coordinates: Letter: A Section 22 Township: 27 Range: 9 Or Latitude Longitude Date Started: 9-14-941 Run: 11 71
FIELD OBSERVATIONS	Sample Number(s): 128/ Sample Depth: 7 Feet Final PID Reading Depth 72 Feet Yes No Groundwater Encountered
CLOSURE	Remediation Method: Excavation
REMARKS	Remarks:
	Signature of Specialist: Lile When

(SP3191) 03/16/94



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

	SAMPLE	IDENTIFICA'	TION			
	Field	ID		Lab ID		
SAMPLE NUMBER:	VW 29	941	946139			
MTR CODE SITE NAME:	75329		N/A			
SAMPLE DATE TIME (Hrs):	9-14-9					
SAMPLED BY:		N/	A			
DATE OF TPH EXT. ANAL.:	9-20-6	34	G-21			
DATE OF BTEX EXT. ANAL.:	NIA		N/4	· · · · · · · · · · · · · · · · · · ·	,	
TYPE DESCRIPTION:	V.G		Brown	TE Sly	1	
REMARKS: _						
		RESULTS				
PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
TPH (418.1)	17.2	MG/KG			1,95	28
HEADSPACE PID	2	РРМ				
PERCENT SOLIDS	28,0	%				
		TPH is by EPA Method	d 418.1		·	
arrative:						
F = Dilution Factor Used				· · · · · · · · · · · · · · · · · · ·		

