

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)Form approved.  
Budget Bureau No. 42-R1424.  
5. LEASE DESIGNATION AND SERIAL NO.

SF 078480

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Hammond

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

South Blanco PC

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 34, T27N, R8W

12. COUNTY OR PARISH

San Juan

13. STATE

N. M.

SUNDRY NOTICES AND REPORTS ON WELLS  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT-" for such proposals.)1. OIL ☐ GAS ☒ OTHER ☐

2. NAME OF OPERATOR

Jerome P. McHugh

3. ADDRESS OF OPERATOR

Box 234, Farmington, N. M. 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

990' fnl 800' fel

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6241' Gr.

16.

## Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

5/1/70

Jim Ludwick spudded surface hole at 11:00 a.m., 4/30/70. Drilled 12 1/4" hole to 95' - ran 4 jts. 8 5/8" O.D., 244, J-55, 8R ST&amp;C csg. set at 93' GL. - 104' R.K.B., cemented with 85 sx. Class "A" 2% Cacl. P.O.B. 11:00 p.m., 5/1/70 - good cement to surface.

5/26/70

T.D. 2385'. Ran 73 jts. 4 1/2" O.D., 9.5#, K-55, 8R ST&amp;C csg. set at 2385' cemented with 50 sx. 3% Iodense plus 75 sx. Class "C" 7 1/2# salt per sx. Followed plug with 200 gal. 10% Acidic Acid, good mud returns while cementing. P.O.B. at 1:10 p.m., 5/25/70.

18. I hereby certify that the foregoing is true and correct

SIGNED

Original signed by T. A. Dugan

TITLE

Engineer

DATE

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

