

Form 3160-5  
(June 1990)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTRECEIVED  
BLMFORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposalsJAN 14 PM 3:12  
070 FARMINGTON, NM

5. Lease Designation and Serial No.

NM 16476

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Benqal C #1

9. API Well No.

30-045-21186

10. Field and Pool, or Exploratory Area

WAW FR SN PC WC

11. County or Parish, State

San Juan County, NM

## SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Dugan Production Corp.

3. Address and Telephone No.

P.O. Box 420, Farmington, NM 87499 505-325-1821

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1850' FNL & 1850' FWL  
Sec. 36, T27N, R13W

## 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

- ☒
- Notice of Intent
- 
- ☐
- Subsequent Report
- 
- ☐
- Final Abandonment Notice

## TYPE OF ACTION

- ☒
- Abandonment
- 
- ☐
- Recompletion
- 
- ☐
- Plugging Back
- 
- ☐
- Casing Repair
- 
- ☐
- Alining Casing
- 
- ☐
- Other
- 
- ☐
- Change of Plans
- 
- ☐
- New Construction
- 
- ☐
- Non-Routine Fracturing
- 
- ☐
- Water Shut-Off
- 
- ☐
- Conversion to Injection
- 
- ☐
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

## Plug well as follows:

1. Spot Class B cement\* across Fruitland perforations 918 -928 and cover Fruitland top at 905', inside 5" casing.
2. Spot Class B cement\* plug inside casing 50' below surface casing which is set at 32' to surface.

Fresh water will be used for spotting cement plugs. Hydrostatic pressure created by fresh water will be adequate to control the maximum bottom hole for the Fruitland in this area.

The Pictured Cliffs zone for this well was plugged previously by pumping 59 cu. ft. Class B cement below the 5" casing. The Fruitland Sand is now the only formation open in this well.

\* 15.6 lb/gal; 1.18 ft<sup>3</sup>/sk

14. I hereby certify that the foregoing is true and correct

Signed John Alexander  
(This space for Federal or State office use)Title Operations ManagerDate 1/14/94Approved by \_\_\_\_\_  
Conditions of approval, if any:

Title \_\_\_\_\_

RECEIVED  
JAN 20 1994  
OIL CON. DIV.  
ADDITIONAL MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side

NMOOD

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT  
FARMINGTON DISTRICT OFFICE  
1235 La Plata Highway  
Farmington, New Mexico 87401

Attachment to Notice of

Re: Permanent Abandonment

Intention to Abandon

Well: 1 Bengal C

CONDITIONS OF APPROVAL

1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal and Indian Leases."

2. Mike Flaniken with the Farmington Office is to be notified at least 24 hours before the plugging operations commence (505) 599-8907.

3. The following modifications to your plugging program are to be made (when applicable):

1.) *At a minimum the Fruitland plug is to be from PBTD at approximately 966' to 854' plus 50 linear feet excess. Tag TOC plug.*

2.) *Perforate @ 185' and circulate cement to the surface. (bottom of 030 Plano @ 135')*

Office Hours: 7:45 a.m. to 4:30 p.m.

