

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SF-079116

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Hancock

9. WELL NO.

8R

10. FIELD AND POOL, OR WILDCAT

W. Kutz P.C.

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

B, Sec. 12, T27N, R12W

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

DEPCO, Inc.

3. ADDRESS OF OPERATOR

1025 Petroleum Club Building, Denver, CO 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

1665' FEL, 810' FNL
Sec. 12, T27N, R12W

14. PERMIT NO.

15. ELEVATIONS (Show whether DE FT, GR, etc.)

6050' GR, 6062' KB

12. COUNTY OR PARISH

San Juan

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Supplemental History

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- Spudded 9-11-75. Drilled 12 1/4" surface hole. Ran 3 jts. 8 5/8"OD, 24#, new casing. Set casing at 132' KB and cemented with 100 sx. cement. Cement circulated to surface. WOC 12 hrs.
- Drilled 7 7/8" hole to TD @ 1850' KB
- Ran IES, FDC/GR electric logs
- Ran 58 jts, 1838.60', 11.6#, J55 used casing. Set casing at 1850' KB and cemented with 125 sx. regular cement. Good circulation throughout.
- Will move off drilling equipment, perforate, and sand frac. the Pictured Cliffs formation.

SEP 26 1975
U.S. GEOLOGICAL SURVEY

18. I hereby certify that the foregoing is true and correct

SIGNED

John S. Nylis

TITLE Dist. Prod. Supt.

DATE 9-24-75

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: