

DEVIATION TESTS

MARRON WN FEDERAL COM., WELL #6-A

<u>DEPTH</u>	<u>DEGREES</u>	<u>DEPTH</u>	<u>DEGREES</u>
248	3/4	3109	1
575	3/4	3420	1 1/4
1230	1	3730	1
1544	1	4042	3/4
2045	2	4325	1/2
2357	2	4636	1/2
2764	1 3/4	4816	3/4
3014	1 3/4		

AFFIDAVIT

This is to certify that to the best of my knowledge the above tabulation details the deviation tests taken on Atlantic Richfield Company's Marron WN Federal Com., Well No. 6-A, Blanco Mesaverde Pool and Largo Chacra Pool, 1500 feet from the South line and 990 feet from the East line of Section 24-27N-8W, San Juan County, New Mexico.



B. R. Still
Operations Information Ass't.


State of Colorado)
) ss.
County of Denver)

Before me, the undersigned authority, on this day personally appeared B. Ray Still, known to me to be the Operations Information Assistant for Atlantic Richfield Company, and to be the person whose name is subscribed to the above statement, who, being by me duly sworn on oath, states that he has knowledge of the facts stated herein, and that said statement is true and correct.

Subscribed and sworn to before me, a Notary Public in and for said County and State this 6th day of January, 1978.



Notary Public



My commission expires:

10-9-81