

UNITED STATES
DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

2. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☒MULTIPLE
ZONE ☐

3. NAME OF OPERATOR

Oklahoma Oil Company

4. ADDRESS OF OPERATOR

1120 One Energy Square; 4925 Greenville Ave; Dallas, Tx, 75206

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

1190' FNL & 1550 FEL

At proposed prod. zone

SAME

6. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

12 miles South of Bloomfield, NM

7. DISTANCE FROM PROPOSED*

8. LOCATION TO NEAREST

9. PROPERTY OR LEASE LINE, FT.

10. (Also to nearest drig. unit line, if any)

1190

11. DISTANCE FROM PROPOSED LOCATION*

12. TO NEAREST WELL, DRILLING, COMPLETED,

13. OR APPLIED FOR, ON THIS LEASE, FT.

2640

14. NO. OF ACRES IN LEASE

2400

15. PROPOSED DEPTH

2100

16. NO. OF ACRES ASSIGNED

17. TO THIS WELL

160

18. ROTARY OR CABLE TOOLS

Rotary

19. ELEVATIONS (Show whether DF, RT, GR, etc.)

6308 G.R.

20. APPROX. DATE WORK WILL START*


21.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
10 3/4	7"	26	40'	50 sk.
6 1/4	4 3/4	10.5	2100	200 sk.

(See attachment)

Gas under this lease not dedicated to an existing lease.



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

William T. Jones

TITLE

AGENT

DATE

5-15-78

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ok 5-16

*See Instructions On Reverse Side

**NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT**

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section.


Operator OKLAHOMA OIL COMPANY			Lease BOLACK "B"		Well No. 1
Unit Letter B	Section 28	Township 27N	Range 11W	County San Juan	
Actual Footage Location of Well: 1190 feet from the North line and 1550 feet from the East line					
Ground Level Elev. 6308	Producing Formation Picture Cliff		Pool West Kutz		Dedicated Acreage: 160 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0

CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

William T. Jones

Name

W. T. Jones

Position

AGENT

Company

Oklahoma Oil Company

Date

5-15-78

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

May 10, 1978

Registered Professional Engineer
and/or Land Surveyor

Fred B. Kerr Jr.

Certificate No.

3950

FRED B. KERR, JR.

OKLAHOMA OIL COMPANY

FORMATION INFORMATION AND DRILLING PROCEDURES

WELL:

Bolack B No. 1

LOCATION:

1190' FNL & 1550' FEL
Sec. 28, T27N, R11W
San Juan Co., NM

LEASE NUMBER:

SF -788728A

1) Geologic name of surface formation.

Ojo Alamo

2) Estimated tops of important geologic markers.

Kirtland 932
Fruitland 1631
Pictured
Cliffs 1850

3) Estimated depths at which anticipated water, oil, gas or other mineral-bearing formations are expected.

1631 Gas
1850 Gas

4) Proposed casing program.

Surface: 7", 26 lb/ft, K-55, used casing, to be set at 40'. Cement to be 50 sk. Class "B" with 2% CaCl₂.

Production: 4 ½", 10.5 lb/ft, J-55, used to be set at 2100. Cement to be 200 sk. Class "B".

5) Specifications for pressure control equipment.

The attached schematic shows the type of blow out preventer to be used while drilling. The unit will be tested to 200 psi as soon as possible after its installation on the surface pipe. Testing will be done with the rig pump. This is a manual type preventer, and its operation will be manually checked when practical.

6) Drilling fluids.

Depth	Type	Viscosity	Weight	Fluid loss
0-2100	Gel-Lime	35-55	8.9-9.2	15 cc

7) Auxiliary equipment.

- a. bit float
- b. full opening valve for stabbing in drill pipe when the kelly is not in use

Page 3 (cont)

8) Logging - Coring - Drill Stem Testing.

Logging: Induction Electric Log, Formation Compensated Density-Compensated Neutron log, Gamma Ray, Caliper

Coring: None

Drill Stem Testing: None

9) Abnormal temperatures, pressures, or hazardous conditions.

None expected.


10) Starting date.

Anticipated starting date is June 15, 1978. Approximately 5 days will be needed to build roads and location and drill the well to total depth. If commercial, completion will commence immediately and require approximately 3 days to complete.

G TUBING BLOWOUT PREVENTERS

G BLOWOUT PREVENTER RAMS

PREVENTER SIZE	2-3/8"	2-7/8"	3-1/2"
RAM I.D. INCHES	Part No.	Part No.	Part No.
Blank.....	28262	28263	28264
9/16".....	59383	45019	59388
5/8".....	44948	44969	59393
3/4".....	59391	41502	59410
7/8".....	59392	54571	59389
1".....	59384	59386	45903
1.050".....	44949	41424	45056
1-1/8".....	28354	28336	28365
1-1/4".....	28355	28331	28366
1.315".....	45055	44109	44057
1-3/8".....	44730	59387	44964
1-1/2".....	28356	28337	28367
1-5/8".....	59385	46780	59390
1.660".....	45462	43629	44963
1-3/4".....	28357	28346	28368
1.900".....	45463	43630	45609
2.063".....	59394



ATTACHMENT TO POINT 5
API SERIES 6" 600

OKLAHOMA OIL COMPANY

DEVELOPMENT PLAN FOR SURFACE USE

WELL:

BoJack B No. 1

LOCATION:

1190' FNL & 1550' FEL
Sec. 28, T27N, R11W
San Juan Co., NM

LEASE NUMBER:

SF 078872A

1) Existing roads. (Shown in green.)

The attached topographic map shows all existing roads within one mile of the proposed location. Access will be made to a county road 1 ½ mile south of the location.

All existing roads are in good condition and will not have to be upgraded to handle normal drilling activity traffic.

2) Planned access road. (Shown in red.)

The planned access road will be approximately 100' long and 20' wide. Maximum grade will be 5%. No turnouts or culverts will be required. Water bars will be used to aid drainage and prevent erosion. No surfacing material will be required. No gates, cattle guards, or fences will be crossed. No cuts or fills should be required.

3) Location of existing wells.

All wells (water, abandoned, disposal, and drilling) are shown and so labeled on the attached topographic map.

4) Location of tank batteries, production facilities and production, gathering and service lines.

All production facilities are to be contained within the proposed location. All other facilities owned or controlled by Dietrich Exploration are shown on the attached topographic map.

5) Location and type of water supply.

Water for drilling will be trucked from El Paso Natural Gas Chaco Plant, located 8 miles southwest of location. This water is privately owned.

6) Source of construction material.

Any construction material required for road or location will be excess material accumulated during building of such sites.

7) Methods of handling waste disposal.

(Refer to attached well site layout)

All burnable material will be burned in the trash pit when conditions permit. All nonburnable material (drilling fluids, cuttings, chemicals, etc.) will be held in the reserve pit and buried when dry. Any oil produced while drilling will be trucked from the location prior to leaving the pit to dry. Pits will be fenced during dryout time, the completely

- 7) back filled with dirt prior to preparing the location for production or abandonment.

8) Ancillary facilities.

No ancillary facilities are planned.

9) Well site lay out.

The attached lay out shows the drilling rig with all facilities. Cut and fill required is also indicated.

10) Plans for restoration of surface.

Restoration of well site and access road will begin within 90 days of well completion, weather permitting.

Should the well be abandoned, the drilling site will be reshaped to its approximate former contour. The access road will be plowed and leveled. Both site and road will have top soil replaced and will be reseeded when germination can occur.

Should the well be commercial, that portion of the location, not needed for operation, will be repaired as above. The portion needed for daily production operations, and the access road, will be maintained in good repair.

In either case, clean up of the site will include burning any safely burnable material, filling of all pits, carrying away of all nonburnable material and chemicals that can not be buried. Any oil that has accumulated on the pits will be trucked away.

11) Other information.

General topography of the area may be seen on the attached map.

The drilling site is flat and is covered with sage brush and other native grasses. There are no creeks, rivers or ponds in the area. The soil is sandy loam. Small animals and sheep inhabit the area.

The surface is part of the Navajo Irrigation Project, administered by The Bureau of Indian Affairs.

There are no occupied dwellings in the area.

There are no archaeological or cultural sites visible on the location. The archaeologist report is forthcoming.

12)

W. T. Jones
3E Company, Inc.
P.O. Box 190
Farmington, NM 87401
Phone: 505-327-4020

- 13) I hereby certify that I or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Oklahoma Oil Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

5-15-78

William T. Jones
W. T. Jones

