

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other _____

2. NAME OF OPERATOR
J. Gregory Merrion and Robert L. Bayless

3. ADDRESS OF OPERATOR
P.O. Box 507, Farmington, NM 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: **790 FSL and 1450 FEL**
AT TOP PROD. INTERVAL: **same**
AT TOTAL DEPTH: **same**

5. LEASE
NM 33047

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
H1 Roll

9. WELL NO.
1

10. FIELD OR WILDCAT NAME
WAW Fruitland Pic. Cliffs

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA
Sec. 35, T27N, R13W

12. COUNTY OR PARISH | 13. STATE
San Juan | N.M.

14. API NO.
30-045-23035

15. ELEVATIONS (SHOW DE KDB AND WD)
5998' GL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input checked="" type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other)	<input type="checkbox"/>		<input type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 06-20-79 Rig up Western States Services. Tag PBTD and trip out with 1-1/4" tubing. Ran sinker bar and found PBTD @ 1243' IND. Kill well with 6 bbls water. Dumped in 3 gal. 20/40 sand and plugged back to 1235' IND. SDON
- 06-21-79 Made trial run with dump bailer. Mixed 1 gal. Cal-Seal placed on bottom. Filled to 1231' IND. Mixed 2-1/4 gal. Class "B" cement with 3% CACL₂ and placed on bottom. SDON.
- 06-22-79 Found PBTD @ 1224' IND. Dumped in 1 gal. 20/40 sand. Found PBTD @ 1221'. Ran tubing and tagged at 1222' IND. Trip tubing. Mixed 2-1/2 gal. Class "B" cement with 3.5% CACL₂ and ran dump bailer. Shut down.

(Over)

Subsurface Safety Valve: Manu. and Type _____


18. I hereby certify that the foregoing is true and correct
Original Signed _____

SIGNED J. Gregory Merrion TITLE Co-Owner DATE June 26, 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



NUMOC

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land, should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing; liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

06-25-79

Ran sinker bar and found PBTB @ 1212' IND. Rig up Dowell and fraced Pictured Cliffs with 60 bbls. water, 1% KCL and 756 lb. 20/40 sand. Screened off during job. Ran tubing and reversed sand to 1212'. Reversed unset cement to 1216' IND. Trip out with tubing. Rugged up to swab. Swabbed 20 bbls. frac water and hung swab up at 1185'. Unable to pull free. Worked swab down to 1187'. Unable to go up or down. Pulled off to mandrel @ 1187 ft. Ran tubing and tagged swab mandrel, pushed to 1189 ft; unable to move deeper. Preparing to plug back.

14. WELL NO.	30-042-33
15. ELEVATION	3008' CL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE REPORT OR OTHER DATA

AT TOTAL DEPTH: _____

REQUEST FOR APPROVAL TO:

- ABANDON*
- CHANGE ZONES
- MULTIPLE COMPLETE
- PULL OR ALTER CASING
- REPAIR WELL
- SHOOT OR ACIDIZE
- FRACTURE TREAT
- TEST WATER SHUT-OFF

SUBSEQUENT REPORT OF: _____

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all portions including estimated data for starting any proposed work. It will be checked and measured and the vertical depth for all markers and zones pertinent to the work.)

06-22-79 Found PBTB @ 1224' IND. Dumped in 1 gal. 20/40 sand. Trip tubing. Ran tubing and tagged at 1222' IND. Trip tubing. "B" cement with 3.2% CAC₂ and ran dump baller.

06-21-79 Made trial run with dump baller. Mixed 1 gal. 20/40 sand and dumped in 3 gal. 20/40 sand and plugged back to 1222' IND. Filled to 1231' IND. Mixed 2-1/4 gal. Class "B" cement placed on bottom. SDON.

06-20-79 Rig up Western States Services. Tag PBTB and trip. Ran sinker bar and found PBTB @ 1243' IND. Kill well.

(Over)

18. I hereby certify that the foregoing is true and correct.

Subsurface Safety Valve: Manual and Type _____

SIGNED _____ DATE _____

TITLE _____

APPROVED BY _____ DATE _____

CONDITIONS OF APPROVAL: _____