

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-33042

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

None

7. UNIT AGREEMENT NAME

None

8. FARM OR LEASE NAME

Odessa

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

S25-T27N-R13W, NMPPM

12. COUNTY OR PARISH 13. STATE

San Juan

N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☒ OTHER Dry Hole

2. NAME OF OPERATOR

Whigham Associates

3. ADDRESS OF OPERATOR

P.O. Box 255, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1600'fml, 1800'fel

14. PERMIT NO.

30-045-23108

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5915 GR.

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING



ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is intended to plugged and abandon this well in accordance with
the following procedure (approved today orally by Tom Brake):

- 1) One 35 sack plug of Class B Cement from total depth of 1315' to 1195' which covers Pictured Cliffs Sandstone (top @ 1245') and 50 ft. of Fruitland Formation above it.
- 2) One 30 sack plug from 130 ft. to 230 ft. across the base of the Ojo Alamo Sandstone at 180 ft.
- 3) One 10 sack plug from surface to 50 ft. inside and below 7" surface casing which is set @ 32 ft.
- 4) Set dry hole marker of 4" pipe with well name and location on it in cement in surface casing.
- 5) Fill pits, level location & seed.



18. I hereby certify that the foregoing is true and correct

SIGNED

W. R. Seer

TITLE

Agent

DATE

9/13/78

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

NMOC