

(May 1968)

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> Dry Hole	5. LEASE DESIGNATION AND SERIAL NO NM-33042
2. NAME OF OPERATOR Whigham Associates	6. IF INDIAN, ALLOTTEE OR TRIBE NAME None
3. ADDRESS OF OPERATOR P.O. Box 255, Farmington, New Mexico 87401	7. UNIT AGREEMENT NAME None
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1600' from N line, 1300' from E line.	8. FARM OR LEASE NAME Odessa
	9. WELL NO. 1
	10. FIELD AND POOL, OR WILDCAT Wildcat
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA S25-T27N-R13W, NMPM
14. PERMIT NO. 30-045-23108	12. COUNTY OR PARISH San Juan
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 5915 GR.	13. STATE N.M.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was plugged and abandoned on Sept. 13th, 1978 in the following manner:

- 1) A 35 sack plug of Class B cement was set from a total depth of 1315 ft. to 1195 ft., covering the Pictured Cliffs Sandstone and 50 ft. of the overlying Fruitland Formation.
- 2) A 30 sack cement plug was set from 230 ft. to 130 ft. depth across the base of the Ojo Alamo Sandstone at 180 ft. depth.
- 3) A 10 sack cement plug was set from 50 ft. depth to the surface inside and below the 7" surface casing set at 32 ft. with 6 sacks cement.
- 4) A 4" dry hole marker extending 4 ft. above the surface is set in the cement inside the surface casing.
- 5) The mud pits were filled, the location leveled and cleaned and the disturbed area seeded as required.

18. I hereby certify that the foregoing is true and correct

SIGNED

W. R. Speer

TITLE

Agent

DATE

9/14/78

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

NM DOC