

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

FORM APPROVED
Bureau No. 42-R1424

5. LAND LOCATION AND SERIAL NO.

RM-33042

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

None

7. UNIT AGREEMENT NAME

None

8. FARM OR LEASE NAME

Kimoco

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

S25-T27N-R13W, NMPM

12. COUNTY OR PARISH 13. STATE

1.

OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Watson Associates

3. ADDRESS OF OPERATOR

P.O. Box 255, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1500' fnl, 820' fw1

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5871 Gr.

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

PULL OR ALTER CASING ☐

FRACTURE TREAT ☐

MULTIPLE COMPLETE ☐

SHOOT OR ACIDIZE ☐

ABANDON* ☐

REPAIR WELL ☐

CHANGE PLANS ☐

(Other) ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒

REPAIRING WELL ☐

FRACTURE TREATMENT ☐

ALTERING CASING ☐

SHOOTING OR ACIDIZING ☒

ABANDONMENT* ☐

(Other) ☐

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

January 17, 1979 - Ran Gamma-Ray and Cement Bond Log from PBTD of 1288'. Perforated 1278 to 1280 ft. (8ft.) with 1 shot/ft. Swabbed dry. No gas. Acidized perforations with 250 gal. 15% hydrolchloric acid with 1 gal. each inhibitor and demulsifier. Swabbed dry, no gas, no formation water. Shut well in.

January 18, 1979 - No pressure, ran swab, no formation water, no gas. Set cement plug of 9 sacks regular cement, 2% CaCl, from PBTD of 1288' to 945' est.

18. I hereby certify that the foregoing is true and correct

SIGNED

W. R. Speer

TITLE Agent

DATE January 18, 1979

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

JAN 19 1979