UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	SF 079232 77M· 03549
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME
reservoir. Use Form 9–331–C for such proposats.)	8. FARM OR LEASE NAME
1. oil gas well to other	Bolack
West Other	9. WELL NO.
2. NAME OF OPERATOR	3
Tenneco Oil Company 3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME Basin Dakota
720 S. Colorado Blvd., Denver, CO 80222 4OCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 20, T28N, R8W
AT SURFACE: 810'FSL & 1000'FWL, Unit L	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	San Juan New Mexico
AT TOTAL DEPTH:	14. API NO
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
DECUECT FOR ADDROVAL TO	5821 'GL
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF	_
FRACTURE TREAT	
SHOOT OR ACIDIZE	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9-330.)
MULTIPLE COMPLETE CHANGE ZONES	
ABANDON*	tion of the time
(other) change drilling program to	
use gas rather than mud-laden fluid for we	ll control
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinen	e all pertinent details, and give pertinent dates, rectionally Grilled, give subsurface locations and to this work.)*
No propose to duill value 11 6 33 :	
We propose to drill using the following parar	meters:
1) Drill 13 3/4" Hole to + 250'	
2) Run 9 5/8", 36#, K-55 csg and cement with to surface	sufficient cement to circulate
3) Drill 8 3/4" hole to + 3600'	
Δ) Run 7" 23± V 55 csg and coment with sufficient	
4) Run 7", 23±, K-55 csg and cement with suff surface	iclent cement to circulate to
5) Drill 6 1/4" hole to T.D. $0 + 6660'$ with $0 + 6660'$	12.6
6) Log well	jas
7) Run 4 1/2", 10.5#, K-55 csg to T.D. and 1	Stage cement above Mesa Verde zone
Subsurface Safety Valve: Manu. and Type	
18. Thereby certify that the foregoing is true and correct	
SIGNED TITLE Admin. Supervi	sor
SIGNED TITLE	DATE

(This space for Federal or State office ase)

APPROVED BY ______ TITLE _____ TITLE ____

. DATE _

*See Instructions on Reverse Side

APPROVED

MYMOCC

SEP 28 1979

Olal