

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other

2. NAME OF OPERATOR

Dugan Production Corp.

3. ADDRESS OF OPERATOR

Box 234, Farmington, NM 78401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1650' FNL - 1850' FEL

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other)

SUBSEQUENT REPORT OF:

☐

☐

☐

☐

☐

☐

☐

☐

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

5-30-79 Moved in and rigged up FWS swabbing unit. Blue Jet ran Gamma Ray correlation and collar logs. PBD 1849'. Swabbed 2-7/8" csg down to 1400'. Perf w/1 2-1/8" glass jet per foot 1780-1790' (10 holes) and 1524-1538' w/1 2-1/8" glass jet per foot (14 holes). Made one swab run. Well kicked off making estimated 100 MCFGPD. Shut in for night.

5-31-79 Ran 55 jts 1-1/4" OD 2.4# J-55 10R EUE tbg. TE 1791.65' set @ 1790' GR. Has cross pin on bottom jt for swab stop. Landed tbg and nipped up well head. Making est 115 MCF. Shut in for IP test. Rigged down FWS.

Subsurface Safety Valve: Manu. and Type

Set @

18. I hereby certify that the foregoing is true and correct

SIGNED

Thomas A. Dugan

TITLE Petroleum Engineer

DATE

6-4-79

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

NMOCC