

District I - (505) 393-6161

P. O. Box 1980
Hobbs, NM 88241-1980

District II - (505) 748-1283

811 S. First
Artesia, NM 88210

District III - (505) 334-6178


1000 Rio Brazos Road
Aztec, NM 87410

District IV - (505) 827-7131

New Mexico
Energy Minerals and Natural Resources Department
Oil Conservation Division
2040 South Pacheco Street
Santa Fe, New Mexico 87505
(505) 827-7131

Form C-140
Revised 06/99

Submit Original
Plus 2 Copies
to appropriate
District Office



**APPLICATION FOR
WELL WORKOVER PROJECT**

I. Operator and Well

Operator name and address Burlington Resources Oil and Gas P.O. Box 4289 Farmington, NM 87499						OGRID Number 014538		
Contact Party Peggy Cole						Phone (505) 326-9700		
Property Name GORDON					Well Number 1R	API Number 300452376400		
UL I	Section 22	Township 027N	Range 010W	Feet From The 1520	North/South Line FSL	Feet From The 1120	East/West Line FEL	County SAN JUAN

II. Workover

Date Workover Commenced 2/12/99	Previous Producing Pool(s) (Prior to Workover) FULCHER KUTZ PC
Date Workover Completed 4/7/99	

III. Attach a description of the Workover Procedures performed to increase production

IV. Attach a production decline curve or table showing at least twelve months of production prior to the workover and at least three months of production following the workover reflecting a positive production increase.

V. AFFIDAVIT

State of New Mexico)

) ss.

County of San Juan)

Peggy Cole, being first duly sworn, upon oath states:

1. I am the operator, or authorized representative of the Operator, of the above-reference Well.
2. I have made, or caused to be made, a diligent search of the production records reasonably available for this Well.
3. To the best of my knowledge, this application and the data used to prepare the production curve and/or table for this Well are complete and accurate.

Signature Peggy Cole Title Reg. Administrator Date 1-17-00
SUBSCRIBED AND SWORN TO before me this 17 day of Jan, 2000 Mae Benally
My Commission expires: 6/11/03 Notary Public

FOR OIL CONSERVATION DIVISION USE ONLY:

VI. CERTIFICATION OF APPROVAL:

This Application is hereby approved and the above-reference well is designated a Well Workover Project and the Division hereby verifies the data shows positive production increase. By copy hereof, the Division notifies the Secretary of the Taxation and Revenue Department of this Approval and certifies that this Well Workover Project was completed on 4/7/99

Signature District Supervisor JSJ OCD District 3 Date 2/24/00

VII. OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT

RECEIVED
03 APR 19 PM 12:27
CFO FARMINGTON, NM

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1520' FSL, 1120' FEL, Sec. 22, T-27-N, R-10-W, NMPM

5. Lease Number
SF-077952
6. If Indian, All. or
Tribe Name
7. Unit Agreement Name

8. Well Name & Number
Gordon #1R
9. API Well No.
30-045-23764
10. Field and Pool
Fulcher Kutz PC
11. County and State
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other - Restimulate

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

2-12-99 RU wireline. TIH w/gauge ring to 2118'. Perfs @ 2007-2061'. TOOH w/gauge ring. TIH w/slip stop & test plug, set @ 1957'. PT csg to 3500 psi, OK. Shut-in well. RD wireline.
2-18-99 PT surf lines to 4500 psi. Frac PC w/2800 gal 70Q foam, 220,000# 16/30 AZ snd, 419,000 SCF N2. Flow back well.
2-19/21-99 Flow back well.
2-22-99 Flow well. Shut-in well. WO bailer.
3-11-99 RU. TIH w/bailer, tag up @ 2035'. Bail snd @ 2035-2061'. Flow well.
3-12/17-99 Flow well. Bail snd.
3-18-99 Flow well. Bail snd to 2086'. TOOH w/bailer. RD. Well turned over to production.
3-30-99 MIRU. SDON.
3-31-99 ND WH. NU BOP. TIH, tag up @ 2040'. CO to 2164'. SDON.
4-1-99 CO to PBD @ 2229'. Flow back well naturally. SDON.
4-2/6-99 CO well. Flow back naturally.
4-7-99 Circ hole clean. Land tbg w/62 jts 1 1/4" 2.3# J-55 tbg, set @ 2043'. ND BOP. NU WH. RD. Rig released.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] Title Regulatory Administrator Date 4/12/99
vkh

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

ACCEPTED FOR RECOR

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

APR 26 1999

FARMINGTON FIELD OFFICE
BY [Signature]

OPERATOR

Testing Method (pilot, back pr.)	Tubing Pressure (Shut-in)	Casing Pressure (Shut-in)	Choke Size
		362	
CERTIFICATE OF COMPLIANCE		OIL CONSERVATION DIVISION JAN 29 1981	

COMP NAME	TOW ID	USER XREF	DISP MO	GRS GAS PR
GORDON 1R	5085301	50853A	11/30/98	123.51
GORDON 1R	5085301	50853A	12/31/98	372.54
GORDON 1R	5085301	50853A	1/31/99	581.36
GORDON 1R	5085301	50853A	2/28/99	150.98
GORDON 1R	5085301	50853A	3/31/99	1152.86
GORDON 1R	5085301	50853A	4/30/99	279.21
GORDON 1R	5085301	50853A	5/31/99	1177.43
GORDON 1R	5085301	50853A	6/30/99	605.88
GORDON 1R	5085301	50853A	7/31/99	2292.73
GORDON 1R	5085301	50853A	8/31/99	2074.07
GORDON 1R	5085301	50853A	9/30/99	3658.01
GORDON 1R	5085301	50853A	10/31/99	3683.5
GORDON 1R	5085301	50853A	11/30/99	3096.26

MA	DP	NO	PRODN	DISP	Volume
10	50853A	199709	00		961.73316
10	50853A	199710	00		1315.64312
10	50853A	199711	00		1298.977
10	50853A	199712	00		1386.22904
10	50853A	199801	00		1154.86408
10	50853A	199802	00		896.04904
10	50853A	199803	00		702.91812
10	50853A	199804	00		567.62844
10	50853A	199805	00		596.05888
10	50853A	199806	00		447.04416
10	50853A	199807	00		102.9378
10	50853A	199808	00		27.45008