# SUBMIT IN TRIPLICATE\*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES
DEPARTMENT OF THE INTERIOR

1. VIBY 1800) -	UNIT	ED STATES	,	,	reverse side	e)	21. 24- 24/47
	DEPARTMENT	OF THE I	NTER	IOR			5. LEASE DESIGNATION AND SERIAL NO.
		SICAL SURVI					N.M. 8489-14973
A DDI ICATION	I FOR PERMIT T			N, OR	PLUG BA	<b>ACK</b>	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1a. TYPE OF WORK	TOR TELEVISION						
DRII	LL 🗱	DEEPEN [		F	LUG BAC		A.T. UNIT AGREEMENT NAME IN STATE OF THE STA
b. TYPE OF WELL			នព	NGLE []	MULTIPL		
OIL GA	S OTHER		zo		ZONE		8. FARM OR LEASE NAME.
2. NAME OF OPERATOR							DOME FEDERAL 7-27-13
DOME PETROLEUM CORPORATION  3. ADDRESS OF OPERATOR							13 3 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
501 Airport Drive Suite 107, Farmington, N.M. 87401							10. FIELD AND POOL, OR WILDCAT
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)							WAW FRUITLAND-PICTURED CLI
At surface 1850' FNL, 1850' FEL							11. SEC., T., R., M., OR BLK.
At proposed prod. zone							## [항문 : B : 출발되
# <u>                                     </u>							SEC. 7, T27N, R13W
14. DISTANCE IN MILES A	ND DIBLICTION FROM NEAR	EST TOWN OR POS	T OFFICE	.*		7	-12. COUNTY OR PARISH 13. STATE
20 miles south	of Farmington,	N.M.					SAN JUAN NEW MEXICO
15. DISTANCE FROM PROPOSED*							OF ACRES ASSIGNED.
LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.				913.25			460 F F F F
(Also to nearest drig. unit 1 be, it may)				19. PROPOSED DEPTH			ARY OR CABLE TOOLS
TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED POR, ON THIS LEASE FT.				1500'			ROTARY =
21. ELEVATIONS (Show whether DI', RT, GR, etc.)							22. APPROX. DATE WORK WILL START*
6013' GR							January 1, 1980
23.	F	ROPOSED CASI	NG ANI	CEMENT	ING PROGRA	M _	
					NG DEPTH		QUANTITY OF CEMENT
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT		-		1 :	35 sacks
8 3/4"	5 1/2"	15.5#		90'		· ·	150 sacks (circulated)
4 3/4"	2 7/8"	6.5#		130	10	<u> </u>	150 Sacks (CITCHICCE)
						) in .	
		1 0 2/1" h	-10 t	0 901	Set 90'	of 53	k" casing and cement as
Move in rotary tools. Drill 8 3/4" hole to 90'. Set 90' of 55" casing and cement as above. Wait on cement 12 hours. Install double BOP and test 5 Drill 4 3/4" hole to							
above. Wait on dement 12 hours. Install double for and tests 30,111 30, 111 1500. No abnormal temperatures or pressures are anticipated. Mud-system will be							
Gel-Chem weighing 8.5-9.2#/gal. W.L. 8-10cc & viscosity 30-50 sec/quart. Logging							
Gel-Chem wei	gning 8.5-9.4#/	yaı. W.D. T. with CD	Cali	ner I.o.	The a	eolog:	ic name of the surface
program will be MES, FDC/CNL, with GR Caliper Log. The geologic name of the surface							
formation is Ojo Alamo. The estimated formation tops are Farmington 513, Fruitland 890', Pictured C.iff 1345'. If commercial, 2 7/8" casing will be run and cemented as							
The state of the s							
above. If n	oncommercial, P	Tug & Aban	domie	ne wii.	i lollo.	: :	3 II = 4 4 4 4 5 5 5
0dor +h	ic lunco is not	committed	to a	contr	acti		三元 · 自 · 自 · · · · · · · · · · · · · · ·
Gas under this lease is not committed to a contract RECEIVED							
1876							
					1 .	DE C	0.9 gara 6 gara
					1	**	SHRVEY F
The second second	E PROP(SED PROGRAM: If drill or deepen direction	proposal is to de	epen or	plug back,	give data on p	S GEOI	oductive sonwand proposed new productive
zone. If proposal is to	drill o deepen direction	ally, give pertine	nt data	on subsurfa	ace locations ar	d Measti	red and true vertical depths. Give blowout
preventer program, if an	ay.						
24.	0.						Documbor 4 1979
SIGNED 21116	Missenson		DRL	G & PR	ODUCTION	FOREM	AN December 4, 1979
H. D.	eral or State office use)						The state of the s
(This space for Fed	erar or mane omice use)					-	
PERMIT NO.				APPROVAL	DATE		
							4 3 4 1013 I
APPROVED BY			TITLE				DATE COM.
CONDITIONS OF APPROVAL, IF ANY:							
					•		1011 mot. "
							<b>Y Y J</b>

# OIL CONSERVATION DIVISION

STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT

## P. O. BOX 2088 SANTA FE, NEW MEXICO 87501

Form C-102 kevised 10-1-78

All distances must be from the cuter houndaries of the Section. Well No. Lease Operator DOME-FEDERAL 7-27-13 DOME PETROLEUM CORPORATION Unit Letter Section San Juan 13W 27N G Actual Footage Location of Well: 1850 East North 1850 feet from the line feet from the line and Dedicated Acreage: Producing Formation Ground Level Elev. WAW FRUITLAND- PICTURED CLIFF Acres 6013 PICTURED CLIFF 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation \_\_\_ ☐ Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary. 1. No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. H. D. HOLLINGSWORTH DRILLING & PRODUCTION FOREMAN 1850 DOME PETROLEUM CORPORATION December 4, 1979 Sec. I hereby certify that the well location 7 shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed Fred Certificate 3950 500 1500 1000 1980 2310 1320 1650



# DOME PETROLEUM CORP.

Suite 1400, Colorado State Bank Bldg. 1600 Broadway

Telephone (303) 861-1230

Denver, Colorado 80202

DEVELOPMENT PLAN FOR SURFACE USE

Dome Federal 7-27-13 Well #3 1850' FNL, 1850' FEL SEC. 7, T27N, R13W San Juan County, New Mexico

### 1. Existing Roads

The main road to the location is that from Farmington toward Bisti (Bisti Hiway) leaving this road approximately 14 miles south of Farmington and using existing side roads to the location.

#### 2. Planned Access Roads

The access road, to be routed as shown on the attached map, will be 18' side with adequate ditch and water bars.

#### 3. Existing Wells

Existing wells w/in one mile of location are shown on the attached topographic map.

### 4. Location of Proposed Facilities

Development of commercial gas production will require separation facilities on the location pad. Equipment and pits will be fenced as required for protection of livestock and wildlife. Above ground facilities will be painted brown or grey to blend in with the surrounding area as specified by the BLM. The disturbed areas no longer needed for operations after well completion will be restored to natural contour and reseeded.

## Location and Type of Water Supply

To be hauled from the San Juan River at Farmington, New Mexico.

6. Source of Construction Materials - Not applicable.

#### Method of Handling Waste Material

All garbage and trash that can be burned shall be burned. All trash that cannot be burned will be contained in a trash pit and covered with a minimum of 24" of dirt. All drilling waste such as cuttings, overflows of oil, water & drilling fluids will be contained in a reserve pit and buried w/ adequate cover upon completion of operations. The reserve pit will be fenced until cleanup operations are commenced. Toilet facilities will be provided.

#### 8. Ancillary Facilities

No camps or airstrips are proposed for this location.

#### 9. Well Site Layout

See attached diagram.

# 10. Plans for Restoration of Surface

Cleanup of the location will commence immediately following the removal of the drilling equipment. The reserve pit will be fenced until restoration operations are commenced. The location will be returned to original contour if the well is not productive. Both the road and location will be reseeded in accordance with BLM specifications.

#### 11. Other Information

Topography consists of rolling hills with very sandy soil. Vegetation is composed of Snake Weed, Mormon Tea, Yucca, Prickly Pear and Blue Gamma.

12. Dome Petroleum Corporation
H. D. Hollingsworth
501 Airport Drive, Suite 107
Farmington, N.M. 87401
Phone: 505-325-2897 (office)
505-327-1548 (home)

# 13. Certification


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements in the plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dome Petroleum Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

December 4, 1979

H. D. HOLLINGSWORTH

DRILLING & PRODUCTION FOREMAN DOME PETROLEUM CORPORATION

HDH:clp



# Dome Petroleum Corp.

SUITE 1500, COLORADO STATE BANK BLDG. 1600 BROADWAY DENVER, COLORADO 80202

