

District I

P.O. Box 1980, Hobbs, NM

District II

P.O. Drawer, Artesia, NM 88211

District III

1000 Rio Brazos Rd. Aztec, NM 87410

State Of New Mexico

Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE
(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

Operator: <u>Conoco Inc.</u>		Telephone: <u>505-324-5846</u>	
Address: <u>3315 Bloomfield Hwy - Farmington, NM 87401</u>			
Facility Or: <u>Schlosser WN Fed 6E</u>			
Well Name			
Location:	Unit or Qtr/Qtr Sec	<u>P</u> Sec <u>3</u> T <u>27</u> N R <u>11</u> W	County <u>San Juan</u>
Pit Type:	Separator <u>X</u>	Dehydrator	Other
Land Type:	BLM <u>X</u> State	Fee	Other
Pit Location: (Attach diagram)	Pit dimension:	length <u>12'</u>	width <u>12'</u> depth <u>4'</u>
	Reference:	wellhead <u>X</u>	other
	Footage from reference:	<u>90'</u>	
	Direction from reference:	<u>240</u> Degrees	East of <u>North</u>
		<u>X</u> West	<u>X</u> South

Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet	(20 points)	
	50 feet to 99 feet	(10 points)	
	Greater than 100 feet	(0 points)	
	Total		<u>0</u>

Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes	(20 points)	
	No	(0 points)	
	Total		<u>0</u>

Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet	(20 points)	(20 points)
	200 feet to 1000 feet	(10 points)	(10 points)
	Greater than 1000 feet	(0 points)	(0 points)
	Total		<u>0</u>

RANKING SCORE (TOTAL POINTS):	<u>0</u>
-------------------------------	----------

Date Remediation Started: N/A Date Completed: _____

Remediation Method: Excavation: _____ Approx. cubic yards _____

(Check all appropriate sections)
Landfarm _____ Insitu Bioremediation _____
Other _____

Remediation Location: Onsite _____ Offsite _____
(ie. landfarmed onsite,
name and location of
offsite facility)

General Description Of Remedial Action: _____

Non-vulnerable area - no remediation necessary. Pit backfilled and reseeded.

Ground Water Encountered: No ☒ Yes _____ Depth _____

Final Pit: Sample location 3' below pit bottom

Closure Sampling: Sample depth 7'

(if multiple samples
attach sample results
and diagram of sample
locations and depths) Sample date 2/21/00 Sample time 9:32 AM

Sample Results
Benzene (ppm) 0.0078
Total BTEX (ppm) 0.0378
Field headspace (ppm) Not tested
TPH (ppm) 0.2

Ground Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST
OF MY KNOWLEDGE AND BELIEF

DATE 11/15/00 PRINTED NAME John E. Cofer

SIGNATURE [Signature] AND TITLE Environmental Coordinator

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Conoco	Project #:	707003-129
Sample ID:	TDP	Date Reported:	02-25-00
Laboratory Number:	G880	Date Sampled:	02-21-00
Chain of Custody No:	7530	Date Received:	02-24-00
Sample Matrix:	Soil	Date Extracted:	02-25-00
Preservative:	Cool	Date Analyzed:	02-25-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.2	0.1
Total Petroleum Hydrocarbons	0.2	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Schlosser WN FED #6E.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Conoco	Project #:	707003-129
Sample ID:	TDP	Date Reported:	02-25-00
Laboratory Number:	G880	Date Sampled:	02-21-00
Chain of Custody:	7530	Date Received:	02-24-00
Sample Matrix:	Soil	Date Analyzed:	02-25-00
Preservative:	Cool	Date Extracted:	02-25-00
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	7.8	1.8
Toluene	11.2	1.7
Ethylbenzene	2.7	1.5
p,m-Xylene	10.8	2.2
o-Xylene	5.3	1.0
Total BTEX	37.8	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Schlosser WN FED #6E.


Analyst


Review


Shirley

AFTER


Site Security
(Indicate North)



Wellhead



240° SW
75° 20' 20"



Gas meter

Sales line

Production line

Oil line

Separator

Water line


Vent line

80 bbls
water pit

Earth
pit

300 bbls oil
tank

Tank drain



7530

ENVIROTECH INC.