

5 - USGS 1 - McHugh 1 - El Paso Expl. 1 - Conoco 1 - Devon

Form Approved.  
Budget Bureau No. 42-R1424

UNITED STATES 1 - File  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐  
2. NAME OF OPERATOR  
Jerome P. McHugh  
3. ADDRESS OF OPERATOR  
P O Box 208, Farmington, NM 87401  
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 820' FNL - 1100' FEL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:


16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

SUBSEQUENT REPORT OF:

☒ reset 1 1/2" tbq.



(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

See reverse for report of 5-29-81, pulled 40 stands 1 1/2" tbq. and 6-1-81, reset 1 1/2" tbq.

ACCEPTED FOR RECORD

JUN 09 1981

FARMINGTON DISTRICT

BY 64P


Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Thomas A. Dugan TITLE Agent DATE 6-2-81

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:



- 5-15-81 Open well to pit after frac. Flowed back frac water all day. Went in hole w/ 1½" tbg. Tagged sand at 7195' RKB. Shut rains and installed valve on tbg. Let well flow to pit over night.
- 5-16-81 Well kicked off thru csg. Move in pump and pit. Cleaned out to PBD. Well died. Landed tbg. as follows: 226 jts. 1½" OD, 2.4#, V-55, 10 Rd., EUE tbg. T.E. 7269.07' set at 7276' RKB. Tbg. has cross pin on bottom for swab stop. Nipple down B.O.P. Nipple up well head. Shut well in. Rig down MTK.
- 5-29-81 Tubing plugged. Blew well down. Moved MTK unit. Broke support leg while moving; repaired leg. Installed B.O.P. Pulled 40 stands 1½" tbg. Shut down - raining.
- 5-30-81 After well shut in overnight, blew down tbg. Well unloaded thru tbg. and blew out sand plug. Blew well thru tbg. one hour to clean up. Went back in hole. Tagged sand 1½ jts. above where previously set. Attempted to reverse out sand with gas flow from well. Made very little progress. Pulled 4 jts. Shut well in over week end.
- 5-31-81 Well shut in - did not work
- 6-1-81 Blew well down thru tbg. Went in hole and reverse out 60' sand in well bore using formation gas. Laid down one jt. tbg. that was in well on original completion. Landed tbg. w/ 225 jts. 1½" OD, 2.4#, V-55, 10R, EUE tbg. T.E. 7237 set at 7244' RKB. Landed donut, installed well head. Released rig at 1:00 p.m. Blow well thru tbg. over night.