

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

30-045-25311
5. LEASE DESIGNATION AND SERIAL NO.
I-149-IND-8182

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

b. TYPE OF WELL

OIL
WELL ☐

GAS
WELL ☒

OTHER ☐

2. NAME OF OPERATOR

M. R. Schalk

3. ADDRESS OF OPERATOR

P.O. Box 25825, Albuquerque, New Mexico 87125

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

At surface NW/4 SE/4 Sec. 12

At proposed prod. zone

1850' FSL; 1540' FEL; Sec. 12

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE

Approximately 10 miles south of Farmington, N. M.

15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

1540'

16. NO. OF ACRES IN LEASE

640

17. NO. OF ACRES ASSIGNED
TO THIS WELL

E 320

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

1250'

19. PROPOSED DEPTH

6055'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5794'

22. APPROX. DATE WORK WILL START*

January 10, 1982

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#	300'	300 sacks: circ. to surface
7-7/8"	5-1/2"	15.5#	6055'	1st Stage: 300 sacks
				2nd Stage: 575 sacks

DV Collar to be run below Mesa Verde and Cement to bottom of 8-5/8" surface casing.

Propose to drill this infill well in order to gain optimum gas recovery from the Basin Dakota field. Samples will be taken at 20' intervals from 4500' to TD. No cores or DST's are planned. Logs will be run from surface casing to TD. Prospective zones will be perforated and fractured. Blowout preventer equipment will be as indicated on the attached exhibit, and will be tested at regular intervals. Necessary steps will be taken to protect the environment.

**ADDITIONAL INFORMATION ON REVERSE-----

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. Steve Schalk Agent DATE Dec. 23, 1981

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE


CONDITIONS OF APPROVAL, IF ANY:

Gas is dedicated

Hold C104 for Operator change to Amoco

*See Instructions On Reverse Side

NMOCC



Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

** #23 Additional Information

ESTIMATED FORMATION TOPS

Fruitland	928'
Pictured Cliffs	1268'
Mesa Verde	2743'
Gallup	4900'
Dakota	5835'
TD	6055'

Estimated depths at which water, oil, gas or other minerals are expected to be encountered:

928'; 2743'; 4900'; 5835'

No anticipated abnormal pressure is expected.

**NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT**

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section.


Operator M. R. Schalk			Lease Charles Hosh		Well No. 1-E
Unit Letter J	Section 12	Township 27 North	Range 13 West	County San Juan	
Actual Footage Location of Well:					
1850 feet from the South line and		1540 feet from the East line			
Ground Level Elev. 5794	Producing Formation Dakota	Pool Basin	Dedicated Acreage: E 320 Acres		

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Steve Schalk
Name

Steve Schalk

Position

Agent

Company

M. R. Schalk

Date

December 23, 1981

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

December 16, 1981

Registered Professional Engineer
and Land Surveyor


E. L. Pickett

Certificate No.

3084

12/16/81

R13W Figure 1



HUGH LAKE, N. MEX.
N3630—W10807.5/7.5

1965

DMA 4357 II SW—SERIES V88:



QUADRANGLE LOCATION