

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

For approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER Coalbed Methane		5. LEASE DESIGNATION AND SERIAL NO. SF-077384	
2. NAME OF OPERATOR McKenzie Methane Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR 1911 Main Ave., #255, Durango, Colorado 81301		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1995' FNL, 1035' FEL		8. FARM OR LEASE NAME Angel Peak 1 H	
14. PERMIT NO.		9. WELL NO. #20	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6328 GR		10. FIELD AND POOL, OR WILDCAT Basin Fruitland Coal	
		11. SEC., T., R., OR BLK. AND SURVEY OR AREA Sec1-T27N-R10W	
		12. COUNTY OR PARISH San Juan	
		13. STATE NM	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input checked="" type="checkbox"/>
(Other) Drilling Report	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHED

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature]
(This space for Federal or State office use)

TITLE Operations Manager

DATE 1-30-91

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

ACCEPTED FOR RECORD

DATE

FEB 13 1991

FARMINGTON RESOURCE AREA

*See Instructions on Reverse Side
NMOCD

BY [Signature]

McKENZIE METHANE CORPORATION
DAILY DRILLING REPORT
Durango Office

12-16-90 Angel Peak 1 H #20
NE/4 Sec 1-T27N-R10W, San Juan Co., NM
AART: Waiting on drlg rig. DEPTH: 24'
DAILY: Build location. Set anchors. MIRU spud unit.
Spud 12-1/4" hole @ 10:00 A.M. 12-15-90. Drill to 24'
KB. TOOH. RD spud unit. MUD: air. Surveys: N/A

1-21-91 Angel Peak 1 H #20
NE/4 Sec1-T27N-R10W, San Juan Co., NM
AART: WOC DEPTH: 265'
DAILY: MIRU 4 States #1. Drlg rat & mouse holes. Drlg
12-1/4 surf hole to 265'. TOH. Ran 6 jts 8-5/8, 24#,
J55 surf csg. RU Cementer's Inc. & cmt w/ 200 sx + 3%
CaCl + 1/4#/sx cellophane. Circ 14 bbls cmt to surf.
PD & holding @ 12:15 A.M 1-21-91. WOC. Surf pipe
landed @ 256.27 KB. MUD: spud Surveys: 265' -1.

1-22-91 Angel Peak 1 H #20
NE/4 Sec1-T27N-R10W, San Juan Co., NM
AART: Drlg DEPTH: 1378'
DAILY: WOC. NUBOP. PT blind rams & surf csg to 1000
Psig for 30 min (no leaks). TIH. Drlg 265' -1378'.
MUD: water Surveys: 789' -1, 1284' -1.

1-23-91 Angel Peak 1 H #20
NE/4 Sec1-T27N-R10W, San Juan Co., NM
AART: Logging DEPTH: 2410'
DAILY: Drlg 1378-2410'. TD @ 2410 @ 10:20 PM 1-22-91.
Circ & cond hole. TOH. RU Halliburton Wireline & ran
1st log to bottom @ 6:20 AM 1-23-91.
MW: 8.9 Surveys: 1784' -1-1/2.

-cont.-

McKENZIE METHANE CORPORATION
DAILY DRILLING REPORT
Durango Office

1-24-91

Angel Peak 1 H #20

NE/4 Sec1-T27N-R10W, San Juan Co., NM

AART: WOCU

DEPTH: 2410'

DAILY: Log openhole. RDWL. TTH. TOOH. LDDP & DC. R/U
csg crew. Run 65 jts 4-1/2", 11.6#, K55 LTC csg
(2396') landed @ 2408', FC @ 2380'. R/U & cmt w/
275 sx (506 cu ft) 65/35 POZ, 6% gel, 1/4#/sx cello-
phane + 125 sx (151 cu ft) 50/50 POZ, 2% gel, 1/4#/sx
cellophane. PD @ 4:23 PM. Circ 7 bbl cmt to surf. Set
slips, cut-off csg & NDBOP. RR @ 6:23 PM.