## UNITED STATES

## DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	Sundry No	tices and Reports on Wells	2: 50
2. Nar	pe of Well GAS me of Operator	013 (1 13 14 )	5. Lease Number SF-078421 6. If Indian, All. or Tribe Name 7. Unit Agreement Name
3. Ado	dress & Phone No. of Oper O Box 4289, Farmington, No cation of Well, Footage, 30'FSL, 705'FWL, Sec.20,	M 87499 (505) 326-9700 Sec., T, R, M	8. Well Name & Number McAdams A #1R 9. API Well No. 30-045-30162 10. Field and Pool Ballard Pict'd Cliff 11. County and State San Juan Co, NM
12 C	WECK APPROPRIATE BOX TO I	NDICATE NATURE OF NOTICE, REP	ORT, OTHER DATA
	pe of Submission	Type of Action	
-	Notice of Intent	<del></del>	ange of Plans
	_X_ Subsequent Report	Plugging Back No	w Construction on-Routine Fracturing oter Shut off
	Final Abandonment	Altering Casing Co	
		_n_ oomer brack cases.5,	
13.	Describe Proposed or Com		
13.	8-5-00 MIRU. Spud well TIH w/3 jts neat cmt w/3 WOC.  8-6-00 NU BOP. PT BOP 8-7-00 Drill to TD @ 2 csg, set @ 2 metalsilicat w/90 sx Clas celloflake,	mpleted Operations  1 @ 4:30 pm 8-5-00. Drill to 1 7" 20# J-55 ST&C csg, set @ 1 3% calcium chloride (77 cu ft)  & csg to 600 psi, OK. Drillin 2492'. Circ hole clean. TOOH. 2472'. Cmtd w/244 sx Class "B' te, 0.25 pps celloflake, 5 pps ss "B" 50/50 poz w/2% calcium	A45'. Circ hole clean. TOOH. A38'. Cmtd w/65 sx Class "B" Circ 4 bbl cmt to surface.  Ang ahead. TIH w/79 jts 2 7/8" 6.5# J-55 Ceconilite w/3% sodium Considered significant s
13.	8-5-00 MIRU. Spud well TIH w/3 jts neat cmt w/3 WOC.  8-6-00 NU BOP. PT BOP 8-7-00 Drill to TD @ 2 csg, set @ 2 metalsilicat w/90 sx Clas celloflake,	mpleted Operations  L@ 4:30 pm 8-5-00. Drill to 1 7" 20# J-55 ST&C csg, set @ 1 3% calcium chloride (77 cu ft) & csg to 600 psi, OK. Drillin 2492'. Circ hole clean. TOOH. 2472'. Cmtd w/244 sx Class "B' te, 0.25 pps celloflake, 5 pps ss "B" 50/50 poz w/2% calcium 5 pps gilsonite (120 cu ft).	A45'. Circ hole clean. TOOH. A38'. Cmtd w/65 sx Class "B" . Circ 4 bbl cmt to surface.  Ang ahead. TIH w/79 jts 2 7/8" 6.5# J-55 ' econilite w/3% sodium s gilsonite (710 cu ft). Tail chloride, 2% gel, 0.25 pps
13.	8-5-00 MIRU. Spud well TIH w/3 jts neat cmt w/3 WOC.  8-6-00 NU BOP. PT BOP 8-7-00 Drill to TD @ 2 csg, set @ 2 metalsilicat w/90 sx Clas celloflake, BOP. NU WH.	mpleted Operations  L@ 4:30 pm 8-5-00. Drill to 1 7" 20# J-55 ST&C csg, set @ 1 3% calcium chloride (77 cu ft) & csg to 600 psi, OK. Drillin 2492'. Circ hole clean. TOOH. 2472'. Cmtd w/244 sx Class "B' te, 0.25 pps celloflake, 5 pps ss "B" 50/50 poz w/2% calcium 5 pps gilsonite (120 cu ft).	A45'. Circ hole clean. TOOH. A38'. Cmtd w/65 sx Class "B" Circ 4 bbl cmt to surface.  Ang ahead. TIH w/79 jts 2 7/8" 6.5# J-55 Ceconilite w/3% sodium Considered signification of the control of the cont
13.	8-5-00 MIRU. Spud well TIH w/3 jts neat cmt w/3 WOC.  8-6-00 NU BOP. PT BOP 8-7-00 Drill to TD @ 2 csg, set @ 2 metalsilicat w/90 sx Clas celloflake, BOP. NU WH.	mpleted Operations  L@ 4:30 pm 8-5-00. Drill to 1 7" 20# J-55 ST&C csg, set @ 1 3% calcium chloride (77 cu ft) & csg to 600 psi, OK. Drillin 2492'. Circ hole clean. TOOH. 2472'. Cmtd w/244 sx Class "B' te, 0.25 pps celloflake, 5 pps ss "B" 50/50 poz w/2% calcium 5 pps gilsonite (120 cu ft).	A5'. Circ hole clean. TOOH. A38'. Cmtd w/65 sx Class "B" . Circ 4 bbl cmt to surface.  Ang ahead. TIH w/79 jts 2 7/8" 6.5# J-55 ' econilite w/3% sodium s gilsonite (710 cu ft). Tail chloride, 2% gel, 0.25 pps Circ 35 bbl cmt to surface. ND
13. 14. Signe	8-5-00 MIRU. Spud well  TIH w/3 jts neat cmt w/3 WOC.  8-6-00 NU BOP. PT BOP 8-7-00 Drill to TD @ 2 csg, set @ 2 metalsilicat w/90 sx Clas celloflake, BOP. NU WH.  APD ROW Related	mpleted Operations  1 @ 4:30 pm 8-5-00. Drill to 1 7" 20# J-55 ST&C csg, set @ 1 3% calcium chloride (77 cu ft)  & csg to 600 psi, OK. Drillin 2492'. Circ hole clean. TOOH. 2472'. Cmtd w/244 sx Class "B' te, 0.25 pps celloflake, 5 pps ss "B" 50/50 poz w/2% calcium 5 pps gilsonite (120 cu ft). RD. Rig released.	A5'. Circ hole clean. TOOH. A38'. Cmtd w/65 sx Class "B" . Circ 4 bbl cmt to surface.  Ang ahead. TIH w/79 jts 2 7/8" 6.5# J-55 ' econilite w/3% sodium s gilsonite (710 cu ft). Tail chloride, 2% gel, 0.25 pps Circ 35 bbl cmt to surface. ND
14. Signe	8-5-00 MIRU. Spud well  TIH w/3 jts neat cmt w/3 WOC.  8-6-00 NU BOP. PT BOP 8-7-00 Drill to TD @ 2 csg, set @ 2 metalsilicat w/90 sx Clas celloflake, BOP. NU WH.  APD ROW Related	mpleted Operations  1 @ 4:30 pm 8-5-00. Drill to 1 7" 20# J-55 ST&C csg, set @ 1 3% calcium chloride (77 cu ft)  & csg to 600 psi, OK. Drillin 2492'. Circ hole clean. TOOH. 2472'. Cmtd w/244 sx Class "B' te, 0.25 pps celloflake, 5 pps ss "B" 50/50 poz w/2% calcium 5 pps gilsonite (120 cu ft).  RD. Rig released.  Title Regulatory Su	A5'. Circ hole clean. TOOH.  A38'. Cmtd w/65 sx Class "B"  Circ 4 bbl cmt to surface.  A38 and add.  TIH w/79 jts 2 7/8" 6.5# J-55  Ceconilite w/3% sodium  Comparison galsonite (710 cu ft). Tail  Chloride, 2% gel, 0.25 pps  Circ 35 bbl cmt to surface. ND