Form 9-881 a (Feb. 1961)						
	- <b>331</b> a 951)					

### (SUBMIT IN TRIPLICATE)

# Lease No. 27 - 077105 Unit # 1/2 Sec. 21

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

1	INTENTION TO DRILL	LIGE PLANS	X		T OF WATER SHUT-C		ŀ
1		WATER SHUT-OFF			RT OF SHOUTING OR RT OF ALTERING CASI		
ŀ		RILL OR REPAIR WELL		ŀ	T OF RE-DRILLING O		
NOTICE OF	INTENTION TO SHOO	T OR ACIDIZE			T OF ABANDONMENT		
NOTICE OF	INTENTION TO PULL	OR ALTER CASING		SUPPLEMENTARY WI	LL HISTORY		
NOTICE OF	INTENTION TO ABAN	DON WELL					
	(IN	DICATE ABOVE BY CH	ECK MARK NATU	JRE OF REPORT, NOTIC	E, OR OTHER DATA)		
			***	Jul	y 19		, 19
Delhi	i-laster	m. a. a.	f.A.	dd	14	k)	
Well No	is lo	ocated	ft. from $\left\{ \begin{array}{l} \mathbf{r} \\ \mathbf{s} \end{array} \right\}$	line and 154	ft. from	line of so	
SN 1/4	Sec. 21	28_H	(-∟ 18—18	· )	, w		KII.
<u>-</u>	ec. and Sec. No.)	(Twp.)	(Rang		Meridian)		
Undes. I	aketa		San Jua	n	Sept 3	Minkles V	C2 2
				1' ' '	(State o		
	ion of the <b>464</b>		DETAILS	s 6345 ft. OF WORK		Territor On	CHST.
	tion of the <b>164</b>	dd 1111 above	sea level is	s 6345 ft. OF WORK			CHST.
(State names o	tion of the description of and expected depth	ha to objective sands ing points	Sea level is DETAILS ; show sizes, we, and all other is	OF WORK ights, and lengths of mportant proposed v	proposed casings; in vork) Dakuta set ]	dicate mudding	CMST.
(State names of Opense to tool 50°	tion of the design of and expected depth drill w/ro holow know	ha to objective sandaing points,	Sea level is DETAILS show sizes, we and all other is stilly made is Cliff #	OF WORK  ights, and lengths of mportant proposed w  to have of omestion que	proposed casings; in rork) Dakuta set   lant losar s	dicate mudding	ONST.
(State names to tool 50°	tion of the design of and expected depth drill w/ro holow know	hs to objective sands ing points, tary tools to of Pictures stars over	Sea level is DETAILS show sizes, we and all other is stilly made is Cliff #	OF WORK  ights, and lengths of mportant proposed w  to have of omestion que	proposed casings; in rork) Dakuta set   lant losar s	dicate mudding	ONST.
(State names to tool 50°	cion of the description of the description of the description in the description and top sketa. Casi.	hs to objective sands ing points.  tary tools to of Pictures of Pictures of Programs  9-5/2" 366 J	sea level is DETAILS ; show sizes, we, and all other is cliss so Pictured	OF WORK ights, and lengths of mportant proposed v to inno of connection cus Cliff. Per	proposed casings; in tork)  Dakuta set ; ant lessar si forate and ; sated TD to	dicate mudding production tage ID fracture surface.	iobe, com
(State names of Copuse to tool 50° p feature), on in Pe	of and expected depth of and expected depth of and top alone have alone and top alone a. 250' - 7200' -	hs to objective sands ing points.  tary tools we of Pietures  of Pietu	sea level is DETAILS ; show sizes, we, and all other is cliss so Pictured	OF WORK ights, and lengths of mportant proposed v to inno of connection cus Cliff. Per	proposed casings; in tork)  Dakuta set ; ant lessar si forate and ; sated TD to	dicate mudding production tage ID fracture surface.	iobe, com
(State names of Copuse to tool 50° p feature), on in Pe	of and expected depth of and expected depth of the contract of	hs to objective sands ing points.  tary tools to of Pietures.	sea level is DETAILS ; show sizes, we and all other is insing mad i Cliff s Pictured 1-55 (55 C)	OF WORK ights, and lengths of mportant proposed v to inno of connection cus Cliff. Per	proposed casings; in tork)  Dakuta set ; ant lessar si forate and ; sated TD to	dicate mudding production tage ID fracture surface.	iobe, com
(State names of Copuse to tool 50° p feature), on in Pe	of and expected depth of and expected depth of the contract of	hs to objective sands ing points.  tary tools we of Pietures  of Pietu	sea level is DETAILS ; show sizes, we and all other is insing mad i Cliff s Pictured 1-55 (55 C)	OF WORK ights, and lengths of mportant proposed v to inno of connection cus Cliff. Per	proposed casings; in tork)  Dakuta set ; ant lessar si forate and ; sated TD to	dicate mudding production tage ID fracture surface.	iobe, com
(State names of Copuse to tool 50° p feature), on in Pe	of and expected depth of and expected depth of the contract of	hs to objective sands ing points.  tary tools to of Pietures.	sea level is DETAILS ; show sizes, we and all other is insing mad i Cliff s Pictured 1-55 (55 C)	OF WORK ights, and lengths of mportant proposed v to inno of connection cus Cliff. Per	proposed casings; in tork)  Dakuta set ; ant lessar si forate and ; sated TD to	dicate mudding production tage ID fracture surface.	iobe, com
(State names of Copuse to tool 50° p feature), on in Pe	of and expected depth of and expected depth of the contract of	hs to objective sands ing points.  tary tools to of Pietures.	sea level is DETAILS ; show sizes, we and all other is insing mad i Cliff s Pictured 1-55 (55 C)	OF WORK ights, and lengths of mportant proposed v to inno of connection cus Cliff. Per	proposed casings; in tork)  Dakuta set ; ant lessar si forate and ; sated TD to	dicate mudding production tage ID fracture surface.	iobe, com
Opene to tool 50' p femel en in Pe Appre	of and expected depth of and expected depth of the contract of	hs to objective sands ing points.  tary tools to of Pietures.	sea level is DETAILS ; show sizes, we and all other is insing mad i Cliff s Pictured 1-55 (55 C)	OF WORK ights, and lengths of mportant proposed v to inno of connection cus Cliff. Per	proposed casings; in tork)  Dakuta set ; ant lessar si forate and ; sated TD to	dicate mudding production tage ID fracture surface.	iobe, com
State names of the State of the	cion of the design of and expected deptile drill w/ro helew knee ties and top sketa. Casi. xx. 250' - 7200' - 7200' - 7200' -	hs to objective sands ing points.  tary tools to of Pietures.  stage ever ag Pregrams.  \$-5/2" 36# 35-1/3" 17# 3  tage.  2" EUE Tubdr.	sea level is DETAILS ; show sizes, we, and all other is using mid 1 Cliff # Pictured 1-55 (88 C) 1-55 (88 C)	of WORK  ights, and lengths of mportant proposed v  to have of cametics cus  Cliff. Par  caing - Came asing - Came	proposed casings; in pakuta met ; ment lesser m forate and inted TD to inted w/150	dicate mudding production tage ID fracture surface. ax lower	MST.  jobs, com  n str.  to abs  for o
State names of tool 50° p features on in Pa	of and expected depth of and expected depth is death in the second depth in the second	hs to objective sands ing points, there tooks to be properties to be prope	sea level is DETAILS ; show sizes, we, and all other is in the size mad i Cliff # Plotured  1-55 (S) C 1-55 (S) C	OF WORK  ights, and lengths of mportant proposed v  to have of constitut our  Cliff. Par  acing - Come  acing - Come	proposed casings; in pakuta met ; ment lesser m forate and inted TD to inted w/150	dicate mudding production tage ID fracture surface. ax lower	MST.  jobs, com  n str.  to abs  for o
Opene to tool 50' p femel en in Pe Appre	of and expected depth of and expected depth is death in the second depth in the second	hs to objective sands ing points.  tary tools to of Pietures.  stage ever ag Pregrams.  \$-5/2" 36# 35-1/3" 17# 3  tage.  2" EUE Tubdr.	sea level is DETAILS ; show sizes, we, and all other is in the size mad i Cliff # Plotured  1-55 (S) C 1-55 (S) C	OF WORK  ights, and lengths of mportant proposed v  to have of constitut our  Cliff. Par  acing - Come  acing - Come	proposed casings; in pakuta met ; ment lesser m forate and inted TD to inted w/150	dicate mudding production tage ID fracture surface. ax lower	MST.  jobs, com  n str.  to abs  for o
Opene to tool 50' p femel en in Pe Appre	of and expected depth of and expected depth is death in the second depth in the second	hs to objective sands ing points.  tary tools to of Pietures.  stage ever ng Programs.  \$-5/2" 366 J.  \$-1/3" 176 J.  tage.  2" EUE Tubir.  work must receive ap	sea level is DETAILS ; show sizes, we, and all other is in the size mad i Cliff # Plotured  1-55 (S) C 1-55 (S) C	OF WORK  ights, and lengths of mportant proposed v  to have of constitut our  Cliff. Par  acing - Come  acing - Come	proposed casings; in pakuta met ; ment lesser m forate and inted TD to inted w/150	dicate mudding production tage ID fracture surface. ax lower	MST.  jobs, com  n str.  to abs  for o
State names of tool 50	cion of the design of and expected depth in the same top size and the	hs to objective sands ing points, tary tools to of Pietures of Pie	sea level is DETAILS ; show sizes, we, and all other is in the size mad i Cliff # Plotured  1-55 (S) C 1-55 (S) C	OF WORK  ights, and lengths of mportant proposed v  to have of constitut our  Cliff. Par  acing - Come  acing - Come	proposed casings; in pakuta met ; ment lesser m forate and inted TD to inted w/150	dicate mudding production tage ID fracture surface. ax lower	MST.  jobs, com  n str.  to ab  fer o

FORM C-128 Revised 5/1/57

### NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE								
0				SECTIO	N A			W. 11 N
DEIHI TAYLOR OIL CORPORATION			Lease			LACKEY	Well No.	
Unit Letter	Section 21	Township 28 NO	RTH	Range 9	west	County	SAN JUA	N
Actual Footage Lo		SOUTH	line and	18	<b>50</b> f	eet from the	WEST	line
Ground Level Elev	Producing F	ormation		Pool	Underig	nated		Dedicated Acreage:
who has the rig another. (65— 2. If the answer to	tht to drill into and 3-29 (e) NMSA 19 o question one is NO I	the dedicate d to produce 35 Comp.) "no," have the f answer is "	d acreage ou from any poor the interests of 'yes,'' Type	tlined on the land to applicate of all the of Consolidation	ne plat belo propriate the wners been dation	e production	NO	("Owner" means the person mself or for himself and itization agreement or other-
Owner					Land Descr	iption	7	MLULIVEN
							0	ML 21 1960
		SECTI	ON B				$\neg$	DION COM
			21.				in SECT plete to belief.  Name Position Company Date	certify that the information  ION A above is true and com- the best of my knowledge and  Manuell  J. B. Housell  Taylor Cil Corp.
Delhi-La SF - 07 							shown on plotted fir surveys is supervisis and correand belief Date Surveys Register and/or L	veyed  1y 1960  ed Professional Engineer  and Surveyor  . No.
0 330 660 9	90 1320 1650 19	980 2310 26	40 200	0 1500	1000	500	Certifica	

#### INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.