

NO. OF COPIES RECEIVED	5
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input type="checkbox"/> Federal <input type="checkbox"/>
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator El Paso Natural Gas Company	8. Farm or Lease Name Lackey B
3. Address of Operator PO Box 990, Farmington, NM 87401	9. Well No. 12 (P&A)
4. Location of Well UNIT LETTER N, 990 FEET FROM THE South LINE AND 1850 FEET FROM THE West LINE, SECTION 21 TOWNSHIP 28N RANGE 9W NMPM.	10. Field and Pool, or Wildcat Basin Dakota
15. Elevation (Show whether DF, RT, GR, etc.) 6345'GL	12. County San Juan

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Due to a casing leak and the lack of workover possibility, it is planned to plug and abandon this well in the following manner:

Squeeze 50 sks. cement into Dakota perforations, spot a 15 sk. cement plug on top of retainer set at 6835'. (Top perf. at 6978').


Perforate squeeze holes opposite the Mesa Verde (4234') and Ojo Alamo (1645').

Spot a 75 sk. cement plug opposite the Mesa Verde and squeeze 50 sks. into formation.
Spot a 50 sk. cement plug opposite the Ojo Alamo and squeeze 25 sks. into formation.

Cut off 5 1/2" casing at free point and spot a 50 sk. cement plug on casing stub.

Spot a 15 sk. cement plug at base of surface casing.

Spot a 10 sk. cement surface plug with a Plug & Abandon marker, clean location.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed F. H. WOOD

SIGNED _____ TITLE Petroleum Engineer DATE March 2, 1972

APPROVED BY _____ TITLE _____ DATE 3-2-72

CONDITIONS OF APPROVAL, IF ANY: