... h 20 4c

Form	9-831 a
(Feb	. 1951)



(SUBMIT IN TRIPLICATE)

Santa Fe Land Office 077107-A

Unit

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Hancock "B" Well No. 6 is located 1500 ft. from S line and 990 ft. from W line of sec. 22 SW/4 Sec. 22 26N 9W N.M.P.M. (General Nec. No.) (Twp.) (Range) (Meridian) Basin Dakota San Juan New Mexico (State or Territory) The elevation of the derrick floor above sea level is 6945 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings, indicate mudding jobs, camanting public, and line the imperiant proposed work) It is intended to mud drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. Lunderstand that this man of work must receive approach in writing by the Geological Survey below parentines may be compared. MAY 1 8 1962 Company El Paso Natural Gas Company	NOTICE OF NOTICE OF NOTICE OF NOTICE OF	INTENTION TO DRILL INTENTION TO CHANGE PLANS INTENTION TO TEST WATER SHUT-OFF INTENTION TO RE-DRILL OR REPAIR WELL INTENTION TO SHOOT OR ACIDIZE INTENTION TO PULL OR ALITER CASING INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REFAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO
Hancock "B" Well No. 6 is located 1500 ft. from S line and 990 ft. from W line of sec. 22 SW/4 Sec. 22 28N 9W N.M.P.M. (April 1900 (Maridian) New Mexico (County or sub-barished) (County or sub-barished) (Maridian) Basin Dakota San Juan (County or sub-barished) (State or Territory) The elevation of the derrick floor above sea level is 6945 ft. DETAILS OF WORK (State nature of and expected depths to objective sames show since weights and lengths of proposed cosings, indicate mudding jobs, comenting polarish and all other important proposed work) It is intended to mad drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. **MAY 1 8 1962** Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By M.W. Markany **MAY 1 8 1962** OIST. 3		(INDICATE ABOVE BY CHECK MARK N	ATURE OF REPORT, NOTICE, OR OTHER DATA)
Well No. 6 is located 1500 ft. from S line and 990 ft. from W line of sec. 22 SW/4 Sec. 22 26N 9W N.M.P.M. (Kange) (Merdian) Basin Dakota San Juan (Merdian) The elevation of the derrick floor above sea level is 6945 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings, indicate mudding jobs, coment-line politic, and all other important proposed work) It is intended to mid drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By M.W. M.M.P.M. Intermediate in the new decided and section approximation may be company Address Box 990 Farmington, New Mexico By M.W. M.M.P.M. Intermediate of the derick floor above Cliff. Some. Political contents of the derick floor above Cliff. Some. Address By M.W. M.M.P.M. Intermediate of the derick floor above contents of the contents of the floor of the			May 17 , 1962
Basin Dakota San Juan (Country of Sub-Invision) The elevation of the derrick floor above sea level is 6945 ft. DETAILS OF WORK (State on Territory) The intended to mid drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/105 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. Lunderstand that this pan of work must receive approxish writing by the Geological Survey before operations may be companied. MAY 18 1962 Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico May 18 1962	Well No.		S line and 990 ft. from W line of sec. 22
Basin Dakota Field. County or Sub-Biriston) The elevation of the derrick floor above sea level is 6945 ft. DETAILS OF WORK (State or Territory) DETAILS OF WORK DETAILS OF WORK (State or Territory) DETAILS OF WORK DETA			
The elevation of the derrick floor above sea level is 6945 ft. DETAILS OF WORK (State native of and expected depths to objective sends; show alses, weights, and lengths of proposed casings, indicate mudding jobs, camenting politic, and all other (important proposed work) It is intended to mid drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. I understand that this pien of work must receive approach in writing by the Geological Survey before operations may be objected. MAY 1 8 1962 Company R1 Paso Natural Gas Company Address Box 990 Farmington, New Mexico By M. W. Mexico			Year Mandan
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting points, and all other important proposed work) It is intended to mid drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be omigned. MAY 1 8 1962 Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By M.W. Mexico	Basin	Field. (County or	
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting points, and all other important proposed work) It is intended to mid drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be omigned. MAY 1 8 1962 Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By M.W. Mexico	The eleva	ation of the derrick floor above sea leve	l is 6945 ft.
It is intended to mid drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. I understand that this pean of work must receive approval in writing by the Geological Survey before operations may be managed. MAY 1 8 1962 Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By M. W. Mexico	The cieva		
It is intended to mad drill a well with rotary tools to approximately 5425', set intermediate casing, then gas drill thru the Dakota formation, perforate and fracture pessible producing zones. Est. T. D. 7805'. Casing Program: 9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. I understand that this pean of work must receive approval in writing by the Geological Survey before operations may be forming more. MAY1 8 1962 Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By May Mark Mark Com. By Mark Mark Mark Com.	(State name	-	
9 5/8" at 280' w/200 sacks cement circulated to surface. 7" at 5425' w/2 stage tool set 50' to 100' below base of Pictured Cliffs. Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover 0jo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. Tunderstand that this pian of work must receive approval in writing by the Geological Survey before operations may be ommunated. MAY 1 8 1962 Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By MW Marian By MW Marian	It is intermediately fractured in the second	ntended to mud drill a well widdlete casing, then gas drill the passible producing zones.	th rotary tools to approximately 5425', set hru the Dakota formation, perforate and
Cement first stage w/125 sacks to cover 200' above Cliff House. Cement second stage w/100 sacks to cover Ojo Alamo. 4 1/2" at 7805' w/205 sacks cement to fill 100' inside 7" casing. The W/2 of Section 22 is dedicated to this well. I understand that this pian of work must receive approval in writing by the Geological Survey before operations may be MAY 18 1962 Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By M. M. Mexico	Casing	Program:	
Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico Page 1962 By W. W. Merico		7" at 5425' w/2 stage tool se Cement first stage w/125 sac Cement second stage w/100 sa	t 50' to 100' below base of Pictured Cliffs. ks to cover 200' above Cliff House. cks to cover 0jo Alamo.
Company El Paso Natural Gas Company Address Box 990 Farmington, New Mexico By WW Mexico			
Address Box 990 Farmington, New Mexico By WW Mexico By Westernam			MAY 1 8 1962
Farmington, New Mexico Other By W.W. Mechan	Company	El Paso Natural Gas Company	WN. CO
	Address		DIST. 3 ONL.
		Farmington, New Mexico	by the vv. If persunt

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acres a Delication Phys.

Section A. Date MAY 2, 1962

Operator	EL PASO NATU	RAL GAS COMPAN	Leave	HANCOCK "B"	SF077107 - A	
Well No.	. 6 Unit Let	ter L Section	na 22	fownship 28-N	Ranger 9-W	Nuba
Lection	15 00 Feet	From SOUTH		Peet From	West	1, 11, 00
County	SAN JUAN	G. L. Elevation	6 935	Dedicate 1 Acreage	_	Arres
Same of Pi	roducing Formation	DAKOTA		Page BASIN	DAKOTA	

^{2.} Is the Operator the only owner in the left, and acresse scalinged on the plat ben so when we will be so.

New tions 11.

The last certify that the information in Section A above is true and complete to the nest of my knowledge and releaf

El Pago Metural Cas Company


 $\langle O_{\rm perator} \rangle$

Original Signed D. W. Meehan

Box 990

Address

Parmington, New Mexico



Season I as the complete to the

The control set by the the store had been test that the first business of a table haveton made by the or had a sign of the translation that the same are shown to the first translation will be a soft of the fact of the first same are shown to the first terms.

. .

Savid O Tiller

^{1.} If the answer to question one is "no" have the interests of all the owners teen, one added ty community ution agreement or otherwise. Yes No. . . It answer is "yes", Type of Conchidation.

^{2.} If the answer to question two as "no", isstead the owner out it their respective interests below.

Owner.

Last Description.