

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)


1. oil well ☐ gas well ☒ other ☐
2. NAME OF OPERATOR  
SUPRON ENERGY CORPORATION
3. ADDRESS OF OPERATOR  
P. O. Box 808, Farmington, New Mexico 87401
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1105'/S line & 790'/W line.  
AT TOP PROD. INTERVAL: Same as above.  
AT TOTAL DEPTH: Same as above
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☒  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

## SUBSEQUENT REPORT OF:

- ☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐



5. LEASE  
SF 047039 C
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME  
ANGEL PEAK
9. WELL NO.  
22
10. FIELD OR WILDCAT NAME  
Bloomfield Chacra  
Fulcher Kutz Pictured Cliffs
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 7, T-28N, R-10W, N.M.P.M.
12. COUNTY OR PARISH  
San Juan
13. STATE  
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
5764 KDB

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

This well is completed in the Bloomfield Chacra zone and pool. We desire to move in and kill this well, pull the tubing string, set a Bridge Plug above the Chacra perforations at approx. 2800 ft., perforate the Pictured Cliffs zone from 1880' to 1930'. Fracture this zone to stimulate production. Clean the well up. Run the same string of tubing back in the hole and set in the Bridge Plug above the Chacra zone. Nipple down wellhead, test packer for leakage. Test the Pictured Cliffs zone. Connect to a sales line and produce this zone up the annulus. This non standard location approved by N.M.O.C.C. on M.C. No. R6234. This gas has previously been dedicated to a transporter.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_

18. I hereby certify that the foregoing is true and correct

SIGNED Rudy D. MottTITLE Area Superintendent DATE October 21, 1980

(This space for Federal or State office use)


APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side



Stephen Mason  
for