

			X

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. SF-078904A
Unit Callegos Canyon Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

RECEIVED
OCT 15 1962

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Gallegos Canyon Unit

Farmington, New Mexico October 10, 1962

Well No. 128 is located 1650 ft. from [N] line and 990 ft. from [E] line of sec. 25

SE/4 NE/4 Section 25
(1/4 Sec. and Sec. No.)

T-261
(Twp.)

R-124
(Range)

1345FM
(Meridian)

Undesignated Gallup
(Field)

~~San Juan~~
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5899 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total Depth 5845. On October 1, 1962 spotted 500 gallons 15% acid 5069-5801 and ran correlation log. Perforated intervals 5738-44 and 5748-54 with 4 shots per foot. Spearheaded frac with 2000 gallons oil mixed with 150 pounds adomite and 10 gallons FH-1 per 1000 gallons. Sand oil fracked with 29,000 gallons and 30,000 pounds sand. Breakdown pressure 1600 psi. Average treating pressure 2700 psi. Average input rate 35 barrels per minute. Ran tubing landed at 5748' and started swabbing to recover load oil.

Completed as a flowing oil well October 3, 1962. On Potential Test: Flowed 257 barrels of oil in 24 hours 20/64" choke. Final.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PAN AMERICAN PETROLEUM CORPORATION

Address P. O. Box 480

~~Farmington, New Mexico~~

Attn: L. O. Spear, Jr.

By _____

Title ~~Petroleum Engineer~~

Journal of Management Education 30(6)p. 789-804
© The Author(s) 2006. Reprints and permissions:
<http://www.sagepub.com/journalsPermissions.nav>

[illegible]

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.