

## UNITED STATES DEPARTMENT OF THE INTERIOR

### GEOPOGICAL SARVEY Farmington, New Mexico

August 17, 1956

R & G Drilling Company, Inc. Box 1848 Farmington, New Mexico

Re: Santa Fe 078673

#### Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated August 15, 1956 covering your well No. 26 in NET sec. 27, T. 28 N., R. 11 W., N. M. P. M., San Juan County, New Mexico, Undesignated pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:

- Drilling operations so authorised are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

Very truly yours.

(Offg. Serv.) H. J. MICERAIN

P. T. McGrath District Engineer

PTMcGrath:al



COPY TO O. C. C.



# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

· 放送水平 海绵 (红线) (1.14)

MORE ALTON

e i e de l'adelle de l'estany, chi. è e d'adelle de l'estany, chi.

Den Sense + Overy

Cantha (dizini)

redict to advant to a deciment with the flow of the action to Deliver dated as a second of the second dated as a second of the s

Your case of public deproved a provided to hereign approved authors to escaliance of the control of the control

- - Lynni Tia to this relation of

BOUND OF BUILDING

erganijenie folio



COPY TO Q. C. C.

#### (SUBMIT IN TRIPLICATE)

#### UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

Land Offi		Bureau No. 42-R358.4 alexpires 12-31-60.
Lease No.		078673
Unit	A	

#### SLINDRY NOTICES AND REPORTS ON WELLS

	1 1 11	1
NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		
		FAR KALINGTON TO WAS
(INDICATE ABOVE BY CHECK	K MARK NATU	JRE OF REPORT, NOTICE, OR OTHER DATA)
	**	August 15, 1956
Well No. 26 is located 1080 ft.  NE: Sec. 27 28 N (1/4 Sec. and Sec. No.) (Twp.)	from (Rang	line and 1060 ft. from E line of sec.  N.M.P.M.  (Meridian)
	n Juan	
	County or Sub-	division) (State or Territory)
State names of and expected depths to objective sands; sl	how sizes, we	OF WORK sights, and lengths of proposed casings; indicate mudding jobs, cement- important proposed work)
Plan to drill with retary formation, to be encount	how sizes, we not all other i	sights, and lengths of proposed casings; indicate mudding jobs, cement-important proposed work)  and complete in the Pictured Cliffs at approximately 1600 ft.
Plan to drill with rotary formation, to be encount	how sizes, we not all other i  tools tered s	sights, and lengths of proposed casings; indicate mudding jobs, cement- important proposed work)  S and complete in the Pictured Cliffs
Plan to drill with rotary formation, to be encount	tools tered a e pipe	sights, and lengths of proposed casings; indicate mudding jobs, cement- important proposed work)  s and complete in the Pictured Cliffs at approximately 1600 ft.
Plan to drill with rotary formation, to be encount  100 ft. of 8-5/8" surface and 1600 ft. of 5-1/2" p	tools tered a e pipe	sights, and lengths of proposed casings; indicate mudding jobs, cement- important proposed work)  s and complete in the Pictured Cliffs at approximately 1600 ft.
Plan to drill with rotary formation, to be encount  100 ft. of 8-5/8" surface and 1600 ft. of 5-1/2" p	tools tered a e pipe	sights, and lengths of proposed casings; indicate mudding jobs, cement- important proposed work)  s and complete in the Pictured Cliffs at approximately 1600 ft.
Plan to drill with rotary formation, to be encount  100 ft. of 8-5/8" surface and 1600 ft. of 5-1/2" p	tools tered a pipe to	sights, and lengths of proposed casings; indicate mudding jobs, cement-important proposed work)  s and complete in the Pictured Cliffs at approximately 1600 ft.  to be set with 50 sacks of cement be set with 100 sacks of cement.
Plan to drill with retary formation, to be encount 100 ft. of 8-5/8" surface and 1600 ft. of 5-1/2" p 7-7/8" hole to total dep	tools tered as pipe to	and complete in the Pictured Cliffs at approximately 1600 ft.  to be set with 50 sacks of cement be set with 100 sacks of cement.
Plan to drill with retary formation, to be encount 100 ft. of 8-5/8" surface and 1600 ft. of 5-1/2" p	tools tered as pipe to	and complete in the Pictured Cliffs at approximately 1600 ft.  to be set with 50 sacks of cement be set with 100 sacks of cement.
Plan to drill with retary formation, to be encount 100 ft. of 8-5/8" surface and 1600 ft. of 5-1/2" p 7-7/8" hole to total dep	tools tered see pipe tooth.	and complete in the Pictured Cliffs at approximately 1600 ft.  to be set with 50 sacks of cement be set with 100 sacks of cement.
Plan to drill with rotary formation, to be encount 100 ft. of 8-5/8" surface and 1600 ft. of 5-1/2" p 7-7/8" hole to total dep	tools tered see pipe tooth.	and complete in the Pictured Cliffs at approximately 1600 ft.  to be set with 50 sacks of cement be set with 100 sacks of cement.  The set with 100 sacks of cement.

## 

र्के श्≆ूक्रांट