(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget Bureau 42- Approval expires 1	-R358.2. 2-31-52.
and Office	Santa I	Po
esse No	078807-	-4
Jnit	I-300.	44
Jelles	os Campon	Unit

NOTICE OF INTENTION TO DRILL	
	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MARK NAT	URE OF REPORT, NOTICE, OR OTHER DATA)
	October 17, 19_53
rell No is located ft. from	

Field Sart June (County or 8)	ubdivision) (State or Territory)
• • • •	
ate names of and expected depths to objective sands; show sizes, w	OF WORK furnish later).
rog bestreet and are octain	rimportant proposed work)
Pictured Cliffs Sand test. Estis	
Pictured Cliffs Sand test. Estimately Surface Casings Approximately St. 70 sacks circulately	nated depth 1500°. O' of 8-5/8" OD 24# comented with sted to surface.
Pictured Cliffs Sand test. Estimately Surface Casings Approximately St. 70 sacks circula	nated depth 1500°. O' of 8-5/8" OD 24# comented with ated to surface. y 1400° of 5-1/2" OD 14# comented
Pictured Cliffs Sand test. Estimately Surface Casings Approximately St. 70 sacks circular Production Casings Approximately	nated depth 1500'. O' of 8-5/8" OD 24# comented with ated to surface. y 1400' of 5-1/2" OD 14# comented ks.
Pictured Cliffs Sand test. Estimately Surface Casing: Approximately St. 70 sacks circular Production Casing: Approximately with 100 sacing the shot with nitroglyceria.	nated depth 1500'. O' of 8-5/8" OD 24# comented with ated to surface. y 1400' of 5-1/2" OD 14# comented ks.
Pictured Cliffs Sand test. Estimately Surface Casing: Approximately St. 70 sacks circular Production Casing: Approximately with 160 sacing the shot with nitroglyceria. I understand that this plan of work must receive approval in writing the shot with nitroglyceria.	nated depth 1500'. O' of 8-5/8" OD 24# comented with ated to surface. y 1400' of 5-1/2" OD 14# comented ke. cated, the producing seption upil
Pictured Cliffs Sand test. Estimately Surface Casing: Approximately St. 70 sacks circular Production Casing: Approximately with 100 sacing the sand sand sand sand sand sand sand sand	nated depth 1500'. O' of 8-5/8" OD 24# comented with ated to surface. y 1400' of 5-1/2" OD 14# comented ke. cated, the producing seption upil
Pictured Cliffs Sand test. Estimately Surface Casing: Approximately St. 70 sacks circular Production Casing: Approximately with 100 sacing the sand in the shot with nitroglyceria. I understand that this plan of work must receive approval in write the sand sand sand sand sand sand sand sand	nated depth 1500'. O' of 8-5/8" OD 24# comented with ated to surface. y 1400' of 5-1/2" OD 14# comented ke. cated, the producing seption upil
Pictured Cliffs Sand test. Estimately Starface Casing: Approximately Starface Casing: Approximately Starface Casing: Approximately with 100 sacing the sand sand sand sand sand sand sand sand	nated depth 1500'. O' of 8-5/8" OD 24# comented with ated to surface. y 1400' of 5-1/2" OD 14# comented ke. cated, the producing seption will ting by the Geological Survey before operations may be continenced.

द्धारी विश्वपालकारीका पूर्व रोजा का प्रथम का सम्बद्ध

工会 医静脉管 金属放射器

POMA COLUMNIA


HONEL OF THE STREET OF THE STREET

errom en la septembra

And the second of the second stroke ()

		SUMBRY NOTHER OF
gravita i salah salah Salah salah sa	onta thunuserse) province (see the person of the control of the co	NOTICE OF REPRINDA TO DESCRIPTION OF PERSON PROPERTY AND ACTION OF REPRINDING TO TEST WAS IN CHURCH OF REPRINDING TO TEST WAS IN CHURCH OF REPRINDING TO MALL OR A CHURCH OR ACCURATE TOWARD A CHURCH OF THE REPRINDING TOWARD A CHURCH OF THE REPRI
នេះ ដែលជា (់គ្នាំ នេះរៀប	Series (M.)	voj po objekt betand do objekto vojeko od NeWo
i udbuudi. → di. -221	ફુંગ ફુંગ્યુંક	or set und set
	e e e e e e e e e e e e e e e e e e e	- 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
e version of the second of th	3 (20) 200 4 70 3	vin dan ette en voor Forma olde to richevolo en 12.
sum a riccur estroloris (Raille III) establic I		දුන් ම අතර 10 කිරීම ගැන්නේ සිටුමත්තර සහ 200 දුන් වී ම පවසද අත්තිය සහ 28 වෙනද සම්බන්ධ මේ මේ දි වියවර්ග කිරීම මේව දැන්නු දුන් වි
	•	n neu a de la companya della companya de la companya de la companya della company
C. N. C. C. C.	,	and the second s
୍ର ପ୍ରେଲ ଆରେ ଅବସ୍ଥଳ ଓ କରି ଥିଲି । ଓ ଅଧିକ ଓ ଅଧିକ ଓ ଅଧିକ । ବ୍ୟୟ	ad the country to the second	০২ চন চি চি চান্তালীক স্থা লে ইন নিছিল আগতে, ৮ এটা শশ্রী সম্ভাৱ দি প্রা য়ে 🛊
		And the second of the second o
		and the second of the second o
en e	w.J	and the state of t
and the second s	1 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Company	Benson-Montin
Lease	Gallegos Canyon Well No. Unit #43
Sec. 14	T. 28 N. R. 13 W., N.M.P.M.
	990' from the North line and 990' from the East line.



Scale-4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Euch + Each will

Seal:

Registered Professional Engineer and Land Surveyor.

Ernest V. Echohawk N. Mex. Reg. No. 1545

Surveyed October 12 , 19 53