Form 3160-5 (June 1990)

any matter within its jurisdiction.

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS		5. L	ease Designation and Serial No.
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.			SF-078106
Use 'APPLICATION FOR PERMIT - ' for such proposals			Indian, Allottee or Tribe Name
		7.1	f Unit or CA, Agreement Designation
1. Type of Well Oil Gas Well Well Other		8. V	Vell Name and No.
2. Name of Operator	Attention:		Gallegos Canyon Unit 226
Amoco Production Company	Beth Gonzalez	9. A	API Well No.
3. Address and Telephone No. (303) 830-5206		206	3004511684
P.O. Box 800, Denver, Colorado		10.	Field and Pool, or Exploratory Area  Basin Dakota
4. Location of Well (Footage, Sec., T., R., M., or S		11.	County or Parish, State
1190FSL 790FWL	Sec. 18 T 28N R 12W		San Juan New Mexico
	ATE DOWN TO INDICATE MATURE OF	NOTICE DEDO	
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION			
TYPE OF SUBMISSION	1	TPE OF ACTION	
8°77	Abandonment	Cha	nge of Plans
Notice of intent	Recompletion		Construction
Subsequent Report	Plugging Back Casing Repair		-Routine Fracturing er Shut-Otf
	Attering Casing	T-1	version to injection
Final Abandonment Notice	Other	<del></del> :	cose Water uits of multiple completion on Well Completion or
		Recompletion Rep	port and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*			
Amoco Production Company requests approval to perform the following proceedures:			
<ol> <li>Tag PBTD w/ 2 3/8* TEIG.</li> <li>Plug back over the bottom set of perforations to the plug back depth of 6038' with a mixture of 20/40 sand and barite. The mixture</li> </ol>			
should be 67% sand and 33% barite. Use a wireline dump bailer to place mixture.			
3. Cap the sand-barite plug with one sack of cement using the wireline dump bailer.			
4. Let cement set. TIH w/ 2 3/8" tubing. Land tubing intake at 6020'.			
<ol><li>Swab well in and RTP.</li></ol>			
	미르	CEINER	<b>\</b>
	M Dit	OV 1 0 1994	$\mathcal{F} = \{ i, j \in \mathcal{F} \}$
		- 1 0 1004 -	i i i i i i i i i i i i i i i i i i i
	<b>0</b> ][[, (	CON. DIV	
		<b>DIST.</b> 3	P 47 90 5
2			<u> </u>
14. I hereby certify that the toyegoing is true and or	orrect		And Areas
U John	OMPales Title	Business Analys	t 05-11-1994
Signed Signed			
(This space for Federal or State office use)  AFF() V F II			AFFROVED
Approved by Title			Date
Conditions of approval, if any:		2	- 1994
	1. W. H. A	at the United States and John	Charles and the same of the sa