Form approved. Budget Bureau No. 42-R1425.

(Other instructions on reverse side) UNITED STATES

| | DEPARTMENT OF THE INTERIOR | | | | | | | | |
|--|---|---|----------------------|---|-----------------------------|--|--|--|--|
| | GEOLO | | SY 080844 | | | | | | |
| APPLICATIO | N FOR PERMIT T | O DRILL, [| DEEPE | N, OR PLUG E | BACK | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME | | | |
| TYPE OF WORK | RILL 🗷 | DEEPEN [| | PLUG BA | ск 🗆 | 7. UNIT AGREEMENT NAME | | | |
| TYPE OF WELL | | | SII | NGLE WULTH | LE 🗆 | S. FARM OR LEASE NAME | | | |
| | WELL OTHER | | zo | | | | | | |
| NAME OF OPERATOR | | | | | | 7. L. Rhodes 9. WELL NO. | | | |
| | PETROLEUM CORPO | RATION | | | | | | | |
| ADDRESS OF OPERATOR | | | | | | 10. FIELD AND POOL, OR WILDCAT | | | |
| P. O. Box 48 | 0, Farmington, I | ow Mexico | th one O | to to requirements *) | | - | | | |
| LOCATION OF WELL (1 At surface | Report location clearly and | | шану Б | tate requirements. | | 11. SEC., T., R., M., OR BLK. | | | |
| At proposed prod. zo | | AND SURVEY OR AREA SI/4 ME/4 Section 30, 7-28-M. R-11-W | | | | | | | |
| DIGHT NOR IN MILES | AND DIRECTION FROM NEAR | REST TOWN OR POS | T OFFICE | ;* | | 12. COUNTY OR PARISH 13. STATE | | | |
| | | | | | | Ann Joan How Monie | | | |
| DISTANCE FROM PRO | brest of Bloomfi | | 16. NO | OF ACRES IN LEASE | | OF ACRES ASSIGNED | | | |
| LOCATION TO NEARES PROPERTY OR LEASE | ST | (799) 1530' | 1 | 1593.85 | | THIS WELL 317.90 | | | |
| (Also to nearest dr | lg. unit line, if any) | 1330 | | OPOSED DEPTH | 20. ROT. | ARY OR CABLE TOOLS | | | |
| . DISTANCE FROM PRO TO NEAREST WELL, | DRILLING, COMPLETED, | 1850' | | 6500' | | hotary | | | |
| OR APPLIED FOR, ON T | hether DF, RT, GR, etc.) | | 1 - | | <u> </u> | 22. APPROX. DATE WORK WILL START | | | |
| | | | | | | June 6, 1964 | | | |
| Report Late | | DE CONCERN CASI | NC AND | CEMENTING PROGR | AM | | | | |
| | | PROPOSED CASI | NG AND | CEMENTING TROOP | | | | | |
| SIZE OF HOLE | OF HOLE SIZE OF CASING WEIGHT I | | FOOT | SETTING DEPTH | _ | QUANTITY OF CEMENT | | | |
| 12-1/4" 8-5/8" | | 244 | | 350' | 250 sx (2% calcium chloride | | | | |
| | | | | | | | | | |
| 7-7/8" | 4-1/2" | 10.5 | i# | 6500* | tools | ex (using stage comenti- est at base of Hesaver- ictured Cliffs.) | | | |
| Copies of Lo | cation Plat at | tached. | | ; | tools and P | LEEUROS CLEEFS.) JUN G 1966 GEOLOGICAL FALLER GE | | | |
| Copies of La | roved June 3, 19 (BE PROPOSED PROGRAM: If to drill or deepen direction any. | tached. | ard to | plug back, give data on subsurface locations | u. S. | JUN 1966 OIL CON. COM. Deductive ione and proposed new product red and true vertical depths. Give blowd | | | |
| Copies of La Verbally app: ABOVE SPACE DESCRIPTION. If proposal is the eventer program, if a succession of the content of th | roved June 3, 19 (BE PROPOSED PROGRAM: If to drill or deepen direction any. ORIGINAL ORIGINAL ORIGINAL | 56, John We proposal is to deally, give pertinen | ard to | P. H. Hollin | u. S. | JUN 1966 OIL CON. COM. | | | |
| Copies of La Verbally appl ABOVE SPACE DESCRIPTION. If proposal is the eventer program, if a second control of the second control | roved June 3, 19 (BE PROPOSED PROGRAM: If to drill or deepen direction any. | 56, John We proposal is to deally, give pertinen | epen or part data of | plug back, give data on subsurface locations | u. S. | JUN 1966 OIL CON. COM. Deductive ione and proposed new product red and true vertical depths. Give blowd | | | |
| Copies of Landau Copies | roved June 3, 19 (BE PROPOSED PROGRAM: If to drill or deepen direction any. ORIGINAL G. W. EMARCA | 56, John We proposal is to deally, give pertinen | epen or part data of | plug back, give data on on subsurface locations | u. S. | JUN 1966 OIL CON. COM. Deductive ione and proposed new product red and true vertical depths. Give blowd | | | |
| Copies of La Verbally appl ABOVE SPACE DESCRIPTION. If proposal is the eventer program, if a signed and a signed applications. | roved June 3, 19 The Proposed Program: If to drill or deepen direction any. ORIGINAL CO. W. Market St. Adderal or State office use) | 56, John We proposal is to deally, give pertinen | epen or post data of | plug back, give data on subsurface locations | U. S. | JUN 1966 OIL CON. COM. Deductive ione and proposed new product red and true vertical depths. Give blowd | | | |

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

会 U.S. GOVERNMENT PRINTING OFFICE: 1963—O-711-396

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACERAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section

| | | | | | | | | |
|----------------------|--|------------------------------|-----------------|-------------|-------------|-----------------|--------------------------|--|
| erator | DECAM DECEMBE | TOTAL CORDO | O ATT ON | Lease | . L. RH | ODES C | | Well No. |
| | ERICAN PETROL | Township | MATION | Range | المان ويد و | County | | |
| it Letter | Section | | NORTH | 1 | WEST | 1 | JUAN | |
| G ual Footage Loc | 30 | 20 | NOUTU | | MEDI | DAN | 00241 | |
| 1850 | feet from the | NORTH | line and | 1530 | fe | et from the | EAST | line |
| ound Level Elev. | Producing Fe | ormation | | Pool | | | | Dedicated Avereage: |
| EPORT LAT | ER DAK | OTA | | BA | SIN DAK | OTA | | 317.90 / 3/7.96cre |
| | | • | - | | | | • | pelow. reof (both as to working |
| 3. If more the | an one lease of di zation, unitization | , force-poolir | ig. etc? | | | | | owners been consolidated |
|) Yes (|) No If | ans <mark>we</mark> r is "ye | s," type of | consolidati | on | | ************ | |
| | no," list the owner | | lescriptions | which have | e actually | consolidated | d. (Use re | everse side of this form if |
| | will be assigned to nerwise) or until a | | | | | | | ation, unitization, forced- the Commission. |
| 38 9 |)7 | | + + + | -+- | O CO | OM | en is true riedge and | rtify that the information contain and complete to the best of belief. |
| | | | (850) | | | <u>G</u> Pos | . W. Eat | |
| 38.9 | ×3) | | | | - 11 | | rea Engi mpony | neer |
| | 1 | | <u> </u> | 1530 | | P | AN AMER | CAN PETROLEUM CORP. |
| + | - T - T | - T - | T 1 | 1 | 11 | Dat | | |
| - 1 | 1 | 1 | SF q8 | 0844 | - [] | _ J i | une 3, 1 | 1966 |
| | | Sec. 30 | | | - 4 | | | |
| | | ľ | | • | | | I hereby cer | tify that the well location shown |
| i | | | 1 | 1 | | | - | plotted from field notes of act |
| _ L | | _ \ | + - + | + - | N | | • | y me or under my supervision, (|
| | | | • | • | 17 | | - | s true and correct to the best of |
| | 1 | 1 | 1 | 1 | | | wledge and | |
| | | | - - | | | | | |
| | | | | 1 | 1 | | May | 30. 1966 |
| 1 | 1 | | 1 | ı | | Da | te Surveyed | |
| + | - + - + | - + - | + - + | - + . | - 세 ㅣ | (| | Q 7 |
| | 1 | | , | ŀ | | Reg | gistered Prof | essional Engineer |
| 1 ' | | 1 | : | 1 4 | ' | | t∕or La <u>n</u> d√Si | irveyor • 😘 🚧 |
| | | | <u>. I</u> | | | ال | mes P. | reese 2 |
| SCALE-4 | INCHES EQUALS 1 | MILE | | | | | SV A | The state of |
| | | | CARMIN | GTON N N | 1. | . <u> </u> | rtificate No. | 40.3 |
| SAN JU | JAN ENGINEERING | , vymrant, | - William IIA | GTON, N. N | •• | | | 7 74 44 7 7 |