PAN AMERICAN PETROLEUM CORPORATION

Jacuary 6, 1966

Film: SUN-12-565.511

Re: Application of Pan American Petroleum Corp.
For Administrative Approval for a Tubeless
Completion, c. M. Pipkin Well Yo. S
Casin Dakota Gas Pool
Can Juan County, Jan Manico

%n. A. L. Corter, Cr.
New Mexico Oil Conservation Commission
P. C. Low 2063
Santa Pe, res Mexico

Daar Sir:

Pan American retroleum Corporation hereby respectfully requests your administrative approval of a tubeless completion on its L. F. Pipkin Well No. S, basin bakota Gas Pool, San Juan County, Tew Mexico. The tubeless completion is to be utilized in an existing well as a means of preventive maintenance prior to the need for a casing repair. The attached map shows the location of E. H. Pipkin, well No. 6 in Unit "A", Section 36, T28N-Rild and the location of other nearly wells in the Basin Bakota Gas Pool where casing leaks have occurred.

Tour attention is specifically directed to the location of E. H. Pipkin Well No. 5 in Unit "A", Section 35, T28W-R11W; E. H. Pipkin Well No. 9 in Unit "H", Section 35, T28N-R11W; E. H. Pipkin Well No. 10 in Unit "E", Section 1, T27N-R11W; and E. H. Pipkin Well No. 12 in Unit "O", Section 12, T27N-R11W, which have previously been approved by you for tubeless completions as a means of effecting a casing repair. A tubeless completion is being effected on Well No. 6 prior to a casing leak in order to prevent damage to the formation which occurs subsequent to the leak and prior to detection of same. As can be seen by the attached map, the surrounding Dakota wells have experienced casing leaks and it is only a matter of time until a leak is expected opposite the Mesaverde formation in Mell No. 6.

Your letters of February 27, 1984, September 23, 1964, July 30, 1965, and August 16, 1965 granted approval for repair of Wells Nos. 9, 10, 12 and 5, respectively. The proposed tubeless completion on F. W. Pipkin Well No. 6 will be similar in all respects to these effected on H. W. Pipkin Well Nos. 5, 9, 10 and 12.

SBR-12-986.511 January 6, 1966 Page 2

E. N. Pipkin Well No. 6 was completed October 28, 1960, as a Basin Dakota Gas Pool well. As Maj be seen by the attached sketch of the Well, 5-1/2" casing was set at 6274' and the Well selectively perforated and stimulated for completion in the Dakota formation. The 5-1/2" casing was cemented by the two stage method with a stage tool set at 1800' just below a stray sand in the Lewis shale formation.

Casing leaks have occurred in the casing opposite the Mesaverde interval in E. H. Pipkin Well Nos. 5, 9, 10 and 12. As shown by the attached sketch of Well No. 6, it is proposed to prevent damage to the formation in the event of a casing leak in the future by running a full string of 2-7/8" tubing inside the existing 5-1/2" casing, lane is just above the bakota formations, and cement it to the surface. The mechanical condition of the Well following this preventive maintenance is shown on the attached sketch.

In connection with this Application, the Applicant also states that the Well is not a wildest and that the Well will not be a dual completion.

Yours very truly,

Autachmanta

ce: Mr. S. C. Arnold (2)

Mev Mexico Oil Conservation Commission
Autoc, New Mexico

PAN AMERICAN PETROLEUM CORPORATION E.H. PIPKIN WELL NO. 6 790' F SL x 990' FWL, Sec. 36, T28N, R11W

LO - TANK S. TO SERVICE STATES

950 7 150 7 17 INI

BASIN DAKOTA GAS POOL SAN JUAN COUNTY, NEW MEXICO



