SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1425.

5. LEASE DESIGNATION AND SERIAL NO.

1979

UNITE	EDS	STATE	ES
DEPARTMENT	OF	THE	INTERIOR

GEOLOGICAL SUR	VEY			Navajo Tribal 8478
APPLICATION FOR PERMIT TO DRILL	DEEPEN,	OR PLUG	BACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
DRILL X DEEPEN b. Type of Well	SINGLE	PLUG BA	CK 🗌	Navajo 7. UNIT AGREEMENT NAME Gallegos Canyon Unit 8. FARM OR LEANE NAME
2. NAME OF OPERATOR Energy Reserves Group, Inc.	ZONE	ZONE		Gallegos Canyon Unit
3. ADDRESS OF OPERATOR				299
P.O. Box 3280, Casper, Wyoming	82602			10. FIELD AND POOL, OR WILDCAT
4. LOCATION OF WELL (Report location clearly and in accordance surface 900' FNL & 980' FWL At proposed prod. zone	with any State 1	equirements.*)		West Kutz Pictured Cliffs 11. SEC., T., B., M., OR BLE. AND SURVEY OR AREA
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR I	POST OFFICE*			Sec. 31-T28N-R12W
Approx. 9 miles South East of F		M ACRES IN LEASE	17. No. 6	San Juan NM OF ACRES ASSIGNED HIS WELL
LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if any)	Unitiz	ied		15 7.00
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED,	19. PROPOSE		20. ROTA	RY OR CABLE TOOLS
or applied for, on this lease, ft. 1000 1	<u> 1850'</u>		Rot	ary
21. ELEVATIONS (Show whether DF, RT, GR, etc.)				22. APPROX. DATE WORK WILL START*
5749GR				Nov Dec 1979
PROPOSED CA	SING AND CE	MENTING PROGI	RAM	
SIZE OF HOLE SIZE OF CASING WEIGHT PE		SETTING DEPTH	_	QUANTITY OF CEMENT
12½" 8-5/8" 24#		0'-200'		to surface
6-3/4" 4½" 9.5%	<u> 18</u>	<u>50'</u>	250s	SX.
Energy Reserves Group, Inc. pro rotary tools from surface to T. Pictured Cliffs Formation at 16 all logs run will be furnished	D. The 00' - 18	anticipat 50'. No	ted zor DST's	ne of completion is the are planned. Copies of well.
A company of the first	ţ	1 1-1		

govers de herte

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 24

SIGNED William Stient	титьField Services Administrettor	November 2,
(This space for Federal or State office use)		
PERMIT NO.	APPROVAI DATE	
APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	TITLE DATE	

it som

NMOCC

*See Instructions On Reverse Side

OIL CONSERVATION DIVISION

STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT

P. O. BOX 2088 SANTA FE, NEW MEXICO 87501

Form C-102 key1sed 10-1-78

All distances must be from the cuter's oundaries of the Section.

Operator			Leas	e		-	Well No.
• ENERGY RES	SERVES GROUP		G/	GALLEGOS CANYON UNIT			299
Unit Letter	Section	Township		Range	County		
D	31	28N		12W	Sa	an Juan	
Actual Footage Loc	ation of Well:	NT+1		280		Wo at	
900	feet from the		e and Pool	980	feet from the	West	line edicated Acreage;
Ground Level Elev. 5749	II.	ed Cliffs	1 -	t Kutz Pi	ctured (- 1	160- 15.2,00
1. Outline th	e acreage dedic	ated to the subje	ct well by	colored penci	l or hachure	marks on the	plat below. eof (both as to working
interest an	nd royalty).		p is dedic	ated to the we			ll owners been consoli-
Yes If answer	No If a	enswer is "yes," t	ype of con	solidetion		en consolidate	d. (Use reverse side of
No allowal	f necessary.)ble will be assig ling, or otherwise	ned to the well unterpreters or until a non-sta	til all inter andard uni	rests have bee	n consolida such interes	ted (by commu ts, has been ap	enitization, unitization, opproved by the Commis-
-006 9801						I hereby cert	CERTIFICATION tify that the information con- n is true and complete to the nowledge and belief.
				 -		Company	rvices Administ. eserves Group, Ir 2, 1979
			31			shown on thi notes of act under my su	ertify that the well location is plat was plotted from field tual surveys made by me or pervision, and that the same correct to the best of my and belief.
						Fred 3	11. 1979 Did pond Engineer
1 . 1	90 1320 1650 1	980 2310 2640	2000	1800 1000	500 (CXICO

Supplemental to Form 9-3310

1. The geologic name of the surface formation.

Naciminto

The estimated tops of important geologic markers. Ojo Alamo

Fruitland

1250

Pictured Cliffs

1600' - 1850'

T.D.

1850'

3. The estimated depths at which anticipated water, oil, gas, or other mineralbearing formations are expected to be encountered.

The Pictured Cliffs Formation at 1600' - 1850' is expected to be gas productive.

4. The proposed casing program, including the size, grade, and weight-per-foot of each string and whether new or used.

8-5/8"

24# 9.5#

at 120' - 200' Cement to surface at 1850' Cement to surface

5. The lessee's or operator's minimum specifications for pressure control equipment which is to be used, a schematic diagram thereof showing sizes, pressure ratings (or API series), and the testing procedures and testing frequency. Pressure control equipment to consist of an 8" hydraulically operated - double ram BOP series 900, 3000#. The BOP will be pressure tested to 500 psi after installation and prior to drilling

out from under surface casing.

6. The type and characteristics of the proposed circulating medium or mediums to be employed for rotary drilling and the quantities and types of mud and

weighting material to be maintained.

Well is to be drilled with gel mud plus required additives for hole conditions and formations to be drilled. Normally about 25sx. of gel will be on location at one time.

7. The auxiliary equipment to be used, such as (1) kelly cocks, (2) floats at the bit, (3) monitoring equipment on the mud system, (4) a sub on the floor with a full opening valve to be stabbed into drill pipe when the kelly is not in the string.

Kelly cock stop for 3½" drill pipe, and a full opening floor valve to stab into the drill pipe.

Page 2

8. The testing, logging, fracing, and coring programs to be followed with provision made for required flexibility.

No coring is planned, no DST's are planned. Logs will probably be IES only. Mitrogenwater (feam) fracing consisting of approximately 20,000 gal. of 70% quality feam with 25,000# 10-20 sand.

 Any anticipated abnormal pressures or temperatures expected to be encountered or potential hazards such as hydrogen sulfice gas, along with plans for mitigating such hazards.

No abnormal pressures or temperatures are anticipated. H2s is not a potential problem in the area.

10. The anticipated starting date and durat on of the operations.

It is planned to commence operations as soon as regulatory approval has been received and a rig can be obtained. It is anticipated it will take 3-4 days to drill and log this well.

ENERGY RESERVES GROUP, INC.

MULTI-POINT SURFACE USE PLAM

1. EXISTING ROADS

Go east from Farmington 62 miles, turn south for approximately 4 miles.

PLANNED ACCESS ROADS

No new access road will be required.

LOCATION OF EXISTING WELLS

See attachments.

- LOCATION OF EXISTING AND/OR PROPOSED FACILITIES 4.
 - (1) None anticipated
 - (2) A separator may be required if well produces fluid.

(3) N.A.

- (4) If the well is a producer, El Paso Natural Gas Co. will install gathering line under a right-of-way permit.
- (5) $\tilde{N}.A$
- (6) N.A.
- If the well is productive, all facilities will be within the disturbed area. A small pit(20'X20') may be required if any water is produced. The pit will be fenced w/sheep wire to protect livestock and wildlife.
- If the well is productive, the reserve pit will be fenced and allowed to dry up. As soon as it is dry, it will be filled and the area restored to its original contour. All trash and debris will be removed.

If the well is dry, the pit will be fenced and allowed to dry. The location and access road will be recontoured and reseeded as per BLM specifications.

LOCATION AND TYPE OF WITER SUPPLY

Water will be hauled by truck; probably from Well 157 injected facilities.

SOURCE OF CONSTRUCTION MATERIALS

None anticipated.

METHODS FOR HANDLING WASTE DISPOSAL

(1&2) All cuttings and drilling fluids will be contained in the reserve pit.

(3) Produced fluids, if any will be contained in portable tanks, unless it is good water which will be directed into the pit and allowed to evaporate or soak into the ground.

(4) A portable toilet will be used during drilling and completion

operations.

(5) All trash will be buried in a small trash pit along side of the reserve pit. (6) See item 40 ANCILLARY FACILITIES

None required.

WELL SITE LAYOUT

8.

- See Attachment $\overline{(1)}$
- (2) See Attachment
- (3) See Attachment
- (4) It is not planned to line any pits. PLANS FOR RESTORATION OF SURFACE

TO.

Upon completion of the well, the reserve pit will be fenced and allowed to dry. Any accumulation of oil will be skimmed off the pit and trucked to a disposal site .

The distured area will be recontoured to its original contour and reseeded as per BLM's recommendations. It is planned to commence rehabilitation as soon as the pit has dried and weather permits.


11. OTHER INFORMATION


(1) The area is generally rolling hills near the well site. The soil is composed mostly of sand with only sparce vegetation. Sage brush, cactus and assorted native grasses. Wildlife consists of rodents and birds (2) The surface is public land and is not presently used for any activity

ie: grazing, recreation, etc.

The San Juan River is appx. 22 miles north of the proposed well. (3)

There was no evidence of any historical archaeological or cultural sites in the area to be disturbed.





Blowout preventer is Shaffer double hydraulic equipped with drill pipe rams in the top and blind rams in the bottom.

Blowout preventer closing unit is Koomey 30 gallon accumulator unit.

When choke manifold is used, it will be installed downstream from bleed off valve.

Kill line or bleed off line may be installed at flanged opening in blowout preventer.

CERTIFICATION

I hereby certify that I, or persons under my direct supervision, have inspected the proposed
drillsite and access route; that I am familiar
with the conditions which presently exist; that
the statements made in this plan are, to the best
of my knowledge, true and correct; and, that the
work associated with the operations proposed
herein will be performed by
JACK + CITZ
and its contractors and subcontractors in conformity
with this plan and the terms and conditions under
which it is approved.
mark foribles
9-13-79
Date Name and Title
entagteinikane ethivete animale ethipe

Meson with 0,0 mud 2011.12 ...

Typical Location Plat for Pertural Chiefs Well

South to the to with

) (111)

Navajo Tribal 8+78

Well Name Sallegoo (71. F	4 100
Well Name Sallegos Canyon Location NW 31-28-12	Lines	#217
Formation PC.		··· ·
We, the undersigned base.		•
We, the undersigned, have inspected this	locatio	on and road.
•		
U. S. Forest Service		Date
	·	•
Archaeologist		10/// 77 Date
ureau of Indian Affairs Representative		10-24-7
Affairs Representative		Date
ureau of Land Management Representative		Date
\sim \sim \sim \sim		. v
. S. Geological Survey Representative		10/16/79
. 3. Geological Survey Representative		Date
		•
eed Mixture:	٠.	:
quipment Color:		
	·	
oad and Row: (Same) or (Separate)	•	
emarks:		
	. ••	•