
DEVENOUS CASONS!

Meter Number:93408

Location Name: SCHLOSSER WN FEDERAL #3E

DEG S O 1887

Location:TN-28 RG-11
SC-27 UL-O
2 - Federal
NMOCD Zone:OUTSIDE
Hazard Ranking Score:00





RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10^{-9} to 10^{-13} cm/sec Shale 10^{-12} to 10^{-16} cm/sec Clay 10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.


GENERAL	Meter: 93408 Location: Schlosser WN Federal No. 3E Operator #: 0286 Operator Name: Conoco P/L District: Angel Peak Coordinates: Letter: O Section 27 Township: 28 Range: 1/ Or Latitude Longitude Pit Type: Dehydrator Location Drip: Line Drip: Other: Site Assessment Date: 9/14/94 Area: 01 Run: 63						
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside Outside Outside Outside Depth to Groundwater Less Than 50 Feet (20 points) Greater Than 100 Ft (0 points) Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; ls it less than 200 ft from a private domestic water source? Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) Greater Than 1000 Ft (0 points) Greater Than 200 Ft (20 points) Greater Than 200 Ft (20 points) (2) Greater Than 1000 Ft (10 points) (3) Name of Surface Water Body (Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100' TOTAL HAZARD RANKING SCORE: Depth to 100 Fee (2) State (2) Indian State (2) Fee (3) Onidian Indian Depth to Grounds (1) (2) NO (0 points) (3) No (0 points) (4) YES (20 points) (5) NO (0 points) (7) NO (0 points) (8) NO (0 points) (9) NO (0 points) (1) State (1) St						
SS	Remarks: Red line Book- Outside, Vulnerable Zone Topo - Outside						
REMARKS	2 pits. Will closel. Pit dry						
REN							
	PUSH-IN						

REMARKS

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North <u>59°</u> Footage from Wellhead <u>88′</u>

b) Length : <u>33'</u> Width : <u>30'</u> Depth : <u>10'</u>



Remarks	:
^	

Pictures @ 1053 hr

Completed By:

Signature

9/14/94

FIEL PIT REMEDIATION/CLOSULE FORM

GENERAL	Meter: 93408 Location: Schlosser WN Federal #3E Coordinates: Letter: D Section 27 Township: 28 Range: 11 Or Latitude Longitude Date Started: 10/5/94 Run: 01 63
FIELD OBSERVATIONS	Sample Number(s): KD 319 Sample Depth: 6 Feet Final PID Reading 4 PID Reading Depth 6 Feet Yes No Groundwater Encountered 6 Approximate Depth Feet
CLOSURE	Remediation Method: Excavation
REMARKS	Remarks: Excavited Test Hole to 10, 4,7 Sandstore, Took PiD Sample, Closed Pit. Signature of Specialist: My Dan



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

SAMPLE IDENTIFICATION

_	Field ID			Lab ID		
SAMPLE NUMBER:	KD 319		9463	946335		
MTR CODE SITE NAME:	N/A					
SAMPLE DATE TIME (Hrs):	93408		1	1600		
SAMPLED BY:	· · · · · · · · · · · · · · · · · · ·	N	/A			
DATE OF TPH EXT. ANAL.:	10-6-94					
DATE OF BTEX EXT. ANAL.:	NIA		m m			
TYPE DESCRIPTION:	V.6-		Brown/a	Brown/frey said + clay		
			/ ,		1	
REMARKS:						
		ECULTO				
	r	RESULTS				
PARAMETER	RESULT	UNITS	DF	QUALIFIERS DF Q M(g) V(i		
	111-		Dr		Ī	
TPH (418.1)	41.7	MG/KG			2.14	28
HEADSPACE PID	→	РРМ				
PERCENT SOLIDS	93,7	%				
		- TPH is by EPA Metho	od 418.1			
Varrative:						····
OF = Dilution Factor Used						<u> </u>
Approved By:	\		Date:	10-13	-94	

************************************ Test Method for Oil and Grease and Petroleum Hydrocarbons in Water and Soil

* *

牢

Perkin-Elmer Model 1600 FT-IR Analysis Report

94/10/06 15:00

Sample identification 746335

Initial mass of sample, o 2.140

Volume of sample after extraction, ml

Petroleum hydrodarbons, ppm 11,741

Net absorbance of hydrocarbons (2930 cm-1)

