District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
D rict III
1000 Kio Brazos Rd, Azice, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE COPY TO SANTA PE OFFICE

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

MAR 2001

PIT REMEDIATION AND CLOSURE REPORT

Operator: Amoco Production Compan	y Telephone: (505) · 326-9200		
Address: 200 Amoco Court, Farmin	gton, New Mexico 87401		
Pacility Or: 600 # 159 Well Name	·		
Location: Unit or Qtr/Qtr Sec L Sec 31 7280 R 12 W county SAN JUAN			
Pit Type: Separator Dehydrator Other ABANDONED 8000			
Land Type: BLM /, State, Fee, Other			
-:t Location: Pit dimensions: length NA, width NA, depth NA Reference: wellhead X, other Footage from reference: 129' Direction from reference: 21 Degrees East North of V West South V			
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points)		
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points) One (0 points)		
Distance To Surface Water: 'orizontal distance to perennial kes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)		
	RANKING SCORE (TOTAL POINTS):		

Date Remediation St	arted:	Date Completed: 4 800	
mediation Method:	Excavation $\underline{\hspace{1cm}}\checkmark$	Approx. cubic yards NA	
	Landfarmed	Insitu Bioremediation	
	Other CLOSE AS	13.	
Remediation Locatio (ie. landfarmed onsite, name and location of offsite facility)	n: Onsite_/ Offs	ite	
General Description	Of Remedial Action:		
Excavation EXERUATION MOSTLY BEORDEX, THEREFORE NO TPH			
ANDUYSI	s was conducted.	NO REMEDIATION NECESSARY.	
MENCH ADVANCED.			
Ground Water Encountered: No Yes Depth			
1			
Final Pit: Closure Sampling: (if multiple samples,	Sample location	see Attached Documents	
attach sample results and diagram of sample	Sample depth	10' (TRENCH BOTTOM)	
locations and depths)	Sample date 4/8/	oo sample time ///5	
	Sample Results		
	Benzene(ppm) _		
	Total BTEX(ppm)	
	Field headspac	e(ppm) 0.0	
	TPH NA		
Ground Water Sample: Yes No (If yes, attach sample results)			
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF			
UATE 4/8/00			
SIGNATURE BUSHAW AND TITLE ENVIRONMENTAL COORDINATOR			

CLIENT: AMOCO BLAGG ENGINEERING, INC. P.O. EOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.D.C. ND:			
FIELD REPORT: CLOSURE VERIFICATION	PAGE No: 1 of 1			
QUAD/UNIT: L SEC: 31 TWP: 2'32 RNG: 12W PM: wm CNTY: ST ST: NM	DATE STARTED: 3/27/00 DATE FINISHED:			
	ENVIRONMENTAL SPECIALIST: ^U			
EXCAVATION APPROX. NA FT. X NA FT. X NA FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: 50-51TE: REMEDIATION METHOD: CLOSE AS IS LAND USE: RANGE LEASE: FORMATION: 0 K FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 129 FT. SZIW FROM WELLHEAD DEPTH TO GROUNDWATER: >100' NEAREST WATER SDURCE: >1000' NEAREST SURFACE VATER: >1000' NMOCD RANKING SCORE: NMOCT THY CLOSURE STD: 5000 PPM CHECK ONE: OWN CALIB. READ. 52.5 PPM STEEL TANK INSTALLED DESCRIPTION: TIME: 7:50 @Ppm 3/27/00 FIBERGLASS TANK INSTALLED PIT TRENCH NOT ACCESSIBLE RESIDENCY OBSERVED STALLE REPREX 2' BEWOW FIT DEPRESSION TO BOTTOM (ADDITIONAL 5') COLOR VARYING LYSON J.C. BURGE: TRENCH EXCAUSION IN AT 7 BEIOU APPROX. NO HC ODOR OR STAIM. CAUBRATE OVM: E.Z. 4 PPM. SAMPLE (D at trunch BASE FOR FIELS OVM.				
BEORSEX CLOSED FIELD 418.1 CALCULATIONS				
SCALE TIME SAMPLE I.D. LAB No: WEIGHT (g) mL FREON DILL O FT	JTION READING CALC. ppm			
017) (PROFILE			
PIT DEPRESSION APPROX. 3' 3GS TRAVEL MOTES.	PPLICABLE			
CALLOUT: 3/24/00 - AFTER ONSITE: 3/27/00 - MORN 10:50				