

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT -" for such proposals.

SUBMIT IN TRIPLICATE

070 FARMINGTON, NM

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator


Phillips Petroleum Company

3. Address and Telephone No.

5525 Highway 64, NBU 3004, Farmington, NM 87401 505/899-3454

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit A, 1090' FNL & 1090' FEL  
Section 33, T29N, R5W



5. Lease Designation and Serial No.

NM-011350

6. If Indian, Allottee or Tribe Name

25

7. If Unit or CA, Agreement Designation

San Juan 29-5 Unit

8. Well Name and No.

SJ 29-5 #5X

9. API Well No.

30-039-07507

10. Field and Pool, or exploratory Area

Blanco Mesaverde

11. County or Parish, State

Rio Arriba NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other Add Pay & Stimulate  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

NU BOP.

POOH W/ production tubing.

Isolate existing Point Lookout perfs.

Perforate Menefee W/1 SPF, .36" hole diameter, 12 gram charges, at the following depths: 5827', 5790', 5788', 5765', 5762', 5760', 5758', 5748', 5746', 5744', 5742', 5723', 5678', 5676', 5674', 5672', 5658', 5656', 5654', 5652'. (20 shots total).

Isolate Mesaverde perforations. Lewis will be completed through both the 4-1/2" and 7" casing strings. TOC for 4-1/2" casing is expected @ 4000' per temperature survey.

Perforate and stimulate the Lewis Shale (perfs to be determined after well logged). Retrieve RBP and run production tubing.

Flow test Lewis Shale

14. I hereby certify that the foregoing is true and correct

Signed Theresa Davis

Title Regulatory Assistant

Date 3/17/00

(This space for Federal or State office use)

Approved by

78/ Charles Beecham

Title

Date

MAR 23 2000

Conditions of approval, if any:

ok Se

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\* See Instruction on Reverse Side

NMCCD