Form	9-881 a
(Feb	. 1951)




## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land (	Office	Santa <b>Fe</b> 079693-A				
	No					
Unit	San	Juan 08-00	29-4	Unit		
1	14-	08-00	1-105	5		

		X		OFBORT (	NE WATER CHIE	r-off	
NOTICE OF INTENTION TO DRILL						R ACIDIZING	
NOTICE OF INTENTION TO CHANGE I		1 11				ASING	
IOTICE OF INTENTION TO TEST WAT		1 1	l			OR REPAIR	1
IOTICE OF INTENTION TO RE-DRILL		i 11	l			NT	
NOTICE OF INTENTION TO SHOOT OF			1				1
NOTICE OF INTENTION TO PULL OR NOTICE OF INTENTION TO ABANDON		1 1	JOINELLINE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		4	
IOTICE OF INTENTION TO ABANDON	WELL					.₹♥.	
(INDIC/	ATE ABOVE BY CHECK	C MARK NAT	JRE OF REPOR	T, NOTICE,	OR OTHER DAT	A) , 🐧	
				H	ay 23		19
a.b. ea	4100		<b>V</b> 1)		· · ·	(E) 1	. 31
ll No. 14-31 is loca	itedi. 14.	from_st	line and			line or s	ec <del></del>
E Section 31	250	<b>4</b> 44		N.M.P			
(½ Sec. and Sec. No.)	(Twp.)	(Rang		(M)	eridian)	exico	
(Field)		County or Sub				te or Territory)	·
			important pr				
ate names of and expected depths	rill a well	with re	stary to	als th	ru the M	esa Verde :	formati
It is intended to drawing circulation will ing. Gas circulation will be set. Fossil	l be used the marked by the color of the production of the color of th	uru the used thi	tary to Picture ou the M	ols th d Clif	is and s rde and ;	et interme production	dia <b>s</b> e c casing
It is intended to draid circulation will ing. Gas circulation will be set. Fossil Estimated Total Dept.	l be used the marked by the color of the production of the color of th	uru the used thi	tary to Picture ou the M	ols th d Clif	is and s rde and ;	et interme production	dia <b>s</b> e c casing
It is intended to draid circulation will ing. Gas circulation will be set. Fossil Satimated Total Dept.	the used the production of the broduction of the best	aru the used thr	ptary to Picture ou the H ervals w	ols th d Clif eac Ve ill be	fs and s rde and ; perfora	et interme production ted and fr	diade c casing actured
It is intended to draid circulation will ing. Gas circulation will be set. Fossil Estimated Total Dept. Casing Program:  10-3/4 at	be used the production will be used to be production to 6620'.	are the used the live inte	ptary to Picture ou the M Bryals W	ols the clif	fs and s rde and ; perfora	et interme production ted and fr	diade c casing actured
It is intended to draid circulation willing. Gas circulation will be set. Possil stimated Total Dept Casing Program:  10-3/4 at 7-5/6 at 3	be used the will be used the production 6620'.  170' with 1 1265' with 2	are the used the live inte	ptary to Picture ou the M ervals w	ols the Clif see Ye ill be t circ t.	fs and s rde and ; perfora	et interme production ted and fr	diade c casing actured
It is intended to draid circulation willing. Gas circulation will be set. Possil stimated Total Dept Casing Program:  10-3/4 at 7-5/6 at 4 6-1/2 at 6	the used the will be used the production of the feet o	aru the used that the inte 125 sect 150 sect 150 sect	ptary to Picture ou the M ervals w	ols the Clifes was to be circe to the Clife	fs and s rde and ; perfore ulaked t	et interme production ted and fr	diade c casing actured
It is intended to drain did circulation will ing. Gas circulation will be set. Fossil Satimated Total Dept. 10-3/4 at 7-5/6 at 6-1/2 at 6	the used the will be used the production of the feet o	aru the used that the inte 125 sect 150 sect 150 sect	ptary to Picture ou the M ervals w	ols the Clifes was to be circe to the Clife	fs and s rde and ; perfora	et interme production ted and fr	diade c casing actured
It is intended to draid circulation willing. Gas circulation villing. Gas circulation vill be set. Possil stimated Total Dept. Casing Program:  10-3/4 at 7-5/6 at 4 6-1/2 at 6	the used the will be used the production of the feet o	aru the used that the inte 125 sect 150 sect 150 sect	ptary to Picture ou the M ervals w	ols the Clifes was to be circe to the Clife	fs and s rde and ; perfore ulaked t	et interme production ted and fr	diade c casing actured
It is intended to draid circulation willing. Gas circulation will ing. Gas circulation will be set. Possil stimated Total Dept. Casing Program:  10-3/4 at 7-5/6 at 6-1/2 at 6	the used the production will be used to be u	iru the used thi ive inte 25 sack 250 sack 50 sack	respective of the second of th	ols the Clifes was to circ to the Clife to circ to the Clife to the Cl	re and s re and perfore	et interme production ted and fr	diade c casing actured
it is intended to dried circulation willing. Gas circulation will be set. Fossil stimated Total Dept casing Program:  10-3/4 at 7-5/6 at 6-1/2 at 6	the used the production will be used to be u	iru the used thi ive inte 25 sack 250 sack 50 sack	respective of the second of th	ols the Clifes was to circ to the Clife to circ to the Clife to the Cl	re and s re and perfore	et interme production ted and fr	diade c casing actured
it is intended to did directly and circulation willing. Gas circulation will be set. Possibly as a set of the	the used the production will be used to be u	ive inte 125 sack 150 sack 150 sack 150 sack	respective of the second of th	ols the Clifes was to circ to the Clife to circ to the Clife to the Cl	re and s re and perfore	et interme production ted and fr	diade c casing actured
It is intended to disid circulation willing. Gas circulation willing. Gas circulation will be set. Fossil stimated Total Dept Casing Program:  10-3/4 at 7-5/6 at 6-1/2 at 6-1	be used the many vill be used to will be used to be used to use the production of the production of the production of the production of the used to use the production of the used to use the use the used to use the used to use the	ive inte 125 sack 150 sack 150 sack 150 sack	respective of the second of th	ols the Clifes was to circ to the Clife to circ to the Clife to the Cl	re and s re and perfore	et interme production ted and fr	diade c casing actured
It is intended to disid circulation willing. Gas circulation willing. Gas circulation will be set. Fossil stimated Total Dept Casing Program:  10-3/4 at 7-5/6 at 6-1/2 at 6-1	be used the many vill be used to will be used to be used to use the production of the production of the production of the production of the used to use the production of the used to use the use the used to use the used to use the	ive inte 125 sack 150 sack 150 sack 150 sack	respective of the second of th	cals the desired colors to the circular colors of the colo	re and price and perfore ulaged t	tinterne production ted and from the surf	diage consists of the constant
It is intended to divide circulation willing. Gas circulation willing. Gas circulation will be set. Possible Estimated Total Dept Casing Program:  10-3/4 at 7-5/6 at 6-1/2 at	be used the will be used the will be used the moduction of the production of the pro	ire the used things into the interest into the interest into the interest in t	respective of the second of th	cals the desired color color calculation color calculation color calculation color calculation color calculation color calculation calcula	reand perfore ulated t	tinterne production ted and from the surface of the	diage consists of the constant
It is intended to disid circulation willing. Gas circulation willing. Gas circulation will be set. Fossil stimated Total Dept Casing Program:  10-3/4 at 7-5/6 at 6-1/2 at 6-1	be used the many vill be used to will be used to be used to use the production of the production of the production of the production of the used to use the production of the used to use the use the used to use the used to use the	ire the used things into the interest into the interest into the interest in t	Pictures Pic	cals the desired to the circular to the circul	re and perfore ulated t	tinterne production ted and from the surface of the	diage continued acce.
It is intended to disid circulation willing. Gas circulation willing. Gas circulation will be set. Possible in the	be used the will be used the will be used the moduction of the production of the pro	ire the used things into the interest into the interest into the interest in t	respective of the second of th	cals the desired color color calculation color calculation color calculation color calculation color calculation color calculation calcula	reand perfore ulated t	tinterne production ted and from the surface of the	diage consists of the constant



## NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

Well Leastion and for Cas Proportion Plat

	Well Locati	ion and/or Gas	Proration Plat	t Date <b>MAX</b>	21. 1957
Operator El Paso	Natural Gas Company	Lease	SAN JUAN 2		SF 079893-A
Well No. 14-31	Section 31	Township	29 North	Range 4.West	NMPM
Located 1190	Feet From North	Line,	990	Feet From E	ast Line,
Rio Arr	riba County	r, New Mexico.	G. L. Elev	ation 7242	
Name of Producing I	Formation MESA VERDE	Po	ol BLANC	Dedicated	Acreage 320 ACRES (1882 PLAT)
	(Note: All distances mu	ist be <b>Epingqu</b> t	en boundaries		• • • • • • • • • • • • • • • • • • •
	I		1		= = =
	;	=	!		= = =
			· •	7/20 1	<u>:</u> :
	:		1		- = =
				0 3 00	: : :
			628 070 80°	2 4	= ' = = .
	:		SF 07989	) <b>-</b>	<b>4</b>
	:			;	- = =
				· ·	: : :
		<u> </u>	1		= = =
		—— <u> </u> ₹  —	!		= = -
	:	—— <b>3</b>	į (		- - - -
		<b>=</b>	1		= = =
NOTE			:		= = =
This section of				<b>7</b>	<del>=</del> = -
form is to be used for gas		<b>≡</b> .	/9		- = =
wells only.				80 43	<del>=</del> = =
	1	<b>=</b>		1 3 6 V	= = =
ļ				" " " " " " " " " " " " " " " " " " "	- = = =
;					= = =
•					
1 1 31 31 11	SCALE: 1" 1000' Dual Cemp. ? Yes NoX.		This is to $c\epsilon$	ertify that the abov	re nist was prepare
				otes of actual surv	
	to Question 1 is yes, are there	l l			he same are true and
	ted wells within the dedicated	nc'on	correct to th	e best of my knowl	edge and general
Yes No	Original Signed D. C. Joh	113 011			·
Name				ed May 3, 1957	
1 08.6001	roleum Engineer 1 Paso Hatural Gas Compan	107	E	-1 9 Co	
Representing	ox 997, Parmington, M.K.		Reg. L	Ernest V. Echol and Surveyor, N. M	hawk fex., Reg. No. 1545
Address	am SS ( ) in inclination of the state of	•	1400. 13		