(SUBMIT IN TRIPLICATE)

x

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa	Te	 	
Lease No	07976	0	 	
3-				_

Unit Sen Juan 29-4 Unit 14-08-001-1055

SUNDRY NOTICES AND REPORTS ON WELLS

SONDKI NOTICES A		
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHO	T 050
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING	Л-OFF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSECUENT REPORT OF ALTERING	OR ACIDIZING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSECUENT REPORT OF DE DOLL IN	C OP PERMIT
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SURSEQUENT PERCET OF ADAMS	
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL.		
(INDICATE ABOVE BY CHECK MARK	ATURE OF REPORT, NOTICE, OR OTHER DAT	A)
	Segte	mber 15 , 19
Vell No. 15-25 is located 1650 ft. from	$\frac{N}{3}$ line and 3650 ft. from	E line of sec.
(4 Sec. and Sec. No.) (Twp.)	4W N.M.P.M.	
·	ange) (Meridian)	•
Chosa Mass P.C. Rio Ar	1 21 1 1	e or Territory)
ate names of and expected depths to objective sands; show sizes	5 OF WORK	indicate mudding jobs, cem
DETAIL ste names of and expected depths to objective sands; show sizes	weights, and lengths of proposed casings; r important proposed work)	
DETAIL ate names of and expected depths to objective sands; show sizes ing points, and all oth 9-6-58. Total Pepth 1005. Ran 101 joints 5 1/2", 15.30%, J-55 regular cement, 75 sacks Rozmix, 25 by 50 sacks regular cement.	oof WORK weights, and lengths of proposed casings; rimportant proposed work) casing (3968') set at le	
DETAIL ate names of and expected depths to objective sands; show sizes ing points; and all oth 9-6-58. Total Depth \$005°. Ran 101 joints 5 1/2", 15 30%, J-55 regular cement, 75 sacks Frank, 25 by 50 sacks regular cement. Held 1000% for 30 minutes. Top of cement by temperature survey	weights, and lengths of proposed casings; rimportant proposed work) casing (3988') set at the gel, 38 cu. ft. Stratum at 2700'.	200' with 75 securete, followed
DETAIL ate names of and expected depths to objective sands; show sizes ing points, and all oth 9-6-58. Total Depth 1005. Ran 101 joints 5 1/2", 15.30%, J-55 requisir coment, 75 sacks Poznix, 25 by 50 sacks regular coment. Held 1000% for 30 minutes.	weights, and lengths of proposed casings; rimportant proposed work) casing (3988') set at the gel, 38 cu. ft. Stratum at 2700'.	200' with 75 securete, followed
DETAIL ate names of and expected depths to objective sands; show sizes ing points, and all oth 9-6-58. Total Depth 1005. Ran 101 joints 5 1/2", 15 190%, J-55 regular coment, 75 sacks Formix, 25 by 50 sacks regular coment. Held 1000% for 30 minutes. Top of coment by temperature survey	weights, and lengths of proposed casings; rimportant proposed work) casing (3983') set at the gel, 38 cu. ft. Stratum at 2700'.	200' with 75 sec.
DETAIL ate names of and expected depths to objective sands; show sizes ing points, and all oth 9-6-58. Total Depth \$005'. Ran 101 joints 5 1/2", 15 300, J-55 regular cement, 75 sacks Frank, 25 by 50 sacks regular cement. Held 1000/ for 30 minutes. Top of cement by temperature survey understand that this plan of work must receive approval in with mpany 21 Paso Natural Gas Company dress Box 997	weights, and lengths of proposed casings; rimportant proposed work) casing (3968') set at legel, 35 cu. ft. Stratum kt 2700'.	200' with 75 sac greate, followed
DETAIL ate names of and expected depths to objective sands; show sizes ing points; and all oth 9-6-58. Total Depth \$005°. Ran 101 joints 5 1/2", 15 90%, J-55 regular coment, 75 sacks Poznix, 25 by 50 sacks regular coment. Held 1000% for 30 minutes. Top of coment by temperature survey understand that this plan of work must receive approval in wr mpany El Paso Natural Ges Company	weights, and lengths of proposed casings; rimportant proposed work) casing (3968') set at legel, 35 cu. ft. Stratum kt 2700'.	200° with 75 sac grete, followed
DETAIL ate names of and expected depths to objective sands; show sizes ing points, and all oth 9-6-58. Total Depth \$005'. Ran 101 joints 5 1/2", 15 300, J-55 regular cement, 75 sacks Frank, 25 by 50 sacks regular cement. Held 1000/ for 30 minutes. Top of cement by temperature survey understand that this plan of work must receive approval in with mpany 21 Paso Natural Gas Company dress Box 997	weights, and lengths of proposed casings; rimportant proposed work) casing (3983') set at the gel, 38 cu. ft. Stratum at 2700'.	200° with 75 sac grete, followed