

SE-078278

San Juan 29-6 Unit

83

Basin Dakota

13-29N-6W NMPM

Rio Arriba

New Mexico

1. OIL WELL ☐ GAS WELL ☒ OTHER

Beta Development Co.

234 Petr. Club Plaza, Farmington, New Mexico

890/S 890/W

6717' GR.

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)


Set production csg.

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

8/14/64 - T.D. 8110'. Ran logs, circulated, LDDP.

8/15/64 - Ran 256 jts. 8117.10' 4 1/2" csg set @ 8110', float collar @ 8086', DV tools @ 5976' & 3734'. Cemented 1st stage w/150 sx reg cement + 2% gel, 1% Halad 9. Cemented 2nd stage w/160 sx 50/50 pozmix + 8% gel. Cemented 3rd stage w/220 sx 50/50 pozmix + 6% gel. Rig released 6 PM Aug. 14th.

WOC



Original signed by:

SIGNED JOHN T. HAMPTON

TITLE Manager


DATE 8/31/64

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

*See Instructions on Reverse Side



Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Form 9-53
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SUNDRY NOTICES AND REPORTS ON WELLS

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SF-078278

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

San Juan 29-6

8. FARM OR LEASE NAME

9. WELL NO.

83

10. FIELD AND POOL, OR WILDCAT

Basin Dakota

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

13-29N-6W

12. COUNTY OR PARISH

Rio Arriba

13. STATE

New Mexico

1. OIL WELL ☐ GAS WELL ☐ ☒ OTHER

2. NAME OF OPERATOR

Beta Development Co.

3. ADDRESS OF OPERATOR

234 Petr. Club Plaza, Farmington, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

890/S 890/W

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6717' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9/15/64 Rigged up, picked up tbg., drld DV tools, float collar & CO to 8110'.

9/16/64 Ran Bond log; ran junk basket & Gamma Ray. Ran tbg open-ended, CO to 8108'.

9/20/64 Ran tbg to D.C. retainer @ 8092'. Displaced hole w/1% Potassium Chloride water w/4# FR-8/1000 gals; spotted 750 gals 7 1/2% reg. acid. Ran Bond log, tested csg to 4000#. Perf. 8074-80, 8056-62 & 7985-97' w/2 JPF. Re-Ran Bond log to check effect of perf. & pressure testing csg. SNF w/20,000# 40-60 sd, & 40,000# 20-40 sd., 69,400 gals 1% Potassium Chloride wtr w/4# FR-8/1000 gals; 80,500 gals total water. Acid BD 1600#, TP 3250-4000#, ATP 3700#, rate 32.8 BPM, SI 2650#, 5 MSI 2600#. SI 3 1/2 hrs.

9/21/64 WIH w/prod. string - landed 255 jts. 8061' 2" EUE tbg @ 8073', pin collar @ 8041', pump out plug in bottom jt. Set tree. Rig released @ 12 noon Sept. 21st. Gauged 2,190 MCF after blowing 26 hrs.



18. I hereby certify that the foregoing is true and correct

Original signed by:

SIGNED **JOHN T. HAMPTON**

TITLE **Manager**

DATE **10/6/64**

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE DATE

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.