



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYLand Office Santa Fe  
Lease No. 079757  
Unit USA D. A. VALDEZ "A"  
West 1/2 Section 7  
Designated Drilling Unit

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico July 20, 1953Well No. 1 is located 990 ft. from (N) line and 1650 ft. from (E) line of sec. 7SW/4 of Section 7  
(1/4 Sec. and Sec. No.)T-29-N  
(Twp.)R-4-W  
(Range)NPM  
(Meridian)Wildest  
(Field)Eliz. Arriba  
(County or Subdivision)New Mexico  
(State or Territory)The elevation of the derrick floor above sea level is 7649 ft. (Ungrade ground)

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 6500 feet with rotary tools. 5 drill stem tests are anticipated: one over the Fruitland pay section, one over the Pictured Cliffs pay section, and three over the Mesaverde pay section. Casing will be set on top of the Mesaverde formation. If stimulation is necessary the pay will be shot open with SGO and clean out will be with cable tools.

The following casing program is proposed:

Size	Depth	Cement	Remarks:
10-3/4"	300'	200	200% of theoretical amount to circulate.
7"	5700	300	

Copies of location plats are attached. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations are begun.

Company Stanolind Oil & Gas CompanyAddress Box 487,Farmington, New MexicoBy ER  
Title Field Superintendent