

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

1. Type of Well
GAS

RECEIVED

OCT 15 1993

2. Name of Operator
MERIDIAN OIL

**OIL CON. DIV.,
DIST. 3**

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
890' FNL, 1750' FEL Sec. 2, T-29-N, R-7-W, NMPM, Rio Arriba County

API # (assigned by OCD)
30-039-07709

5. Lease Number
E-289-23

6. State Oil & Gas Lease
E-289-23

7. Lease Name/Unit Name
San Juan 29-7 Unit

8. Well No.
47

9. Pool Name or Wildcat
Blanco Mesa Verde

10. Elevation:

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other - sidetrack workover

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing


☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to workover the subject well in the following manner:

TOOH w/tbg. If tbg is stuck, cut off tbg approximately 100' below csg shoe. Set cmt ret near bottom of 7" csg. TIH w/2 3/8" tbg, CO. Sting into ret. Test tbg to 2500 psi. Sting all the way through ret, load backside w/wtr. PT 500 psi. Squeeze open hole w/cmt. Pull out of ret. Spot cmt on top of ret. Pull up one joint, reverse excess cmt out. Run CBL. Perf squeeze hole above TOC. Squeeze cmt to 50' above Ojo Alamo. Drl to 10' below 7" csg shoe. Sidetrack using a downhole motor. Drill to approximately 6000'. Run a full string of 4 1/2" csg & cmt. Selectively perf and frac the Mesa Verde formation and return well to production.

SIGNATURE  (RH) Regulatory Affairs October 14, 1993

(This space for State Use)

Approved by Original Signed by CHARLES GHOLSON

Title

DEPUTY OIL & GAS INSPECTOR, DIST. 4

Date

OCT 15 1993