

District I

P.O. Box 1980, Hobbs, NM

J. L. H. T.

P.O. Drawer DD, Mesita, NM 88211

DEPUTY OIL & GAS INSPECTOR

1000 Rio Brazos Rd, Aztec, NM 87410

AUG 25 1997

State of New Mexico

Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO

APPROPRIATE

DISTRICT OFFICE

AND 1 COPY TO

SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORTOperator: Phillips Petroleum Company Telephone: (505) 599-3400Address: 5525 Hwy. 64, NBU 3004, Farmington, NM 87401Facility Or: San Juan 29 - 6 Unit # 100

Well Name

Location: Unit or Qtr/Qtr Sec SWNE Sec 35 T 29N R 6W County Rio ArribaPit Type: Separator X Dehydrator _____ Other Condensate TankLand Type: BLM X State _____ Fee _____ Other _____Pit Location: Pit dimensions: Length 25 ft width 25 ft depth 4 ft
(Attach diagram)Reference: wellhead X other _____Footage from reference: 70 ftDirection from reference: 0 Degrees X East of North X
West South

Depth to Ground Water: <u>45 ft</u>	<u>X</u>	Less than 50 feet	(20 points)	
(vertical distance from	_____	50 ft to 99 feet	(10 points)	
contaminants to seasonal	_____	Greater than 100 feet	(0 points)	<u>20</u>
highwater elevation of				
ground water)				

Wellhead Protection Area:		Yes	(20 points)	
(less than 200 feet from a private		<u>X</u> No	(0 points)	<u>0</u>
domestic water source, or: less than				
1000 feet from all other water sources)				

Distance to Surface Water:		Less than 200 feet	(20 points)	
(Horizontal distance to perennial		200 feet to 1000 feet	(10 points)	
lakes, ponds, rivers, streams, creeks,	<u>X</u>	Greater than 1000 feet	(0 points)	<u>0</u>
irrigation canals and ditches.)				

Date Remediation Started: 11/10/93

Dated Completed: 4/6/95

Excavation X

Approx. cubic yards 57

Landfarmed X

In situ Bioremediation _____

Other _____

Remediation Method:

Onsite X

Offsite _____

(Check all appropriate
sections)

General Description of Remedial Action- The site was assessed on 11/10/93. The pit was excavated on 5/20/94 and tested below NMOCD and BLM guidelines. The landfarm was determined to be within guidelines on 4/6/95

Ground Water Encountered:

No X

Yes _____

Depth _____

Final Pit:

Closure Sampling
of multiple samples,
attach sample results

and diagram of sample
locations and depths)

Sample location Center of pit

Sample depth 11' below ground level

Sample date 5/20/94

Sample time NA

Sample Results

Benzene(ppm) _____

Total BTEX (PPM) _____

Field Headspace (ppm) 5.0

TPH 42 ppm

Ground Water Sample: Yes

No X

(if yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETED TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE

6-20-97

PRINTED NAME

Bob Wirtanen

SIGNATURE

Robert A. Wirtanen

and TITLE

Sr. Safety & Environmental Specialist

ENVIROTECH Inc.

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT NO: PA079

C.O.C. NO: _____

FIELD REPORT: SITE ASSESSMENT

JOB No: 93163

PAGE No: 1 of 1

PROJECT: PIT ASSESSMENT
CLIENT: PHILLIPS PETROLEUM
CONTRACTOR: ENVIROTECH INC.
EQUIPMENT USED: CASE EXTEND-A-DIG

DATE STARTED: 11-10-93
DATE FINISHED: 11-10-93
ENVIRO. SPCLT: REO
OPERATOR: CIMARRON
ASSISTANT: K.S.

LOCATION: LEASE: San Juan 29-6 WELL: #100 QD: 1840' FNL & 1840' FEL
SEC: 35 TWP: 29N RNG: 6W PM: NM CNTY: R.A. ST: NM PIT: Sep.

LAND USE: Range - Lease # NM-012670

SURFACE CONDITIONS: Earthen Pit - Fenced 25' x 25' - Dry - White Surface Residue

PIT CENTER IS LOCATED APPROXIMATELY 70 FEET East OF WELLHEAD.

CLOSURE STD: 100 ppm TPH

RANKING SCORE: 20

T1: Moist, brown/black, organic - silty - sand
Some odor. Turns medium brown @ 9' - No odor.
Recommend excavation to ~9'

1383 : Dilute 10:1 = 528 x 2 x 10 = 10560 - GAC#0313
11 x 2 - GAC#0314


TEST HOLE LOGS

SAMPLE INVENTORY		
SAMPL ID	SAMPL TYPE	LABORATORY ANALYSIS
T1@7'	Soil	10,560ppm
T1@12'	Soil	22ppm

SCALE


0 10 20 FEET

SITE DIAGRAM



TH#	TH#	TH#	TH#
1			
SOIL TYPE	SAMPL TYPE	SOIL TYPE	SAMPL TYPE
TYPE	TYPE	TYPE	TYPE
GD	TPH	GD	TPH
1			
2			
3			
4	Pit bottom		
5			
6	Black		
7	OL GRB 639		
8			
9			
10	Brown		
11			
12	SM GRB 41		
13	TD = 12'		
14			

SOIL TYPE: C - Clay, M - Silt, S - Sand, G - Gravel Plasticity: L - None, H - Plastic Grading: P - Poorly, W - Well



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: Phillips Petroleum
Sample ID: T1 @ 7'
Project Location: San Juan 29-6, #100
Laboratory Number: GAC0313

Project #: 93163
Date Analyzed: 11-10-93
Date Reported: 11-15-93
Sample Matrix: Soil

Parameter -----	Result, mg/kg -----	Detection Limit, mg/kg -----
Total Recoverable Petroleum Hydrocarbons	10,600	100

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg -----	Duplicate TPH mg/kg -----	% *Diff. -----
	1,000	890	12


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and Waste,
USEPA Storet No.4551, 1978

Comments: Separator Pit PA079

R. E. O'Neill
Analyst

Mavis D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: Phillips Petroleum
Sample ID: T1 @ 12'
Project Location: San Juan 29-6, #100
Laboratory Number: GAC0314

Project #: 93163
Date Analyzed: 11-10-93
Date Reported: 11-15-93
Sample Matrix: Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	22	10

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	1,000	890	12

*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA079

R E O'Neill
Analyst

Marion D. Young
Review

PIT NO: PA079

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0815

C.O.C. NO: _____

FIELD REPORT: CLOSURE VERIFICATION

JOB No: 93163

PAGE No: 1 of 1

LOCATION: NAME: San Juan 29-6 WELL #: 100 PIT: Sep.

DATE STARTED: 5/20/94

DATE FINISHED: 5/20/94

QUAD/UNIT: G SEC: 35 TWP: 29N RNG: 6W BM: NM CNTY: R.A. ST: NM

ENVIRONMENTAL
SPECIALIST: _____TH

QTR/FOOTAGE: 1840' ENL & 1840' FEL CONTRACTOR: Cimarron

SOIL REMEDIATION: EXCAVATION APPROX. 17 FT. x 17 FT. x 9 FT. DEEP.

DISPOSAL FACILITY: Landfarm on site CUBIC YARDAGE:

LAND USE: Range LEASE: # NM-012670

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 70 FEET East FROM WELLHEAD.

DEPTH TO GROUNDWATER: 45' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'

NMOC RANKING SCORE: 20 NMOC TPH CLOSURE STD: 100 PPM

SOIL AND EXCAVATION DESCRIPTION: Pit red/brown sandy, clayey silt - no obvious stains
on walls or floor

FIELD 418.1 CALCULATIONS


SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
T5 @ 11'	GAC#518	10	20	---	21	42

SCALE



0 FEET


PIT PERIMETER



OVM RESULTS

SAMPLE ID		FIELD HEADSPACE PID (ppm)
1	T1 @ 4'	ND
2	T2 @ 5'	ND
3	T3 @ 4'	ND
4	T4 @ 4'	2
5	T5 @ 5'	5
LAB SAMPLES		


PIT PROFILE



TRAVEL NOTES:

CALLOUT: _____ ONSITE: 5/20/94

ONSITE: 5/20/94



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: Phillips Petroleum
Sample ID: CB @ 11'
Project Location: San Juan 29-6 #100
Laboratory Number: GAC0518

Project #: 93163
Date Analyzed: 5-20-94
Date Reported: 5-23-94
Sample Matrix: Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
-----	-----	-----
Total Recoverable Petroleum Hydrocarbons	42	10


ND = Not Detectable at stated detection limits.


QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	-----	-----	-----
	7,860	5,200	41

*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and Waste,
USEPA Storet No.4551, 1978

Comments: Separator Pit PA079


Analyst


Review

ENVIROTECH Inc.5798 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615PIT No: PA079
C.O.C #: 3868**FIELD REPORT: REMEDIATION FACILITY
CLOSURE VERIFICATION**JOB No: 93163
PAGE No: 1 of 1FACILITY LOCATION: San Juan 29-6 #100 Elev. 6463 GL
SOURCE LOCATION: SI-012670 1840' FNL & 1840' FEL
SOURCE LOCATION: Sec. 35, T29N, R6W N.M.P.M.
SOURCE LOCATION: Rio Arriba County, NM
FACILITY CLASSIFICATION: Landfarm PIT TYPE: Sep.DATE STARTED: 8-9-94
DATE FINISHED: 8-9-94ENVIRONMENTAL
SPECIALIST: PVSOIL REMEDIATION: QUANTITY: 52 cy # OF COMP. SAMPLES: 1
DIMENSIONS: 39'L x 36'W x 1'


VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: Sampled from 5 points (1 5-point composite)FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX 51 YARDS SE FROM WELLHEAD.DEPTH TO GROUNDWATER: 45'
NEAREST WATER SOURCE/TYPE: >1000'
NEAREST SURFACE WATER: >1000'
MAX TPH PER NMOC: 100 ppm

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

FACILITY DIAGRAM


GRID SCALE:

**OVM
RESULTS**

SAMPLE ID:	FIELD HEADSPACE PID (ppm)
#9	OVM 231.9
TPH	418.1
BTEX	8020
Time	1254

**LAB
RESULTS**


SAMPLE ID:	ANALYSIS REQUESTED	RESULTS PPM:



NORTH

WELLHEAD

SURFACE
FLOW DIR.ESTIMATED
GROUNDWATER
FLOW DIR.



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	PHILLIPS PETRO	Project #:	93163
Sample ID:	SJ 29-6 # 100	Date Sampled:	08-10-94
Laboratory Number:	7800	Date Received:	08-10-94
Sample Matrix:	Soil	Date Analyzed:	08-12-94
Preservative:	Cool	Date Reported:	08-12-94
Condition:	Cool and Intact	Analysis Needed:	TPH

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----	-----	-----
Total Petroleum Hydrocarbons	560	30.0


ND = Parameter not detected at the stated detection limit.
N/A = Not applicable

Method: Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and
Waste, USEPA Storet No.4551, 1978

Comments: RIO ARRIBA COUNTY NM

Rex L. Gaffin
Analyst

Morris D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	PHILLIPS / 00	Project #:	93163
Sample ID:	SJ 29-6 # 499	Date Reported:	08-16-94
Laboratory Number:	7800	Date Sampled:	08-10-94
Sample Matrix:	Soil	Date Received:	08-10-94
Preservative:	Cool	Date Extracted:	08-12-94
Condition:	Cool & Intact	Date Analyzed:	08-15-94
		Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	19.6
Toluene	24	19.6
Ethylbenzene	49	13.1
p,m-Xylene	523	19.6
o-Xylene	218	19.6

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	159 %
	Bromofluorobenzene	155 %

Method: Method 5030, Purge-and-Trap, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, July 1992

Method 8020, Aromatic Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: RIO ARriba COUNTY, NM LANDFARM
EXCESSIVE SURROGATE RECOVERY DUE TO COELUTION

Dex L. Griffin
Analyst

Morris D. Young
Review

CHAIN OF CUSTODY RECORD

Client/Project Name			Project Location			ANALYSIS/PARAMETERS										
Sampler: (Signature)			Chain of Custody Tape No.			Remarks										
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix	No. of Containers	TP #	BTex	8020								
Phillip Velazquez																
S. J. 29-6 #84	8/9/94	1020	7797	Soil	1	✓								Landfarm Sample		
S. J. 29-6 #81	8/9/94	1115	7798	Soil	2	✓	✓							Landfarm Sample		
S. J. 29-6 #58	8/9/94	1204	7799	Soil	1	✓								Landfarm Sample		
S. J. 29-6 #100	8/9/94	1254	7800	Soil	2	✓	✓							Landfarm Sample		
S. J. 29-6 #97	8/9/94	1336	7801	Soil	1	✓								Landfarm Sample		
S. J. 29-6 #85	8/9/94	1413	7802	Soil	1	✓								Landfarm Sample		
S. J. 29-6 #74A	8/9/94	1511	7803	Soil	1	✓								Landfarm Sample		
Relinquished by: (Signature)			Date			Time			Received by: (Signature)			Date			Time	
Phillip Velazquez			8/10/94			0733			Pat Hall			8/10/94			1400	
Relinquished by: (Signature)									Received by: (Signature)							
Relinquished by: (Signature)									Received by: (Signature)							

ENVIROTECH INC.

5796 U.S. Highway 64-3014

Farmington, New Mexico 87401

(505) 632 0615

ENVIROTECH, Inc.

5798 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: PA079
C.O.C #: _____

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 93163
PAGE No: 1 of 1

FACILITY LOCATION: San Juan 29-6 # 100

DATE STARTED: 10/20/94

SOURCE LOCATION: _____

DATE FINISHED: 10/20/94

SOURCE LOCATION: _____

SOURCE LOCATION: _____

ENVIRONMENTAL
SPECIALIST: CJC

FACILITY CLASSIFICATION: On site Landfarm PIT TYPE: Sep.

SOIL REMEDIATION: QUANTITY: 37 cy # OF COMP. SAMPLES: 1

DIMENSIONS: 33' x 30' x 1'

VISIBLE OBSERVATIONS: Clay, sand, tan, brown, dry, no odor

SAMPLING PLAN: 1 5-point composite

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX 51 YARDS SE FROM WELLHEAD.

DEPTH TO GROUNDWATER: 45'

NEAREST WATER SOURCE/TYPE: >1000'

NEAREST SURFACE WATER: >1000'


MAX TPH PER NMDCD: 100 ppm

No. OF 5-POINT
COMPOSITE SAMPLES:
YARDAGE--#
0-200=1
201-400=2
401-1000=3
>1000=5

GAC#849 C1 : $\frac{20 \text{ ml}}{10.14 \text{ g}} \times 1 \times 64 = 126 \text{ ppm TPH}$

FACILITY DIAGRAM

GRID SCALE: 1' = 10'




OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
C1	7.0

LAB RESULTS

SAMPLE ID	ANALYSIS REQUESTED	RESULTS PPM
C1	TPH	126



NORTH




WELLHEAD



SURFACE
FLOW DIR.



ESTIMATED
GROUNDWATER
FLOW DIR.



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips Petroleum	Project #:	93163
Sample ID:	C1 - LANDFARM	Date Analyzed:	10-20-94
Project Location:	SAN JUAN 29-6, # 100	Date Reported:	10-21-94
Laboratory Number:	GAC0849	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	126	10


ND = Not Detectable at stated detection limits.


QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% Diff.
	98 *	96	1

* Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA079


Analyst


Review

ENVIROTECH Inc.

5798 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

PIT No: PA079
C.O.C #: 4150

FIELD REPORT: REMEDIATION FACILITY CLOSURE VERIFICATION

JOB No: 93163
PAGE No: 1 of 1

FACILITY LOCATION: San Juan 29-6 #100 DK

DATE STARTED: 4-6-95

SCURCE LOCATION: _____

DATE FINISHED: 4-6-95

SCURCE LOCATION: _____

SCURCE LOCATION: _____

ENVIRONMENTAL
SPECIALIST: CJC

FACILITY CLASSIFICATION: Landfarm PIT TYPE: Sep.

SOIL REMEDIATION: QUANTITY: 33 cy # OF COMP. SAMPLES: 1
DIMENSIONS: 33' x 36' x .75'

VISIBLE OBSERVATIONS: _____

SAMPLING PLAN: 1 5-point composite

FIELD NOTES & REMARKS: FACILITY CENTER LOCATED APPROX 51 YARDS SE FROM WELLHEAD.

DEPTH TO GROUNDWATER: 45'

NEAREST WATER SOURCE/TYPE: >1000'

NEAREST SURFACE WATER: >1000'

MAX TPH PER NMOC: 100 ppm

No. OF 5-POINT
COMPOSITE SAMPLES:

YARDAGE--#

0-200=1

201-400=2


401-1000=3

>1000=5

Close??

FACILITY DIAGRAM

GRID SCALE: 10'





OVM RESULTS

SAMPLE ID:	FIELD HEADSPACE PID (ppm)
C1	6.0

LAB RESULTS

SAMPLE ID:	ANALYSIS REQUESTED:	RESULTS PPM:
C1	TPH	101





ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips	Project #:	93163
Sample ID:	29-6 #100	Date Reported:	04-13-95
Laboratory Number:	8338	Date Sampled:	04-06-95
Chain of Custody No:	4150	Date Received:	04-06-95
Sample Matrix:	Soil	Date Extracted:	04-12-95
Preservative:	Cool	Date Analyzed:	04-12-95
Condition:	Cool and Intact	Analysis Needed:	IPH


Parameter -----	Concentration (mg/kg) -----	Det. Limit (mg/kg) -----
Total Petroleum Hydrocarbons	101	10.0

ND = Parameter not detected at the stated detection limit.

Method: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978.

Comments:


Analyst


Review

CHAIN OF CUSTODY RECORD

Client/Project Name		Project Location		ANALYSIS/PARAMETERS									
Phillips / 93163		Chain of Custody Tape No.											
Sampler: (Signature) C. Jack Collins													
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix	No. of Containers	TPH 4151	BTEX						Remarks
29-5 #59	4-6-95	1448	8332	50:1	1	X							
29-5 #9-26	11 "	1537	8333	}	1	X							
29-5 #91	11 "	1611	8334		2	X	X						
29-6 #58A	11 "	1126	8335		1	X							
29-5 #41	11 "	1421	8336	}	1	X							
29-5 #58	11 "	1342	8337		1	X							
29-6 #100	11 "	1312	8338		1	X							
29-6 #25A	11 "	1224	8339	}	1	X							
29-5 #55A	11 "	1024	8340		1	X							
Relinquished by: (Signature) C. Jack Collins		Date	Time	Received by: (Signature) Nathan Spence		Date	Time						
Relinquished by: (Signature)		4-6-95	1741	Received by: (Signature)		4-6-95	1741						
Relinquished by: (Signature)				Received by: (Signature)									

ENVIROTECH INC.

5796 U.S. Highway 64-3014
Farmington, New Mexico 87401
(505) 632-0615